METEO ON SKIS AN INNOVATIVE AND EASIER WAY TO DEPLOY AND SERVICE AWSs IN ANTARCTICA

10th AMOMFW (Cambridge, UK) | 17th – 19th June 2015

Philippe Dordhain pdordhain@bigpond.com Antarctic Consultant

EASBERG





METEO ON SKIS AN INNOVATIVE AND EASIER WAY TO DEPLOY AND SERVICE AWSs IN ANTARCTICA




Philippe Dordhain pdordhain@bigpond.com Antarctic Consultant

EASBERG






THE DOME C TRAVERSE in Adélie Land



Satellite view of the the traverse road



Fabrication of the sled





D 47

The sled is brought with the SAMBA traverse at D 47



Unloading the sled using a ramp







Retrieving D 47



Keeping electric cables safe while refilling the site.



The station is mounted on the sled and then towed back into position.



The station on its sled



Installing FlowCaptTM sensors




E 85 RUNWAY



LGGE D17






LGGE D17





Station is craned up





LGGE D17





The final steps of the installation – D17 on its sled

IN THE FUTURE

 Self sufficient stations: batteries installed on the sled

Installation would be even faster (~1 h)

The sled has been designed to be towed and relocated, the mast can be reclined and secured on a support to allow transport

THE ENVIRONMENT

Eco-friendly process

Short term measurements

Batteries not abandoned

DISADVANTAGES OF THE OLD SYSTEM

- Fastidious

- Weather dependant

- Time consuming

- Loss of buried equipment


Station is drifting with the continent

ADVANTAGES OF THE NEW SYSTEM

- Easier and faster maintenance operations
- Better standard of measure (measurement height and location)
- No drifting problem

D 10





Substantial snow accumulation at D10

Port Martin (remote area..)



Considerations for next season

- Extending the sled solution to D10.
- New set of batteries for D10, D47 and D85.
- Using the Port Martin set of batteries for a sled station to save one set?