

Altitude Report:

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
1	-14.2	824.4	42	086	17	250
2	-14.2	824.3	42	086	17	250
3	-14.2	824.2	42	086	17	250
4	-14.2	824.1	42	086	17	250
5	-14.1	824.0	42	086	17	250
6	-14.1	823.8	42	086	17	250
7	-14.1	823.7	42	086	17	250
8	-14.1	823.6	42	086	17	250
9	-14.1	823.5	42	086	17	250
10	-14.1	823.4	42	086	17	251
11	-14.1	823.3	42	086	17	251
12	-14.1	823.2	42	086	17	251
13	-14.1	823.1	42	086	17	251
14	-14.1	823.0	42	086	17	251
15	-14.0	822.9	42	086	17	251
16	-14.0	822.8	42	086	17	251
17	-14.0	822.7	42	086	17	251
18	-14.0	822.5	42	086	17	251
19	-14.0	822.4	42	086	17	252
20	-14.0	822.3	42	086	17	252
21	-14.0	822.2	42	086	17	252
22	-14.0	822.1	42	086	17	252
23	-14.0	822.0	42	086	17	252
24	-13.9	821.9	42	086	17	252
25	-13.9	821.8	42	086	17	252
26	-13.9	821.7	42	086	17	252
27	-13.9	821.6	42	086	17	252
28	-13.9	821.5	42	086	17	253
29	-13.9	821.3	42	086	17	253
30	-13.9	821.2	42	086	17	253
31	-13.9	821.1	42	086	17	253
32	-13.9	821.0	42	086	17	253
33	-13.8	820.9	42	086	17	253
34	-13.8	820.8	42	086	17	253
35	-13.8	820.7	42	086	17	253
36	-13.8	820.6	42	086	17	254
37	-13.8	820.5	42	086	17	254
38	-13.8	820.4	42	086	17	254
39	-13.8	820.3	42	086	17	254
40	-13.8	820.2	42	086	17	254
41	-13.8	820.0	42	086	17	254
42	-13.8	819.9	42	086	17	254
43	-13.7	819.8	42	086	17	254

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
44	-13.7	819.7	42	086	17	254
45	-13.7	819.6	42	086	17	255
46	-13.7	819.5	42	086	17	255
47	-13.7	819.4	42	086	17	255
48	-13.7	819.3	42	086	17	255
49	-13.7	819.2	42	086	17	255
50	-13.7	819.1	42	086	17	255
55	-13.6	818.5	42	086	17	256
60	-13.6	818.0	41	086	17	256
65	-13.5	817.5	41	086	17	257
70	-13.5	816.9	41	086	17	257
75	-13.4	816.4	41	086	17	258
80	-13.3	815.8	41	086	17	259
85	-13.3	815.3	41	086	17	259
90	-13.2	814.8	41	086	17	260
95	-13.2	814.2	41	086	17	260
100	-13.1	813.7	41	086	17	261
105	-13.1	813.2	41	086	17	261
110	-13.0	812.6	41	086	17	262
115	-13.0	812.1	41	086	17	263
120	-12.9	811.6	41	086	17	263
125	-12.9	811.0	41	086	17	264
130	-12.8	810.5	41	086	17	264
135	-12.8	810.0	41	086	17	265
140	-12.7	809.4	41	086	17	265
145	-12.6	808.9	41	086	17	266
150	-12.6	808.4	41	086	17	267
155	-12.5	807.8	41	086	18	267
160	-12.5	807.3	41	086	18	268
165	-12.4	806.8	41	086	18	268
170	-12.4	806.2	40	086	18	269
175	-12.3	805.7	40	086	18	269
180	-12.3	805.2	40	086	18	270
185	-12.2	804.7	40	086	18	271
190	-12.2	804.1	40	086	18	271
195	-12.1	803.6	40	086	18	272
200	-12.1	803.1	40	086	18	272
205	-12.0	802.6	40	086	18	273
210	-12.0	802.0	40	086	18	273
215	-11.9	801.5	40	086	18	274
220	-11.8	801.0	40	086	18	275
225	-11.8	800.5	40	086	18	275
230	-11.7	799.9	40	086	18	276
235	-11.7	799.4	40	086	18	276
240	-11.6	798.9	40	086	18	277

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
245	-11.6	798.4	40	086	18	277
250	-11.5	797.8	40	086	18	278
255	-11.5	797.3	40	086	18	279
260	-11.4	796.8	40	086	18	279
265	-11.4	796.3	40	086	18	280
270	-11.3	795.8	40	086	18	280
275	-11.3	795.2	40	086	18	281
280	-11.2	794.7	39	086	18	282
285	-11.2	794.2	39	086	18	282
290	-11.1	793.7	39	086	18	283
295	-11.0	793.2	39	086	18	283
300	-11.0	792.6	39	086	18	284
305	-10.9	792.1	39	086	18	284
310	-10.9	791.6	39	086	18	285
315	-10.8	791.1	39	086	18	286
320	-10.8	790.6	39	086	18	286
325	-10.7	790.1	39	086	18	287
330	-10.7	789.6	39	086	18	287
335	-10.6	789.0	39	086	18	288
340	-10.6	788.5	39	086	18	289
345	-10.5	788.0	39	086	18	289
350	-10.5	787.5	39	086	18	290
355	-10.4	787.0	39	086	18	290
360	-10.4	786.5	39	086	18	291
365	-10.3	786.0	39	086	18	291
370	-10.2	785.5	39	086	18	292
375	-10.2	784.9	39	086	18	293
380	-10.1	784.4	39	086	18	293
385	-10.1	783.9	39	086	18	294
390	-10.0	783.4	38	086	18	294
395	-10.0	782.9	38	086	18	295
400	-9.9	782.4	38	086	18	296
405	-9.9	781.9	38	086	18	296
410	-9.8	781.4	38	086	19	297
415	-9.8	780.9	38	086	19	297
420	-9.7	780.4	38	086	19	298
425	-9.7	779.9	38	086	19	298
430	-9.6	779.4	38	086	19	299
435	-9.5	778.8	38	086	19	300
440	-9.5	778.3	38	086	19	300
445	-9.4	777.8	38	086	19	301
450	-9.4	777.3	38	086	19	301
455	-9.3	776.8	38	086	19	302
460	-9.3	776.3	38	086	19	303
465	-9.2	775.8	38	086	19	303

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
470	-9.2	775.3	38	086	19	304
475	-9.1	774.8	38	086	19	304
480	-9.1	774.3	38	086	19	305
485	-9.0	773.8	38	086	19	305
490	-9.0	773.3	38	086	19	306
495	-8.9	772.8	38	086	19	307
500	-8.9	772.3	37	086	19	307
510	-8.7	771.3	37	086	19	308
520	-8.6	770.3	37	086	19	310
530	-8.5	769.3	37	086	19	311
540	-8.4	768.3	37	086	19	312
550	-8.3	767.3	37	086	19	313
560	-8.2	766.3	37	086	19	314
570	-8.1	765.4	37	086	19	316
580	-8.0	764.4	37	086	19	317
590	-7.9	763.4	37	086	19	318
600	-7.8	762.4	37	086	19	319
610	-7.7	761.4	37	086	19	320
620	-7.6	760.4	36	086	19	321
630	-7.5	759.5	36	086	19	323
640	-7.4	758.5	36	086	19	324
650	-7.3	757.5	36	086	19	325
660	-7.1	756.5	36	086	19	326
670	-7.0	755.6	36	086	20	327
680	-6.9	754.6	36	086	20	329
690	-6.8	753.6	36	086	20	330
700	-6.7	752.7	36	086	20	331
710	-6.6	751.7	36	086	20	332
720	-6.5	750.7	36	086	20	333
730	-6.4	749.8	35	086	20	335
740	-6.3	748.8	35	086	20	336
750	-6.2	747.8	35	086	20	337
760	-6.1	746.9	35	086	20	338
770	-6.0	745.9	35	086	20	339
780	-5.9	745.0	35	086	20	341
790	-5.8	744.0	35	086	20	342
800	-5.6	743.1	35	086	20	343
810	-5.5	742.1	35	086	20	344
820	-5.4	741.2	35	086	20	345
830	-5.3	740.2	35	086	20	347
840	-5.2	739.3	34	086	20	348
850	-5.1	738.3	34	086	20	349
860	-5.0	737.4	34	086	20	350
870	-4.9	736.5	34	086	20	351
880	-4.8	735.5	34	086	20	353

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
890	-4.7	734.6	34	086	20	354
900	-4.6	733.6	34	086	20	355
910	-4.5	732.7	34	086	20	356
920	-4.4	731.8	34	086	21	357
930	-4.3	730.9	34	086	21	359
940	-4.1	729.9	34	086	21	360
950	-4.0	729.0	33	086	21	361
960	-3.9	728.1	33	086	21	362
970	-3.8	727.1	33	086	21	364
980	-3.7	726.2	33	086	21	365
990	-3.6	725.3	33	086	21	366
1000	-3.5	724.4	33	086	21	367
1050	-3.0	719.8	33	086	21	373
1100	-2.4	715.3	32	086	21	379
1150	-1.6	710.8	34	086	21	385
1200	-4.9	706.3	28	086	22	394
1250	-9.2	701.8	32	086	22	404
1300	-11.3	697.2	34	086	22	413
1350	-12.1	692.7	37	086	22	420
1400	-13.8	688.1	38	086	22	428
1450	-14.2	683.6	34	088	28	434
1500	-13.7	679.1	22	088	27	440
1550	-13.9	674.6	21	091	25	447
1600	-14.3	670.2	21	090	24	453
1650	-14.7	665.8	22	089	23	460
1700	-15.2	661.4	23	093	21	467
1750	-15.4	657.0	23	096	19	474
1800	-15.7	652.7	23	099	18	481
1850	-16.0	648.3	23	093	18	487
1900	-16.2	644.0	22	096	17	494
1950	-16.5	639.8	22	098	17	501
2000	-17.1	635.5	22	101	17	508
2050	-17.6	631.3	23	105	16	515
2100	-18.0	627.1	24	105	16	522
2150	-18.5	622.9	25	106	16	529
2200	-18.9	618.7	25	106	17	536
2250	-19.4	614.5	25	107	17	543
2300	-19.7	610.4	27	108	18	550
2350	-20.2	606.3	28	108	18	557
2400	-20.7	602.2	28	106	19	564
2450	-21.1	598.1	30	106	20	571
2500	-21.6	594.1	31	106	19	578
2550	-22.2	590.1	34	103	17	585
2600	-22.3	586.0	41	088	13	592
2650	-21.8	582.1	40	079	13	598

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
2700	-22.0	578.1	38	073	14	605
2750	-22.2	574.2	39	069	14	612
2800	-22.5	570.3	37	070	13	618
2850	-22.4	566.4	43	059	11	625
2900	-22.5	562.6	42	053	10	632
2950	-22.8	558.7	40	058	8	639
3000	-23.1	554.9	38	056	8	645
3050	-23.5	551.2	34	053	8	652
3100	-24.0	547.4	33	054	9	659
3150	-24.4	543.6	33	058	8	666
3200	-24.9	539.9	33	072	7	673
3250	-25.2	536.2	34	081	7	680
3300	-25.2	532.5	34	077	7	687
3350	-25.6	528.9	34	081	7	694
3400	-25.6	525.2	33	084	8	700
3450	-25.9	521.6	32	081	8	707
3500	-26.2	518.0	32	086	10	714
3550	-26.4	514.4	31	086	10	721
3600	-26.8	510.9	31	082	11	728
3650	-27.2	507.3	32	075	10	735
3700	-27.4	503.8	33	066	12	742
3750	-27.6	500.3	30	063	15	749
3800	-27.4	496.9	27	059	15	755
3850	-27.7	493.4	27	057	13	762
3900	-28.0	490.0	33	055	10	769
3950	-28.0	486.6	36	052	11	776
4000	-28.2	483.2	37	040	8	783
4050	-28.0	479.8	34	038	7	790
4100	-28.5	476.5	33	039	7	797
4150	-28.9	473.2	34	046	6	804
4200	-29.5	469.9	35	042	4	811
4250	-29.6	466.6	35	038	4	818
4300	-29.9	463.3	35	042	5	825
4350	-29.9	460.1	34	045	5	832
4400	-30.4	456.9	33	052	4	839
4450	-30.9	453.7	34	070	4	846
4500	-31.0	450.5	34	056	3	853
4550	-31.5	447.3	34	049	4	860
4600	-31.8	444.1	35	050	3	867
4650	-32.4	441.0	35	072	3	874
4700	-32.5	437.9	35	104	4	881
4750	-32.8	434.8	36	106	4	888
4800	-33.3	431.7	36	116	4	896
4850	-33.7	428.6	36	121	4	903
4900	-34.0	425.6	38	137	3	910

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
4950	-34.4	422.5	39	146	4	917
5000	-34.4	419.5	39	136	5	924
5100	-34.8	413.6	38	119	7	938
5200	-35.6	407.7	35	115	7	952
5300	-36.3	401.8	36	098	7	966
5400	-37.1	396.1	36	089	2	980
5500	-37.5	390.4	32	201	2	994
5600	-37.8	384.7	25	157	4	1008
5700	-38.3	379.2	23	151	6	1022
5800	-39.0	373.7	22	151	5	1036
5900	-39.6	368.3	23	142	5	1050
6000	-40.1	362.9	21	147	6	1064
6100	-40.3	357.6	17	167	6	1078
6200	-41.1	352.4	16	170	6	1092
6300	-41.7	347.3	16	160	6	1107
6400	-42.2	342.2	18	150	5	1121
6500	-43.1	337.1	19	161	5	1136
6600	-43.7	332.2	19	184	3	1150
6700	-44.4	327.2	19	166	4	1164
6800	-45.1	322.4	19	180	3	1179
6900	-45.8	317.6	20	199	4	1193
7000	-46.4	312.8	19	240	4	1207
7100	-47.2	308.2	20	258	5	1222
7200	-47.8	303.5	21	233	5	1237
7300	-48.4	298.9	22	210	6	1251
7400	-49.1	294.4	22	209	5	1265
7500	-49.8	290.0	24	204	5	1280
7600	-50.4	285.6	24	201	6	1295
7700	-51.0	281.2	25	216	6	1309
7800	-50.2	276.9	21	214	6	1323
7900	-50.3	272.7	20	198	5	1337
8000	-50.3	268.6	19	207	7	1351
8100	-50.7	264.5	17	212	7	1365
8200	-50.4	260.5	15	181	10	1379
8300	-49.3	256.5	13	197	6	1393
8400	-48.8	252.6	11	202	12	1407
8500	-47.5	248.8	8	202	11	1421
8600	-47.0	245.1	7	204	11	1435
8700	-46.8	241.4	5	179	11	1449
8800	-46.1	237.8	4	194	9	1463
8900	-45.7	234.3	3	212	9	1477
9000	-45.4	230.8	2	207	7	1492
9100	-44.8	227.3	2	262	6	1506
9200	-44.7	224.0	1	233	10	1521
9300	-44.6	220.7	1	229	11	1535

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
9400	-44.4	217.4	1	225	10	1550
9500	-44.3	214.2	1	231	9	1564
9600	-44.8	211.0	1	213	8	1579
9700	-44.9	207.9	1	206	12	1594
9800	-44.6	204.8	1	200	7	1608
9900	-44.1	201.7	1	203	9	1623
10000	-43.7	198.8	1	217	11	1637
10100	-43.0	195.8	1	236	7	1652
10200	-43.0	192.9	1	256	11	1667
10300	-42.9	190.1	1	226	10	1681
10400	-42.3	187.3	1	255	10	1696
10500	-42.7	184.6	1	260	10	1711
10600	-43.4	181.8	1	270	7	1726
10700	-43.2	179.2	1	263	9	1740
10800	-43.6	176.5	1	239	13	1755
10900	-43.7	173.9	1	234	13	1770
11000	-43.5	171.4	1	237	12	1785
11100	-42.6	168.8	1	248	13	1800
11200	-42.8	166.4	1	242	9	1815
11300	-42.7	163.9	1	251	7	1829
11400	-42.4	161.5	1	252	10	1844
11500	-42.1	159.1	1	268	12	1859
11600	-42.7	156.8	1	272	11	1874
11700	-43.4	154.5	1	255	9	1889
11800	-43.2	152.2	1	255	12	1904
11900	-43.8	150.0	1	250	17	1919
12000	-44.1	147.8	1	241	17	1934
12100	-43.5	145.6	1	230	19	1949
12200	-42.8	143.4	1	218	15	1964
12300	-42.3	141.3	1	209	11	1979
12400	-42.4	139.2	1	225	6	1994
12500	-42.0	137.2	1	273	9	2009
12600	-42.2	135.2	1	257	10	2024
12700	-43.1	133.2	1	237	12	2039
12800	-42.6	131.3	1	256	10	2054
12900	-42.8	129.3	1	261	10	2069
13000	-42.1	127.4	1	258	7	2084
13100	-42.0	125.6	1	263	5	2099
13200	-43.0	123.7	1	209	5	2114
13300	-42.3	121.9	1	255	6	2129
13400	-42.1	120.1	1	264	12	2144
13500	-41.9	118.4	1	257	14	2159
13600	-41.8	116.6	1	248	14	2174
13700	-42.4	114.9	1	250	18	2190
13800	-42.7	113.2	1	255	15	2205

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
13900	-42.4	111.6	1	273	11	2220
14000	-42.0	109.9	1	258	13	2235
14100	-42.4	108.3	1	244	16	2250
14200	-42.0	106.7	1	254	16	2265
14300	-42.0	105.2	1	266	14	2280
14400	-42.6	103.6	1	270	13	2296
14500	-42.5	102.1	1	273	14	2311
14600	-42.9	100.6	1	271	15	2326
14700	-43.5	99.1	1	267	20	2341
14800	-43.4	97.7	1	256	17	2357
14900	-43.2	96.2	1	249	20	2372
15000	-42.5	94.8	1	241	18	2387
15100	-42.7	93.4	1	241	19	2402
15200	-42.5	92.1	1	240	18	2417
15300	-42.0	90.7	1	237	17	2433
15400	-41.7	89.4	1	239	16	2448
15500	-41.9	88.1	1	245	16	2463
15600	-42.0	86.8	1	243	15	2478
15700	-42.1	85.5	1	262	14	2494
15800	-42.0	84.3	1	246	14	2509
15900	-42.3	83.0	1	250	11	2524
16000	-42.9	81.8	1	257	9	2540
16100	-43.0	80.6	1	264	11	2555
16200	-42.3	79.4	1	274	15	2570
16300	-41.9	78.3	1	267	18	2585
16400	-41.4	77.1	1	271	18	2601
16500	-41.5	76.0	1	265	17	2616
16600	-41.5	74.9	1	268	16	2631
16700	-41.5	73.8	1	265	14	2647
16800	-41.7	72.7	1	254	15	2662
16900	-41.8	71.7	1	253	13	2677
17000	-41.3	70.6	1	257	15	2693
17100	-41.1	69.6	1	261	17	2708
17200	-40.8	68.6	1	261	17	2723
17300	-41.1	67.6	1	266	17	2739
17400	-41.3	66.6	1	272	20	2754
17500	-40.9	65.6	1	254	18	2770
17600	-41.1	64.7	1	244	17	2785
17700	-41.0	63.7	1	256	17	2800
17800	-40.4	62.8	1	236	18	2816
17900	-40.3	61.9	1	224	14	2831
18000	-40.8	61.0	1	220	11	2846
18100	-41.1	60.1	1	229	9	2862
18200	-40.7	59.2	1	251	13	2877
18300	-40.5	58.4	1	252	13	2893

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
18400	-40.7	57.5	1	247	14	2908
18500	-40.9	56.7	1	242	14	2924
18600	-40.3	55.9	1	238	16	2939
18700	-40.1	55.0	1	267	12	2954
18800	-39.5	54.2	1	268	10	2970
18900	-39.2	53.5	1	270	8	2985
19000	-39.6	52.7	1	286	6	3001
19100	-40.0	51.9	1	296	9	3016
19200	-40.3	51.2	1	307	11	3032
19300	-40.9	50.4	1	290	17	3047
19400	-40.7	49.7	1	276	19	3062
19500	-40.8	49.0	1	261	20	3078
19600	-40.9	48.3	1	247	16	3093
19700	-40.4	47.6	1	240	15	3109
19800	-39.8	46.9	1	238	11	3124
19900	-40.6	46.2	1	232	7	3140
20000	-40.7	45.5	1	264	9	3155
20100	-40.3	44.9	1	273	12	3171
20200	-40.3	44.2	1	264	11	3186
20300	-39.9	43.6	1	255	12	3202
20400	-40.2	42.9	1	269	11	3217
20500	-39.8	42.3	1	263	10	3233
20600	-39.4	41.7	1	272	8	3248
20700	-40.0	41.1	1	--	--	3264
20800	-40.3	40.5	1	--	--	3279
20900	-39.0	39.9	1	295	3	3295
21000	-40.2	39.3	1	334	2	3310
21100	-39.0	38.8	1	294	5	3326
21200	-39.9	38.2	1	302	13	3341
21300	-39.2	37.7	1	300	17	3357
21400	-40.3	37.1	1	292	19	3372
21500	-40.6	36.6	1	276	16	3388
21600	-39.6	36.0	1	--	--	3403
21700	-40.3	35.5	1	--	--	3419