

Altitude Report:

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
1	-13.2	825.9	37	300	4	249
2	-13.2	825.8	37	300	4	249
3	-13.2	825.7	37	300	4	249
4	-13.2	825.6	37	300	4	249
5	-13.2	825.5	37	300	4	249
6	-13.2	825.3	37	300	4	249
7	-13.2	825.2	37	300	4	249
8	-13.2	825.1	37	300	4	250
9	-13.2	825.0	37	300	4	250
10	-13.2	824.9	37	300	4	250
11	-13.2	824.8	37	300	4	250
12	-13.2	824.7	37	300	4	250
13	-13.2	824.6	37	300	4	250
14	-13.2	824.5	37	300	4	250
15	-13.2	824.4	37	300	4	250
16	-13.2	824.3	37	300	4	251
17	-13.2	824.2	37	300	4	251
18	-13.2	824.0	37	300	4	251
19	-13.2	823.9	37	300	4	251
20	-13.2	823.8	37	300	4	251
21	-13.2	823.7	37	300	4	251
22	-13.2	823.6	37	300	4	251
23	-13.2	823.5	37	300	4	251
24	-13.2	823.4	37	300	4	252
25	-13.2	823.3	37	300	4	252
26	-13.2	823.2	37	300	4	252
27	-13.2	823.1	37	300	4	252
28	-13.2	823.0	37	300	4	252
29	-13.2	822.9	37	300	4	252
30	-13.2	822.7	37	300	4	252
31	-13.2	822.6	37	300	4	252
32	-13.2	822.5	37	300	4	253
33	-13.2	822.4	37	300	4	253
34	-13.2	822.3	37	300	4	253
35	-13.2	822.2	37	299	4	253
36	-13.1	822.1	37	299	4	253
37	-13.1	822.0	37	299	4	253
38	-13.1	821.9	37	299	4	253
39	-13.1	821.8	37	299	4	253
40	-13.1	821.7	37	299	4	254
41	-13.1	821.6	37	299	4	254
42	-13.1	821.4	37	299	4	254
43	-13.1	821.3	37	299	4	254

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
44	-13.1	821.2	37	299	4	254
45	-13.1	821.1	37	299	4	254
46	-13.1	821.0	37	299	4	254
47	-13.1	820.9	37	299	4	254
48	-13.1	820.8	37	299	4	255
49	-13.1	820.7	37	299	4	255
50	-13.1	820.6	37	299	4	255
55	-13.1	820.0	37	299	4	255
60	-13.1	819.5	37	299	4	256
65	-13.1	819.0	37	299	4	257
70	-13.1	818.4	37	299	4	257
75	-13.1	817.9	37	299	4	258
80	-13.1	817.3	37	299	4	258
85	-13.1	816.8	37	299	4	259
90	-13.1	816.3	37	299	4	260
95	-13.1	815.7	37	299	4	260
100	-13.1	815.2	37	299	4	261
105	-13.1	814.7	37	298	4	262
110	-13.0	814.1	37	298	4	262
115	-13.0	813.6	37	298	4	263
120	-13.0	813.1	36	298	4	263
125	-13.0	812.5	36	298	4	264
130	-13.0	812.0	36	298	4	265
135	-13.0	811.5	36	298	4	265
140	-13.0	810.9	36	298	4	266
145	-13.0	810.4	36	298	4	266
150	-13.0	809.9	36	298	4	267
155	-13.0	809.3	36	298	4	268
160	-13.0	808.8	36	298	4	268
165	-13.0	808.3	36	298	4	269
170	-13.0	807.7	36	298	4	270
175	-13.0	807.2	36	298	4	270
180	-12.9	806.7	36	297	4	271
185	-12.9	806.1	36	297	4	271
190	-12.9	805.6	36	297	4	272
195	-12.9	805.1	36	297	4	273
200	-12.9	804.5	36	297	4	273
205	-12.9	804.0	36	297	4	274
210	-12.9	803.5	36	297	4	275
215	-12.9	803.0	36	297	4	275
220	-12.9	802.4	36	297	4	276
225	-12.9	801.9	36	297	4	276
230	-12.9	801.4	36	297	4	277
235	-12.9	800.9	36	297	4	278
240	-12.9	800.3	36	297	4	278

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
245	-12.9	799.8	36	297	4	279
250	-12.9	799.3	36	297	4	280
255	-12.8	798.8	36	296	4	280
260	-12.8	798.2	36	296	4	281
265	-12.8	797.7	36	296	4	281
270	-12.8	797.2	36	296	4	282
275	-12.8	796.7	36	296	4	283
280	-12.8	796.1	36	296	4	283
285	-12.8	795.6	36	296	5	284
290	-12.8	795.1	36	296	5	284
295	-12.8	794.6	36	296	5	285
300	-12.8	794.0	36	296	5	286
305	-12.8	793.5	36	296	5	286
310	-12.8	793.0	36	296	5	287
315	-12.8	792.5	36	296	5	288
320	-12.8	792.0	36	296	5	288
325	-12.7	791.4	36	296	5	289
330	-12.7	790.9	36	295	5	289
335	-12.7	790.4	36	295	5	290
340	-12.7	789.9	36	295	5	291
345	-12.7	789.4	36	295	5	291
350	-12.7	788.8	36	295	5	292
355	-12.7	788.3	35	295	5	293
360	-12.7	787.8	35	295	5	293
365	-12.7	787.3	35	295	5	294
370	-12.7	786.8	35	295	5	294
375	-12.7	786.3	35	295	5	295
380	-12.7	785.7	35	295	5	296
385	-12.7	785.2	35	295	5	296
390	-12.7	784.7	35	295	5	297
395	-12.6	784.2	35	295	5	298
400	-12.6	783.7	35	295	5	298
405	-12.6	783.2	35	294	5	299
410	-12.6	782.7	35	294	5	299
415	-12.6	782.1	35	294	5	300
420	-12.6	781.6	35	294	5	301
425	-12.6	781.1	35	294	5	301
430	-12.6	780.6	35	294	5	302
435	-12.6	780.1	35	294	5	303
440	-12.6	779.6	35	294	5	303
445	-12.6	779.1	35	294	5	304
450	-12.6	778.5	35	294	5	304
455	-12.6	778.0	35	294	5	305
460	-12.6	777.5	35	294	5	306
465	-12.6	777.0	35	294	5	306

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
470	-12.5	776.5	35	294	5	307
475	-12.5	776.0	35	294	5	308
480	-12.5	775.5	35	294	5	308
485	-12.5	775.0	35	294	5	309
490	-12.5	774.5	35	293	5	309
495	-12.5	774.0	35	293	5	310
500	-12.5	773.5	35	293	5	311
510	-12.5	772.4	35	293	5	312
520	-12.5	771.4	35	293	5	313
530	-12.5	770.4	35	293	5	314
540	-12.4	769.4	35	293	5	316
550	-12.4	768.4	35	293	5	317
560	-12.4	767.4	35	293	5	318
570	-12.4	766.4	35	292	5	319
580	-12.4	765.4	35	292	5	321
590	-12.4	764.4	35	292	5	322
600	-12.4	763.4	34	292	5	323
610	-12.4	762.4	34	292	5	324
620	-12.3	761.4	34	292	5	326
630	-12.3	760.4	34	292	5	327
640	-12.3	759.4	34	292	5	328
650	-12.3	758.4	34	292	5	330
660	-12.3	757.4	34	291	5	331
670	-12.3	756.4	34	291	5	332
680	-12.3	755.4	34	291	5	333
690	-12.2	754.4	34	291	5	335
700	-12.2	753.4	34	291	5	336
710	-12.2	752.4	34	291	5	337
720	-12.2	751.4	34	291	5	338
730	-12.2	750.5	34	291	5	340
740	-12.2	749.5	34	291	5	341
750	-12.2	748.5	34	290	5	342
760	-12.1	747.5	34	290	5	343
770	-12.1	746.5	34	290	5	345
780	-12.1	745.6	34	290	5	346
790	-12.1	744.6	34	290	5	347
800	-12.1	743.6	34	290	5	348
810	-12.1	742.6	34	290	5	350
820	-12.1	741.7	34	290	5	351
830	-12.0	740.7	33	290	5	352
840	-12.0	739.7	33	289	5	354
850	-12.0	738.8	33	289	5	355
860	-12.0	737.8	33	289	5	356
870	-12.0	736.8	33	289	5	357
880	-12.0	735.9	33	289	5	359

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
890	-12.0	734.9	33	289	5	360
900	-11.9	733.9	33	289	5	361
910	-11.9	733.0	33	289	5	362
920	-11.9	732.0	33	289	5	364
930	-11.9	731.1	33	288	5	365
940	-11.9	730.1	33	288	5	366
950	-11.9	729.1	33	288	5	368
960	-11.9	728.2	33	288	5	369
970	-11.8	727.2	33	288	5	370
980	-11.8	726.3	33	288	5	371
990	-11.8	725.3	33	288	5	373
1000	-11.8	724.4	33	288	5	374
1050	-11.7	719.7	33	287	5	380
1100	-11.7	715.0	32	287	5	387
1150	-11.5	710.3	31	286	5	393
1200	-11.7	705.7	28	286	5	399
1250	-12.1	701.1	28	285	5	406
1300	-12.2	696.5	29	285	5	413
1350	-12.5	691.9	29	284	5	420
1400	-13.7	687.4	22	284	6	427
1450	-13.9	682.9	24	282	5	433
1500	-14.0	678.4	29	251	5	440
1550	-14.0	673.9	32	251	7	447
1600	-14.0	669.5	34	256	10	454
1650	-14.2	665.1	37	256	10	460
1700	-14.6	660.7	37	251	6	467
1750	-14.5	656.3	33	232	2	473
1800	-14.7	652.0	28	200	2	480
1850	-15.2	647.7	27	203	2	487
1900	-15.5	643.4	27	197	2	494
1950	-15.8	639.2	25	090	1	500
2000	-15.9	634.9	23	173	1	507
2050	-16.3	630.7	21	211	2	514
2100	-16.7	626.5	22	217	3	521
2150	-17.1	622.4	22	203	3	527
2200	-17.6	618.2	23	190	4	534
2250	-18.0	614.1	23	173	4	541
2300	-18.5	610.0	24	158	6	548
2350	-18.9	605.9	26	144	9	555
2400	-18.9	601.8	27	146	10	562
2450	-19.2	597.8	26	148	9	569
2500	-19.8	593.8	25	141	8	576
2550	-20.2	589.8	25	137	8	583
2600	-20.7	585.8	26	132	8	590
2650	-21.1	581.9	26	127	9	597

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
2700	-21.4	577.9	27	127	11	604
2750	-21.8	574.0	27	120	13	611
2800	-21.6	570.1	27	116	11	617
2850	-21.4	566.2	26	119	9	624
2900	-21.8	562.4	24	132	8	630
2950	-21.9	558.6	24	134	7	637
3000	-21.6	554.8	23	126	9	644
3050	-21.3	551.1	22	125	10	650
3100	-21.5	547.3	21	132	10	657
3150	-21.6	543.6	21	145	11	663
3200	-21.4	539.9	20	139	12	670
3250	-21.5	536.3	21	135	12	677
3300	-21.8	532.6	21	138	13	684
3350	-22.1	529.0	21	144	15	691
3400	-22.4	525.4	20	146	16	698
3450	-22.6	521.9	19	145	17	704
3500	-22.8	518.3	18	148	17	711
3550	-23.0	514.8	16	147	17	718
3600	-23.2	511.3	15	147	17	725
3650	-23.4	507.8	15	148	17	732
3700	-23.7	504.3	16	150	18	739
3750	-24.1	500.9	17	152	19	746
3800	-24.5	497.5	18	151	19	753
3850	-24.9	494.0	18	152	18	760
3900	-25.1	490.6	18	154	18	767
3950	-25.3	487.3	18	157	19	774
4000	-25.8	483.9	18	156	18	781
4050	-26.1	480.6	19	155	18	788
4100	-26.4	477.3	19	156	18	795
4150	-26.8	474.0	19	157	18	802
4200	-27.2	470.7	18	158	17	809
4250	-27.6	467.4	18	161	18	816
4300	-27.9	464.2	18	162	18	823
4350	-28.3	461.0	18	161	18	830
4400	-28.8	457.8	19	159	17	837
4450	-29.2	454.6	19	158	17	844
4500	-29.7	451.4	20	157	16	852
4550	-30.0	448.2	20	157	16	859
4600	-30.6	445.1	21	158	16	866
4650	-30.9	442.0	21	160	16	873
4700	-31.4	438.8	22	161	16	880
4750	-31.9	435.7	23	160	16	887
4800	-32.4	432.7	24	158	17	895
4850	-32.6	429.6	24	156	17	902
4900	-32.7	426.6	23	158	17	908

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
4950	-33.1	423.5	23	158	17	916
5000	-33.2	420.5	23	158	17	922
5100	-34.0	414.6	23	155	16	937
5200	-34.7	408.7	23	167	15	951
5300	-35.5	402.9	24	184	17	965
5400	-36.2	397.1	24	182	20	979
5500	-36.7	391.4	24	178	22	994
5600	-36.9	385.8	24	174	23	1008
5700	-37.6	380.2	23	171	22	1022
5800	-38.1	374.8	21	174	24	1036
5900	-38.6	369.3	21	166	24	1050
6000	-39.0	364.0	20	165	23	1064
6100	-39.6	358.7	19	158	22	1078
6200	-40.5	353.5	19	160	21	1093
6300	-41.3	348.3	19	164	20	1107
6400	-42.1	343.2	19	165	20	1121
6500	-42.8	338.2	19	164	22	1136
6600	-43.6	333.2	19	166	22	1150
6700	-44.4	328.3	20	164	22	1165
6800	-45.0	323.4	20	162	22	1179
6900	-45.5	318.6	21	166	24	1193
7000	-46.6	313.8	21	167	25	1208
7100	-47.4	309.1	22	166	25	1223
7200	-48.1	304.5	22	166	26	1237
7300	-48.7	299.9	23	165	26	1251
7400	-49.0	295.3	24	161	25	1266
7500	-49.3	290.9	24	165	25	1280
7600	-49.3	286.5	22	166	28	1294
7700	-48.9	282.1	19	172	31	1308
7800	-49.5	277.9	17	169	30	1322
7900	-49.4	273.7	16	168	31	1336
8000	-48.8	269.5	14	176	34	1350
8100	-48.9	265.4	13	177	33	1365
8200	-48.7	261.4	12	179	32	1379
8300	-48.0	257.5	10	182	31	1393
8400	-48.0	253.6	9	183	32	1407
8500	-48.0	249.8	7	180	30	1421
8600	-47.7	246.0	6	181	31	1435
8700	-47.7	242.3	5	181	32	1450
8800	-47.8	238.7	5	182	29	1464
8900	-47.4	235.1	4	180	31	1478
9000	-47.0	231.6	3	187	29	1493
9100	-46.5	228.1	3	192	31	1507
9200	-46.5	224.7	2	191	30	1521
9300	-46.5	221.4	2	183	32	1536

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
9400	-45.9	218.0	1	182	31	1550
9500	-45.5	214.8	1	186	31	1565
9600	-45.2	211.6	1	183	29	1579
9700	-45.0	208.5	1	185	26	1594
9800	-44.8	205.4	1	190	25	1608
9900	-44.9	202.3	1	193	25	1623
10000	-44.8	199.3	1	191	23	1638
10100	-44.7	196.4	1	186	23	1653
10200	-45.2	193.4	1	187	24	1667
10300	-45.8	190.6	1	188	22	1682
10400	-45.4	187.7	1	189	23	1697
10500	-45.3	184.9	1	196	25	1712
10600	-45.1	182.2	1	195	27	1726
10700	-44.3	179.5	1	194	27	1741
10800	-43.4	176.8	1	193	24	1755
10900	-43.2	174.2	1	202	21	1770
11000	-42.6	171.7	1	196	16	1785
11100	-42.8	169.1	1	198	12	1800
11200	-43.6	166.7	1	205	11	1815
11300	-44.1	164.2	1	208	14	1830
11400	-44.8	161.8	1	216	17	1845
11500	-45.5	159.4	1	213	19	1860
11600	-44.8	157.0	1	211	20	1875
11700	-43.8	154.7	1	215	20	1889
11800	-43.3	152.4	1	212	21	1904
11900	-42.7	150.1	1	205	20	1919
12000	-43.2	147.9	1	212	17	1934
12100	-42.8	145.8	1	220	16	1949
12200	-42.6	143.6	1	225	19	1964
12300	-43.0	141.5	1	218	19	1979
12400	-42.8	139.4	1	222	16	1994
12500	-42.6	137.4	1	212	15	2009
12600	-43.4	135.4	1	222	14	2024
12700	-42.7	133.4	1	246	14	2039
12800	-42.8	131.4	1	229	13	2054
12900	-43.1	129.5	1	233	13	2069
13000	-43.4	127.6	1	250	16	2084
13100	-43.4	125.7	1	250	19	2099
13200	-43.2	123.8	1	245	19	2114
13300	-43.3	122.0	1	245	19	2129
13400	-43.3	120.2	1	237	18	2144
13500	-43.6	118.5	1	234	24	2160
13600	-42.4	116.7	1	229	20	2175
13700	-42.0	115.0	1	223	16	2190
13800	-42.5	113.3	1	216	15	2205

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
13900	-42.9	111.7	1	212	18	2220
14000	-43.4	110.0	1	212	17	2235
14100	-43.5	108.4	1	219	13	2250
14200	-43.3	106.8	1	237	11	2266
14300	-42.6	105.2	1	237	12	2281
14400	-42.4	103.7	1	247	13	2296
14500	-42.8	102.2	1	247	16	2311
14600	-42.8	100.7	1	244	13	2326
14700	-43.1	99.2	1	248	17	2341
14800	-42.6	97.7	1	247	20	2357
14900	-41.9	96.3	1	244	17	2372
15000	-42.3	94.9	1	253	16	2387
15100	-42.4	93.5	1	262	16	2402
15200	-41.8	92.1	1	251	17	2417
15300	-41.9	90.8	1	249	20	2433
15400	-42.3	89.5	1	248	20	2448
15500	-42.0	88.1	1	243	23	2463
15600	-41.8	86.9	1	245	24	2478
15700	-42.5	85.6	1	250	23	2494
15800	-42.0	84.3	1	247	22	2509
15900	-41.8	83.1	1	235	20	2524
16000	-41.3	81.9	1	239	24	2539
16100	-41.2	80.7	1	233	21	2555
16200	-41.6	79.5	1	240	19	2570
16300	-42.0	78.3	1	254	16	2585
16400	-41.6	77.2	1	270	17	2601
16500	-41.8	76.1	1	269	19	2616
16600	-42.2	75.0	1	257	24	2631
16700	-41.8	73.9	1	242	22	2647
16800	-41.4	72.8	1	240	22	2662
16900	-41.0	71.7	1	242	19	2677
17000	-41.2	70.7	1	246	18	2693
17100	-41.4	69.7	1	240	17	2708
17200	-41.6	68.6	1	247	17	2723
17300	-41.7	67.6	1	254	22	2739
17400	-41.2	66.6	1	245	23	2754
17500	-41.9	65.7	1	234	23	2770
17600	-42.3	64.7	1	228	24	2785
17700	-42.4	63.8	1	234	19	2800
17800	-42.4	62.8	1	236	19	2816
17900	-42.0	61.9	1	243	16	2831
18000	-42.3	61.0	1	241	17	2847
18100	-42.6	60.1	1	238	18	2862
18200	-42.2	59.2	1	227	18	2877
18300	-41.7	58.4	1	233	14	2893

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
18400	-41.5	57.5	1	241	14	2908
18500	-41.0	56.7	1	258	15	2924
18600	-40.3	55.9	1	256	17	2939
18700	-40.2	55.0	1	245	14	2954
18800	-39.9	54.2	1	236	11	2970
18900	-40.7	53.5	1	222	9	2985
19000	-40.9	52.7	1	255	5	3001
19100	-41.1	51.9	1	290	7	3016
19200	-41.6	51.2	1	298	14	3032
19300	-41.6	50.4	1	294	18	3047
19400	-41.0	49.7	1	269	18	3062
19500	-41.4	49.0	1	249	15	3078
19600	-41.1	48.2	1	239	14	3093
19700	-40.8	47.5	1	243	15	3109
19800	-40.8	46.8	1	253	12	3124
19900	-40.9	46.2	1	252	13	3140
20000	-40.9	45.5	1	262	15	3155
20100	-40.7	44.8	1	261	21	3171
20200	-40.7	44.2	1	253	18	3186
20300	-40.3	43.5	1	259	15	3202
20400	-40.8	42.9	1	267	13	3217
20500	-40.7	42.3	1	271	12	3233
20600	-40.9	41.7	1	275	16	3248
20700	-40.8	41.1	1	260	18	3264
20800	-40.5	40.5	1	255	13	3279
20900	-40.2	39.9	1	278	11	3295
21000	-40.5	39.3	1	272	14	3310
21100	-40.3	38.7	1	265	17	3326
21200	-40.4	38.2	1	258	19	3341
21300	-40.5	37.6	1	246	16	3357
21400	-41.0	37.1	1	244	13	3372
21500	-41.3	36.5	1	253	12	3388
21600	-41.6	36.0	1	259	14	3403
21700	-41.3	35.5	1	244	14	3419
21800	-41.8	35.0	1	222	12	3434
21900	-42.0	34.4	1	224	8	3450
22000	-42.3	33.9	1	261	8	3465
22100	-42.2	33.4	1	289	13	3481
22200	-41.8	33.0	1	270	13	3497
22300	-42.2	32.5	1	240	12	3512
22400	-41.9	32.0	1	233	7	3528
22500	-41.8	31.5	1	250	4	3543
22600	-41.7	31.1	1	259	6	3559
22700	-42.0	30.6	1	261	8	3574
22800	-41.7	30.2	1	241	6	3590

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
22900	-41.4	29.7	1	269	1	3605
23000	-42.3	29.3	1	308	5	3621
23100	-42.1	28.9	1	296	11	3636
23200	-42.1	28.5	1	274	14	3652
23300	-42.0	28.0	1	263	12	3668
23400	-41.1	27.6	1	247	12	3683
23500	-40.6	27.2	1	224	14	3699
23600	-40.9	26.8	1	218	11	3714
23700	-41.3	26.4	1	243	7	3730
23800	-40.7	26.1	1	250	12	3745
23900	-40.8	25.7	1	240	12	3761
24000	-40.7	25.3	1	244	11	3777
24100	-40.5	24.9	1	228	12	3792
24200	-39.8	24.6	1	230	11	3808
24300	-39.9	24.2	1	238	10	3823
24400	-39.2	23.9	1	272	9	3839
24500	-38.9	23.5	1	258	5	3854
24600	-39.0	23.2	1	241	4	3870
24700	-38.7	22.9	1	269	5	3886
24800	-38.8	22.5	1	251	4	3901
24900	-38.8	22.2	1	264	2	3917
25000	-38.3	21.9	1	279	5	3932
25100	-37.8	21.6	1	300	4	3948
25200	-38.1	21.3	1	004	6	3964
25300	-38.3	21.0	1	338	6	3979
25400	-38.4	20.7	1	300	9	3995
25500	-38.7	20.4	1	303	9	4010
25600	-38.1	20.1	1	305	10	4026
25700	-37.6	19.8	1	275	13	4041
25800	-37.3	19.5	1	261	18	4057
25900	-37.3	19.2	1	240	13	4073
26000	-36.8	18.9	1	254	5	4088
26100	-35.6	18.7	1	310	5	4104
26200	-35.5	18.4	1	313	7	4119
26300	-35.3	18.1	1	290	7	4135