

**Altitude Report:**

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
1	-11.6	826.8	37	117	1	247
2	-11.6	826.7	37	117	1	248
3	-11.6	826.6	37	117	1	248
4	-11.6	826.5	37	117	1	248
5	-11.6	826.4	37	117	1	248
6	-11.6	826.3	37	117	1	248
7	-11.5	826.1	37	117	1	248
8	-11.5	826.0	37	117	1	248
9	-11.5	825.9	37	116	1	248
10	-11.5	825.8	37	116	1	249
11	-11.5	825.7	37	116	1	249
12	-11.5	825.6	37	116	1	249
13	-11.5	825.5	37	116	1	249
14	-11.5	825.4	37	116	1	249
15	-11.5	825.3	37	116	1	249
16	-11.5	825.2	37	116	1	249
17	-11.5	825.1	37	116	1	249
18	-11.5	825.0	37	116	1	249
19	-11.5	824.8	37	116	1	250
20	-11.5	824.7	37	116	1	250
21	-11.4	824.6	37	116	1	250
22	-11.4	824.5	37	116	1	250
23	-11.4	824.4	37	116	1	250
24	-11.4	824.3	37	116	1	250
25	-11.4	824.2	37	116	1	250
26	-11.4	824.1	37	115	1	250
27	-11.4	824.0	37	115	1	251
28	-11.4	823.9	37	115	1	251
29	-11.4	823.8	37	115	1	251
30	-11.4	823.7	37	115	1	251
31	-11.4	823.6	37	115	1	251
32	-11.4	823.4	37	115	1	251
33	-11.4	823.3	36	115	1	251
34	-11.3	823.2	36	115	1	251
35	-11.3	823.1	36	115	1	251
36	-11.3	823.0	36	115	1	252
37	-11.3	822.9	36	115	1	252
38	-11.3	822.8	36	115	1	252
39	-11.3	822.7	36	115	1	252
40	-11.3	822.6	36	115	1	252
41	-11.3	822.5	36	115	1	252
42	-11.3	822.4	36	115	1	252
43	-11.3	822.3	36	114	1	252

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
44	-11.3	822.2	36	114	1	253
45	-11.3	822.0	36	114	1	253
46	-11.3	821.9	36	114	1	253
47	-11.3	821.8	36	114	1	253
48	-11.2	821.7	36	114	1	253
49	-11.2	821.6	36	114	1	253
50	-11.2	821.5	36	114	1	253
55	-11.2	821.0	36	114	1	254
60	-11.2	820.4	36	113	1	254
65	-11.1	819.9	36	113	1	255
70	-11.1	819.4	36	113	1	256
75	-11.0	818.8	36	112	1	256
80	-11.0	818.3	36	112	1	257
85	-11.0	817.8	36	112	1	257
90	-10.9	817.2	36	111	1	258
95	-10.9	816.7	36	111	1	259
100	-10.9	816.2	35	111	1	259
105	-10.8	815.6	35	110	1	260
110	-10.8	815.1	35	110	1	260
115	-10.8	814.6	35	110	1	261
120	-10.7	814.0	35	109	1	261
125	-10.7	813.5	35	109	1	262
130	-10.6	813.0	35	108	1	263
135	-10.6	812.5	35	108	1	263
140	-10.6	811.9	35	108	1	264
145	-10.5	811.4	35	107	1	264
150	-10.5	810.9	35	107	1	265
155	-10.5	810.3	35	107	1	266
160	-10.4	809.8	35	106	1	266
165	-10.4	809.3	34	106	1	267
170	-10.3	808.8	34	105	1	267
175	-10.3	808.2	34	105	1	268
180	-10.3	807.7	34	104	1	269
185	-10.2	807.2	34	104	1	269
190	-10.2	806.7	34	104	1	270
195	-10.2	806.1	34	103	1	270
200	-10.1	805.6	34	103	1	271
205	-10.1	805.1	34	102	1	271
210	-10.1	804.6	34	102	1	272
215	-10.0	804.0	34	101	1	273
220	-10.0	803.5	34	101	1	273
225	-9.9	803.0	34	100	1	274
230	-9.9	802.5	33	100	1	274
235	-9.9	801.9	33	099	1	275
240	-9.8	801.4	33	099	1	276

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
245	-9.8	800.9	33	098	1	276
250	-9.8	800.4	33	098	1	277
255	-9.7	799.9	33	098	1	277
260	-9.7	799.3	33	097	1	278
265	-9.6	798.8	33	096	1	279
270	-9.6	798.3	33	096	1	279
275	-9.6	797.8	33	095	1	280
280	-9.5	797.3	33	095	1	280
285	-9.5	796.8	33	094	1	281
290	-9.5	796.2	33	094	1	282
295	-9.4	795.7	32	093	1	282
300	-9.4	795.2	32	093	1	283
305	-9.4	794.7	32	092	1	283
310	-9.3	794.2	32	092	1	284
315	-9.3	793.7	32	091	1	285
320	-9.2	793.1	32	091	1	285
325	-9.2	792.6	32	090	1	286
330	-9.2	792.1	32	089	1	286
335	-9.1	791.6	32	089	1	287
340	-9.1	791.1	32	088	1	288
345	-9.1	790.6	32	088	1	288
350	-9.0	790.1	32	087	1	289
355	-9.0	789.6	32	086	1	289
360	-8.9	789.0	31	086	1	290
365	-8.9	788.5	31	085	1	291
370	-8.9	788.0	31	085	1	291
375	-8.8	787.5	31	084	1	292
380	-8.8	787.0	31	083	1	292
385	-8.8	786.5	31	083	1	293
390	-8.7	786.0	31	082	1	294
395	-8.7	785.5	31	082	1	294
400	-8.7	785.0	31	081	1	295
405	-8.6	784.5	31	080	1	295
410	-8.6	784.0	31	080	1	296
415	-8.5	783.5	31	079	1	297
420	-8.5	782.9	31	078	1	297
425	-8.5	782.4	30	078	1	298
430	-8.4	781.9	30	077	1	298
435	-8.4	781.4	30	076	1	299
440	-8.4	780.9	30	076	1	300
445	-8.3	780.4	30	075	1	300
450	-8.3	779.9	30	074	1	301
455	-8.2	779.4	30	074	1	301
460	-8.2	778.9	30	073	1	302
465	-8.2	778.4	30	072	1	303

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
470	-8.1	777.9	30	072	1	303
475	-8.1	777.4	30	071	1	304
480	-8.1	776.9	30	070	1	304
485	-8.0	776.4	30	070	1	305
490	-8.0	775.9	29	069	1	306
495	-8.0	775.4	29	068	1	306
500	-7.9	774.9	29	068	1	307
510	-7.8	773.9	29	066	1	308
520	-7.8	772.9	29	065	1	309
530	-7.7	771.9	29	064	1	310
540	-7.6	770.9	29	062	1	312
550	-7.6	769.9	28	061	1	313
560	-7.5	768.9	28	060	1	314
570	-7.4	767.9	28	058	1	315
580	-7.3	767.0	28	057	1	316
590	-7.3	766.0	28	056	1	318
600	-7.2	765.0	28	055	1	319
610	-7.1	764.0	28	053	1	320
620	-7.0	763.0	27	052	1	321
630	-7.0	762.0	27	051	1	322
640	-6.9	761.1	27	050	1	324
650	-6.8	760.1	27	048	1	325
660	-6.7	759.1	27	047	1	326
670	-6.7	758.1	27	046	1	327
680	-6.6	757.2	26	045	1	329
690	-6.5	756.2	26	044	1	330
700	-6.4	755.2	26	043	1	331
710	-6.4	754.3	26	041	1	332
720	-6.3	753.3	26	040	1	333
730	-6.2	752.3	26	039	1	335
740	-6.2	751.4	26	038	1	336
750	-6.1	750.4	25	037	1	337
760	-6.0	749.4	25	036	1	338
770	-5.9	748.5	25	035	1	340
780	-5.9	747.5	25	034	1	341
790	-5.8	746.6	25	033	1	342
800	-5.7	745.6	25	032	1	343
810	-5.6	744.7	24	032	1	344
820	-5.6	743.7	24	031	1	346
830	-5.5	742.8	24	030	1	347
840	-5.4	741.8	24	029	1	348
850	-5.3	740.9	24	028	1	349
860	-5.3	739.9	24	027	1	351
870	-5.2	739.0	24	027	1	352
880	-5.1	738.0	23	026	1	353

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
890	-5.0	737.1	23	025	1	354
900	-5.0	736.1	23	024	1	356
910	-4.9	735.2	23	024	1	357
920	-4.8	734.3	23	023	1	358
930	-4.8	733.3	23	022	1	359
940	-4.7	732.4	22	022	1	360
950	-4.5	731.5	25	021	1	362
960	-4.2	730.5	29	020	1	363
970	-3.9	729.6	33	020	1	364
980	-3.7	728.7	37	019	1	366
990	-3.6	727.8	37	019	1	367
1000	-3.5	726.8	36	018	1	368
1050	-3.6	722.2	33	015	1	375
1100	-6.3	717.6	24	013	2	383
1150	-9.8	713.0	21	011	2	392
1200	-10.1	708.4	22	009	2	399
1250	-10.0	703.8	25	007	2	405
1300	-10.5	699.3	25	005	2	412
1350	-10.6	694.7	26	004	2	419
1400	-11.0	690.2	21	003	2	425
1450	-11.4	685.7	17	001	2	432
1500	-11.6	681.2	18	358	2	439
1550	-11.9	676.8	19	321	1	445
1600	-12.1	672.4	19	271	2	452
1650	-12.4	668.0	19	236	1	459
1700	-12.5	663.6	19	156	2	466
1750	-12.8	659.2	19	161	2	472
1800	-13.2	654.9	19	191	2	479
1850	-13.6	650.7	19	237	1	486
1900	-13.9	646.4	19	031	0	493
1950	-14.1	642.1	18	055	1	500
2000	-14.5	637.9	18	071	2	506
2050	-15.0	633.7	18	086	3	513
2100	-15.5	629.5	19	110	3	520
2150	-15.8	625.3	20	130	5	527
2200	-16.2	621.2	20	126	6	534
2250	-16.6	617.1	21	131	6	541
2300	-16.9	613.0	22	133	5	548
2350	-17.3	608.9	21	126	5	555
2400	-17.8	604.8	21	115	6	562
2450	-18.2	600.8	22	109	7	569
2500	-18.6	596.8	22	110	9	576
2550	-18.8	592.8	22	115	9	583
2600	-18.9	588.8	22	114	9	589
2650	-19.1	584.8	21	119	8	596

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
2700	-19.0	580.9	20	132	7	602
2750	-18.7	577.0	19	140	7	609
2800	-18.3	573.2	18	163	6	615
2850	-18.4	569.3	18	191	7	622
2900	-18.2	565.5	17	185	6	628
2950	-17.7	561.7	18	170	5	635
3000	-17.8	558.0	17	162	5	642
3050	-18.1	554.3	17	150	6	648
3100	-18.3	550.6	15	147	7	655
3150	-18.3	546.9	12	158	6	662
3200	-18.3	543.2	10	172	6	668
3250	-18.4	539.6	9	182	5	675
3300	-18.6	536.0	9	190	5	682
3350	-18.8	532.4	9	192	7	689
3400	-19.1	528.8	9	190	9	696
3450	-19.4	525.3	10	182	10	703
3500	-19.5	521.7	15	182	9	710
3550	-19.6	518.2	20	177	9	717
3600	-19.7	514.7	21	178	9	724
3650	-19.9	511.3	22	185	9	731
3700	-20.1	507.8	22	191	9	738
3750	-20.3	504.4	22	194	9	745
3800	-20.5	501.0	23	198	9	752
3850	-20.9	497.6	24	204	10	759
3900	-21.3	494.3	25	201	10	766
3950	-21.6	490.9	26	201	10	773
4000	-21.9	487.6	27	202	11	780
4050	-22.1	484.3	28	202	12	787
4100	-22.3	481.0	29	200	13	794
4150	-22.6	477.7	30	195	14	801
4200	-22.9	474.5	31	192	14	808
4250	-23.2	471.3	32	192	14	815
4300	-23.4	468.1	32	199	15	822
4350	-23.5	464.9	32	204	16	829
4400	-23.7	461.7	31	206	16	836
4450	-24.1	458.5	30	212	17	843
4500	-24.5	455.4	30	215	17	850
4550	-24.9	452.3	31	214	17	858
4600	-25.4	449.2	31	215	17	865
4650	-25.9	446.1	31	216	18	872
4700	-26.3	443.0	32	214	18	879
4750	-26.6	439.9	33	211	18	886
4800	-26.8	436.9	32	212	19	893
4850	-27.0	433.9	31	212	20	900
4900	-27.1	430.9	32	213	21	907

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
4950	-27.2	427.9	30	214	20	914
5000	-27.2	424.9	29	215	20	921
5100	-27.8	419.1	27	217	20	935
5200	-28.6	413.3	26	216	21	949
5300	-29.5	407.5	27	214	22	964
5400	-30.4	401.8	27	211	22	978
5500	-31.1	396.2	25	211	22	992
5600	-32.0	390.6	27	212	22	1007
5700	-32.8	385.1	27	216	22	1021
5800	-33.5	379.7	25	220	25	1035
5900	-34.1	374.3	25	222	25	1049
6000	-34.4	369.0	22	217	27	1063
6100	-35.0	363.7	21	215	27	1078
6200	-35.5	358.5	18	214	28	1092
6300	-36.2	353.4	17	210	30	1106
6400	-36.9	348.4	16	212	32	1120
6500	-37.6	343.3	17	216	33	1135
6600	-38.3	338.4	18	220	33	1149
6700	-39.1	333.5	22	224	35	1164
6800	-40.0	328.7	28	227	37	1179
6900	-40.8	323.9	32	229	37	1194
7000	-41.7	319.1	34	230	39	1208
7100	-42.4	314.4	36	229	41	1223
7200	-43.1	309.8	38	232	44	1238
7300	-43.8	305.2	40	233	48	1252
7400	-44.4	300.7	40	233	49	1267
7500	-45.2	296.3	40	232	49	1281
7600	-46.0	291.9	39	232	50	1296
7700	-46.9	287.5	39	232	50	1310
7800	-47.7	283.2	39	229	50	1325
7900	-48.6	278.9	38	228	51	1339
8000	-49.4	274.7	38	231	53	1354
8100	-49.9	270.5	39	230	56	1369
8200	-50.6	266.4	39	230	58	1383
8300	-51.3	262.3	38	230	61	1398
8400	-52.0	258.3	38	229	63	1412
8500	-52.6	254.4	39	230	65	1427
8600	-53.3	250.5	38	231	65	1442
8700	-54.0	246.6	37	231	63	1456
8800	-54.8	242.8	38	230	63	1471
8900	-55.6	239.0	38	230	64	1486
9000	-56.2	235.3	39	230	66	1500
9100	-57.1	231.6	38	231	67	1515
9200	-57.9	228.0	38	230	66	1530
9300	-58.7	224.4	37	230	62	1544

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
9400	-57.8	220.8	35	236	55	1558
9500	-56.6	217.4	35	238	55	1572
9600	-54.1	214.0	30	232	51	1585
9700	-53.0	210.7	28	228	46	1599
9800	-53.3	207.4	24	232	45	1614
9900	-52.4	204.2	22	232	43	1628
10000	-51.1	201.1	20	229	40	1642
10100	-50.6	198.1	17	226	36	1656
10200	-51.0	195.0	14	230	35	1671
10300	-50.5	192.1	13	235	35	1685
10400	-50.0	189.2	11	239	35	1699
10500	-49.6	186.3	10	236	35	1714
10600	-49.4	183.5	8	234	32	1728
10700	-49.7	180.7	7	235	34	1743
10800	-49.3	178.0	6	231	31	1758
10900	-49.4	175.3	6	235	31	1772
11000	-49.2	172.6	5	237	30	1787
11100	-49.1	170.0	4	242	30	1802
11200	-48.5	167.4	4	243	32	1817
11300	-47.8	164.9	3	247	34	1831
11400	-47.1	162.4	3	239	33	1846
11500	-46.6	160.0	2	239	31	1860
11600	-46.4	157.6	2	240	26	1875
11700	-46.3	155.3	2	241	27	1890
11800	-45.6	153.0	1	238	29	1905
11900	-45.5	150.7	1	232	27	1920
12000	-45.4	148.4	1	228	30	1935
12100	-45.5	146.2	1	225	29	1950
12200	-45.9	144.1	1	227	25	1965
12300	-46.2	141.9	1	233	26	1980
12400	-46.1	139.8	1	235	25	1995
12500	-45.9	137.7	1	237	24	2010
12600	-45.3	135.7	1	234	25	2024
12700	-45.7	133.6	1	231	26	2040
12800	-45.8	131.7	1	241	26	2055
12900	-45.2	129.7	1	237	27	2070
13000	-45.0	127.8	1	236	26	2085
13100	-44.4	125.9	1	229	25	2099
13200	-44.7	124.0	1	240	29	2115
13300	-44.5	122.2	1	237	28	2130
13400	-44.8	120.4	1	234	25	2145
13500	-45.3	118.6	1	238	25	2160
13600	-45.7	116.8	1	237	25	2175
13700	-45.8	115.1	1	234	27	2190
13800	-45.9	113.4	1	240	25	2205



Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
13900	-46.1	111.7	1	244	25	2221
14000	-45.3	110.0	1	242	23	2236
14100	-44.9	108.4	1	235	22	2251
14200	-44.7	106.8	1	234	19	2266
14300	-44.7	105.2	1	243	21	2281
14400	-44.2	103.6	1	255	22	2296
14500	-43.8	102.1	1	251	22	2311
14600	-44.0	100.6	1	242	23	2326
14700	-44.0	99.1	1	239	20	2342
14800	-44.4	97.7	1	243	20	2357
14900	-44.3	96.2	1	243	20	2372
15000	-44.4	94.8	1	243	20	2387
15100	-44.7	93.4	1	241	23	2403
15200	-44.1	92.0	1	237	23	2418
15300	-43.6	90.7	1	231	22	2433
15400	-43.5	89.3	1	237	22	2448
15500	-43.3	88.0	1	246	23	2463
15600	-42.6	86.7	1	255	23	2478
15700	-42.5	85.4	1	251	23	2494
15800	-42.7	84.2	1	250	22	2509
15900	-42.5	83.0	1	246	20	2524
16000	-42.3	81.7	1	241	15	2540
16100	-42.0	80.5	1	251	19	2555
16200	-42.2	79.4	1	254	23	2570
16300	-42.2	78.2	1	251	22	2585
16400	-42.3	77.1	1	252	19	2601
16500	-42.7	75.9	1	250	16	2616
16600	-43.0	74.8	1	251	19	2632
16700	-42.9	73.7	1	250	21	2647
16800	-43.4	72.6	1	252	23	2662
16900	-43.5	71.6	1	249	20	2678
17000	-43.8	70.5	1	257	20	2693
17100	-43.4	69.5	1	251	22	2708
17200	-43.6	68.4	1	245	24	2724
17300	-43.5	67.4	1	250	22	2739
17400	-43.4	66.4	1	256	20	2754
17500	-43.3	65.5	1	250	20	2770
17600	-43.3	64.5	1	263	21	2785
17700	-43.0	63.6	1	256	26	2800
17800	-42.7	62.6	1	249	27	2816
17900	-42.7	61.7	1	249	23	2831
18000	-42.6	60.8	1	244	21	2847
18100	-42.7	59.9	1	236	21	2862
18200	-42.5	59.0	1	239	19	2877
18300	-42.1	58.2	1	235	19	2893

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
18400	-42.1	57.3	1	232	19	2908
18500	-42.4	56.5	1	227	19	2924
18600	-42.8	55.6	1	231	17	2939
18700	-42.8	54.8	1	242	14	2954
18800	-42.6	54.0	1	238	15	2970
18900	-42.2	53.2	1	226	13	2985
19000	-42.5	52.5	1	227	11	3001
19100	-42.7	51.7	1	242	13	3016
19200	-43.0	50.9	1	251	14	3032
19300	-43.0	50.2	1	245	15	3047
19400	-43.1	49.4	1	250	15	3063
19500	-42.7	48.7	1	254	17	3078
19600	-42.2	48.0	1	236	16	3093
19700	-42.2	47.3	1	239	13	3109
19800	-42.2	46.6	1	253	17	3124
19900	-41.1	45.9	1	248	15	3140
20000	-40.6	45.3	1	262	10	3155
20100	-40.6	44.6	1	292	10	3171
20200	-41.0	44.0	1	299	12	3186
20300	-41.4	43.3	1	294	14	3202
20400	-41.5	42.7	1	283	15	3217
20500	-41.3	42.1	1	267	17	3233
20600	-41.5	41.5	1	251	19	3248
20700	-41.6	40.9	1	233	17	3264
20800	-41.5	40.3	1	229	12	3279
20900	-41.8	39.7	1	237	9	3295
21000	-42.3	39.1	1	256	9	3310
21100	-42.3	38.5	1	274	13	3326
21200	-42.0	38.0	1	267	15	3341
21300	-41.8	37.4	1	270	15	3357
21400	-41.7	36.9	1	272	17	3372
21500	-41.9	36.3	1	277	18	3388
21600	-41.3	35.8	1	271	16	3403
21700	-41.5	35.3	1	274	14	3419
21800	-41.5	34.8	1	265	13	3434
21900	-41.9	34.2	1	252	11	3450
22000	-42.1	33.7	1	253	10	3465
22100	-42.3	33.3	1	256	9	3481
22200	-43.0	32.8	1	250	8	3497
22300	-43.6	32.3	1	238	11	3512
22400	-43.7	31.8	1	223	12	3528
22500	-43.8	31.3	1	228	9	3543
22600	-43.8	30.9	1	256	7	3559
22700	-43.0	30.4	1	253	10	3574
22800	-42.3	30.0	1	247	8	3590

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
22900	-41.4	29.5	1	278	8	3605
23000	-41.5	29.1	1	303	11	3621
23100	-41.8	28.7	1	293	13	3636
23200	-41.5	28.3	1	268	14	3652
23300	-41.3	27.9	1	249	15	3668
23400	-41.1	27.5	1	240	11	3683
23500	-41.0	27.1	1	232	10	3699
23600	-41.2	26.7	1	243	8	3714
23700	-41.4	26.3	1	276	8	3730
23800	-41.7	25.9	1	286	12	3745
23900	-41.9	25.5	1	282	13	3761
24000	-41.6	25.1	1	266	13	3777
24100	-41.0	24.8	1	244	10	3792
24200	-40.3	24.4	1	250	10	3808