

Altitude Report:

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
1	-11.6	825.9	35	117	1	247
2	-11.6	825.8	35	117	1	247
3	-11.6	825.7	35	117	1	247
4	-11.6	825.6	35	117	1	247
5	-11.6	825.5	35	116	1	248
6	-11.5	825.4	35	116	1	248
7	-11.5	825.2	35	116	1	248
8	-11.5	825.1	35	116	1	248
9	-11.5	825.0	35	116	1	248
10	-11.5	824.9	35	116	1	248
11	-11.5	824.8	35	116	1	248
12	-11.5	824.7	35	116	1	248
13	-11.5	824.6	35	116	1	248
14	-11.5	824.5	35	115	1	249
15	-11.5	824.4	35	115	1	249
16	-11.4	824.3	35	115	1	249
17	-11.4	824.2	35	115	1	249
18	-11.4	824.1	35	115	1	249
19	-11.4	824.0	35	115	1	249
20	-11.4	823.8	35	115	1	249
21	-11.4	823.7	35	115	1	249
22	-11.4	823.6	35	115	1	250
23	-11.4	823.5	35	115	1	250
24	-11.4	823.4	35	114	1	250
25	-11.4	823.3	35	114	1	250
26	-11.3	823.2	35	114	1	250
27	-11.3	823.1	35	114	1	250
28	-11.3	823.0	35	114	1	250
29	-11.3	822.9	35	114	1	250
30	-11.3	822.8	35	114	1	250
31	-11.3	822.7	35	114	1	251
32	-11.3	822.6	35	114	1	251
33	-11.3	822.4	35	113	1	251
34	-11.3	822.3	35	113	1	251
35	-11.3	822.2	35	113	1	251
36	-11.2	822.1	35	113	1	251
37	-11.2	822.0	35	113	1	251
38	-11.2	821.9	35	113	1	251
39	-11.2	821.8	35	113	1	251
40	-11.2	821.7	35	113	1	252
41	-11.2	821.6	35	113	1	252
42	-11.2	821.5	35	112	1	252
43	-11.2	821.4	35	112	1	252

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
44	-11.2	821.3	35	112	1	252
45	-11.2	821.2	35	112	1	252
46	-11.1	821.0	35	112	1	252
47	-11.1	820.9	35	112	1	252
48	-11.1	820.8	35	112	1	253
49	-11.1	820.7	35	112	1	253
50	-11.1	820.6	35	112	1	253
55	-11.1	820.1	35	111	1	253
60	-11.0	819.5	35	111	1	254
65	-11.0	819.0	35	110	1	255
70	-10.9	818.5	35	109	1	255
75	-10.9	817.9	35	109	1	256
80	-10.8	817.4	35	108	1	256
85	-10.8	816.9	35	108	1	257
90	-10.7	816.3	35	107	1	257
95	-10.7	815.8	35	107	1	258
100	-10.6	815.3	35	106	1	259
105	-10.6	814.8	35	106	1	259
110	-10.5	814.2	35	105	1	260
115	-10.5	813.7	35	105	1	260
120	-10.4	813.2	35	104	1	261
125	-10.4	812.6	35	103	1	261
130	-10.3	812.1	35	103	1	262
135	-10.3	811.6	35	102	1	263
140	-10.2	811.0	35	102	1	263
145	-10.2	810.5	35	101	1	264
150	-10.1	810.0	35	101	1	264
155	-10.1	809.5	35	100	1	265
160	-10.0	808.9	35	100	1	266
165	-10.0	808.4	35	099	1	266
170	-9.9	807.9	35	099	1	267
175	-9.9	807.4	35	098	1	267
180	-9.8	806.8	35	098	1	268
185	-9.8	806.3	35	097	1	268
190	-9.7	805.8	35	097	1	269
195	-9.7	805.3	35	096	1	270
200	-9.6	804.7	35	095	1	270
205	-9.6	804.2	35	095	1	271
210	-9.5	803.7	35	094	1	271
215	-9.5	803.2	35	094	1	272
220	-9.4	802.7	35	093	1	273
225	-9.4	802.1	35	093	1	273
230	-9.3	801.6	35	092	1	274
235	-9.3	801.1	35	092	1	274
240	-9.2	800.6	35	091	1	275

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
245	-9.2	800.1	35	091	1	276
250	-9.1	799.5	35	090	1	276
255	-9.1	799.0	35	090	1	277
260	-9.0	798.5	35	089	1	277
265	-9.0	798.0	35	089	1	278
270	-8.9	797.5	35	089	1	278
275	-8.9	797.0	35	088	1	279
280	-8.8	796.4	35	088	1	280
285	-8.8	795.9	35	087	1	280
290	-8.7	795.4	35	087	1	281
295	-8.7	794.9	35	086	1	281
300	-8.6	794.4	35	086	1	282
305	-8.6	793.9	35	085	1	283
310	-8.5	793.4	35	085	1	283
315	-8.5	792.8	35	084	1	284
320	-8.4	792.3	35	084	1	284
325	-8.4	791.8	35	083	1	285
330	-8.3	791.3	35	083	2	286
335	-8.3	790.8	35	083	2	286
340	-8.2	790.3	35	082	2	287
345	-8.2	789.8	35	082	2	287
350	-8.1	789.3	35	081	2	288
355	-8.1	788.8	35	081	2	289
360	-8.0	788.3	35	080	2	289
365	-8.0	787.7	35	080	2	290
370	-7.9	787.2	35	080	2	290
375	-7.9	786.7	35	079	2	291
380	-7.8	786.2	35	079	2	291
385	-7.8	785.7	35	078	2	292
390	-7.7	785.2	35	078	2	293
395	-7.7	784.7	35	078	2	293
400	-7.6	784.2	35	077	2	294
405	-7.6	783.7	35	077	2	294
410	-7.5	783.2	35	076	2	295
415	-7.5	782.7	35	076	2	296
420	-7.4	782.2	35	076	2	296
425	-7.4	781.7	35	075	2	297
430	-7.3	781.2	35	075	2	297
435	-7.3	780.7	35	075	2	298
440	-7.2	780.2	35	074	2	299
445	-7.2	779.7	35	074	2	299
450	-7.1	779.2	35	073	2	300
455	-7.1	778.7	35	073	2	300
460	-7.0	778.2	35	073	2	301
465	-7.0	777.7	35	072	2	302

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
470	-6.9	777.2	35	072	2	302
475	-6.9	776.7	35	072	2	303
480	-6.8	776.2	35	071	2	303
485	-6.8	775.7	35	071	2	304
490	-6.7	775.2	35	071	2	305
495	-6.7	774.7	35	070	2	305
500	-6.6	774.2	35	070	2	306
510	-6.5	773.2	35	069	2	307
520	-6.4	772.2	35	069	2	308
530	-6.3	771.2	35	068	2	309
540	-6.2	770.2	35	067	2	311
550	-6.1	769.2	35	067	2	312
560	-6.0	768.2	35	066	2	313
570	-5.9	767.3	35	066	2	314
580	-5.8	766.3	35	065	2	315
590	-5.7	765.3	35	065	2	317
600	-5.7	764.3	35	064	2	318
610	-5.6	763.3	35	063	2	319
620	-5.5	762.4	35	063	2	320
630	-5.4	761.4	35	062	2	321
640	-5.3	760.4	35	062	2	323
650	-5.2	759.5	35	061	2	324
660	-5.1	758.5	35	061	2	325
670	-5.0	757.5	35	060	2	326
680	-4.9	756.6	35	060	2	327
690	-4.8	755.6	35	060	2	329
700	-4.7	754.6	35	059	2	330
710	-4.6	753.7	35	059	2	331
720	-4.5	752.7	35	058	2	332
730	-4.4	751.8	35	058	2	333
740	-4.3	750.8	35	057	2	335
750	-4.2	749.8	35	057	2	336
760	-4.1	748.9	35	057	2	337
770	-4.0	747.9	35	056	2	338
780	-3.9	747.0	35	056	2	340
790	-3.8	746.0	37	055	2	341
800	-3.7	745.1	40	055	2	342
810	-3.7	744.2	42	055	2	344
820	-3.5	743.2	44	054	2	345
830	-3.2	742.3	44	054	2	346
840	-2.9	741.3	43	054	2	347
850	-2.6	740.4	42	053	2	348
860	-2.3	739.5	42	053	2	349
870	-2.0	738.5	41	053	2	350
880	-1.7	737.6	41	052	2	351

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
890	-1.5	736.7	40	052	2	352
900	-1.2	735.7	39	052	3	353
910	-1.0	734.8	37	051	3	354
920	-0.8	733.9	36	051	3	355
930	-0.6	733.0	35	051	3	356
940	-0.4	732.1	34	050	3	358
950	-0.2	731.1	33	050	3	359
960	-0.4	730.2	31	050	3	360
970	-1.4	729.3	31	049	3	362
980	-2.4	728.4	30	049	3	364
990	-3.5	727.5	29	049	3	366
1000	-4.2	726.5	29	049	3	368
1050	-5.4	721.9	26	047	3	375
1100	-6.7	717.3	27	046	3	383
1150	-7.9	712.7	27	045	3	390
1200	-9.2	708.1	28	044	3	398
1250	-11.1	703.5	29	043	3	406
1300	-11.5	698.9	29	042	3	413
1350	-11.7	694.4	29	042	4	420
1400	-12.1	689.9	29	041	4	426
1450	-13.1	685.3	31	040	4	434
1500	-13.6	680.8	34	037	4	441
1550	-13.9	676.4	36	042	3	448
1600	-14.3	671.9	38	080	3	455
1650	-14.8	667.5	39	090	5	462
1700	-15.1	663.1	39	078	7	469
1750	-15.4	658.7	40	083	9	475
1800	-15.8	654.3	40	095	10	482
1850	-16.0	650.0	40	091	13	489
1900	-16.3	645.7	39	085	16	496
1950	-16.5	641.4	37	086	18	502
2000	-16.5	637.1	35	089	18	509
2050	-16.7	632.9	33	095	15	515
2100	-16.9	628.7	32	100	13	522
2150	-17.1	624.5	31	099	15	529
2200	-17.4	620.4	30	102	16	535
2250	-17.8	616.2	30	103	18	542
2300	-18.2	612.1	30	100	19	549
2350	-18.6	608.0	30	099	21	556
2400	-19.0	603.9	31	098	22	563
2450	-19.5	599.9	31	098	22	570
2500	-19.9	595.8	32	097	23	577
2550	-20.3	591.8	33	096	24	584
2600	-20.6	587.8	33	095	19	591
2650	-20.5	583.9	34	093	15	597

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
2700	-20.4	579.9	34	084	14	604
2750	-20.4	576.0	34	078	12	611
2800	-20.5	572.1	34	077	10	617
2850	-20.5	568.3	34	074	10	624
2900	-20.5	564.5	35	079	10	631
2950	-20.8	560.6	35	080	10	638
3000	-21.1	556.8	39	074	10	645
3050	-21.4	553.1	43	066	11	652
3100	-21.7	549.3	45	062	14	659
3150	-22.0	545.6	45	060	16	666
3200	-22.4	541.9	42	055	17	673
3250	-22.7	538.2	38	049	18	679
3300	-23.0	534.6	34	044	18	686
3350	-23.4	530.9	32	040	18	693
3400	-23.7	527.3	31	038	19	700
3450	-24.2	523.7	30	037	19	707
3500	-24.6	520.1	29	037	19	714
3550	-25.1	516.5	30	038	18	721
3600	-25.5	513.0	32	033	16	728
3650	-25.2	509.5	38	023	15	735
3700	-23.8	506.0	48	008	13	741
3750	-23.0	502.5	55	360	11	748
3800	-22.9	499.1	57	348	9	755
3850	-23.2	495.7	58	330	9	762
3900	-23.3	492.3	59	327	10	769
3950	-23.7	489.0	59	329	10	776
4000	-24.0	485.6	60	331	10	783
4050	-24.1	482.3	61	327	8	790
4100	-24.3	479.0	62	324	7	797
4150	-24.6	475.7	64	327	6	804
4200	-25.1	472.5	65	336	5	811
4250	-25.5	469.2	66	355	5	818
4300	-25.7	466.0	67	357	6	825
4350	-26.0	462.8	68	348	7	832
4400	-26.2	459.6	68	339	8	839
4450	-26.4	456.4	67	337	9	846
4500	-26.7	453.3	65	335	9	853
4550	-27.0	450.1	64	331	9	860
4600	-27.3	447.0	64	331	9	867
4650	-27.7	443.9	65	333	10	874
4700	-27.9	440.8	66	330	12	881
4750	-27.7	437.8	69	329	14	888
4800	-27.6	434.7	71	330	14	895
4850	-27.9	431.7	70	331	15	902
4900	-28.1	428.7	69	331	16	909

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
4950	-28.4	425.7	68	330	17	916
5000	-28.7	422.8	68	328	18	923
5100	-29.4	416.9	67	322	19	938
5200	-29.9	411.1	67	319	19	952
5300	-30.5	405.3	64	316	17	966
5400	-31.0	399.7	64	314	15	980
5500	-31.7	394.1	65	317	14	994
5600	-32.4	388.5	66	320	15	1009
5700	-33.0	383.0	66	322	15	1023
5800	-33.7	377.6	64	315	15	1037
5900	-34.1	372.3	63	314	16	1051
6000	-34.6	367.0	62	308	17	1065
6100	-35.3	361.7	61	304	17	1080
6200	-35.9	356.6	61	308	19	1094
6300	-36.8	351.5	61	309	20	1109
6400	-37.3	346.4	61	310	22	1123
6500	-37.8	341.4	60	312	23	1137
6600	-38.4	336.5	60	315	25	1151
6700	-39.1	331.6	60	316	26	1166
6800	-39.7	326.8	60	314	27	1180
6900	-40.3	322.1	59	314	26	1195
7000	-40.9	317.4	60	312	26	1209
7100	-41.7	312.7	60	311	25	1224
7200	-42.3	308.1	57	313	25	1238
7300	-42.9	303.6	56	316	25	1252
7400	-43.6	299.1	55	317	26	1267
7500	-44.2	294.7	53	314	27	1281
7600	-44.8	290.3	53	314	27	1296
7700	-45.6	286.0	52	314	27	1310
7800	-46.4	281.8	52	314	28	1325
7900	-47.2	277.5	52	311	29	1339
8000	-47.9	273.4	53	310	29	1354
8100	-48.7	269.3	52	311	28	1369
8200	-49.4	265.2	52	309	28	1383
8300	-50.2	261.2	51	308	28	1398
8400	-50.8	257.2	52	308	28	1412
8500	-51.6	253.3	52	306	29	1427
8600	-52.3	249.4	52	302	29	1442
8700	-53.0	245.5	51	305	30	1456
8800	-53.6	241.8	49	305	30	1471
8900	-54.3	238.0	50	301	31	1486
9000	-55.0	234.3	49	299	31	1500
9100	-55.6	230.7	48	298	31	1515
9200	-56.2	227.1	47	295	30	1529
9300	-56.7	223.5	46	299	26	1544

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
9400	-57.0	220.0	47	314	26	1559
9500	-56.9	216.6	46	309	29	1573
9600	-55.4	213.2	45	293	25	1587
9700	-54.0	209.9	40	290	23	1600
9800	-53.4	206.7	36	294	23	1614
9900	-52.7	203.5	33	287	25	1628
10000	-51.3	200.4	29	276	22	1642
10100	-50.1	197.3	26	276	21	1656
10200	-49.5	194.3	22	279	21	1670
10300	-48.5	191.4	19	274	21	1685
10400	-48.1	188.5	16	272	21	1699
10500	-47.9	185.7	14	271	19	1713
10600	-47.3	182.9	12	270	20	1728
10700	-46.8	180.2	10	279	19	1742
10800	-46.6	177.5	9	286	19	1757
10900	-46.5	174.8	7	282	19	1772
11000	-46.1	172.2	6	282	20	1786
11100	-46.4	169.6	6	281	21	1801
11200	-46.4	167.1	5	280	22	1816
11300	-46.3	164.6	4	269	23	1831
11400	-46.1	162.1	4	268	19	1846
11500	-46.4	159.7	4	269	19	1860
11600	-46.4	157.3	3	267	19	1875
11700	-46.0	155.0	3	269	20	1890
11800	-46.0	152.7	3	271	19	1905
11900	-45.8	150.4	2	267	22	1920
12000	-45.8	148.2	2	266	21	1935
12100	-45.8	146.0	2	268	22	1950
12200	-45.8	143.8	2	264	24	1965
12300	-45.5	141.7	2	265	22	1980
12400	-45.5	139.5	2	271	21	1994
12500	-45.3	137.5	2	265	22	2009
12600	-45.1	135.4	1	258	22	2024
12700	-45.2	133.4	1	263	21	2039
12800	-45.0	131.4	1	264	20	2054
12900	-44.9	129.5	1	259	24	2069
13000	-44.6	127.6	1	254	22	2084
13100	-44.7	125.7	1	260	21	2099
13200	-44.8	123.8	1	264	21	2115
13300	-44.7	122.0	1	255	22	2130
13400	-44.6	120.2	1	256	22	2145
13500	-44.6	118.4	1	253	23	2160
13600	-44.8	116.6	1	259	21	2175
13700	-45.2	114.9	1	262	18	2190
13800	-45.4	113.2	1	268	17	2205

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
13900	-45.5	111.5	1	273	18	2220
14000	-45.4	109.9	1	268	22	2236
14100	-45.5	108.2	1	260	22	2251
14200	-45.1	106.6	1	259	20	2266
14300	-44.8	105.0	1	257	19	2281
14400	-44.7	103.5	1	265	21	2296
14500	-44.8	102.0	1	261	23	2311
14600	-44.3	100.5	1	263	22	2326
14700	-44.0	99.0	1	270	19	2342
14800	-44.1	97.5	1	268	18	2357
14900	-44.2	96.1	1	266	19	2372
15000	-44.2	94.6	1	265	22	2387
15100	-44.4	93.2	1	261	21	2402
15200	-44.5	91.9	1	260	18	2418
15300	-44.4	90.5	1	267	17	2433
15400	-44.2	89.2	1	261	18	2448
15500	-43.9	87.9	1	257	21	2463
15600	-43.8	86.6	1	258	22	2479
15700	-44.2	85.3	1	252	21	2494
15800	-44.5	84.0	1	249	23	2509
15900	-44.5	82.8	1	243	22	2524
16000	-44.7	81.6	1	248	17	2540
16100	-43.9	80.4	1	265	15	2555
16200	-43.7	79.2	1	268	20	2570
16300	-43.9	78.0	1	258	20	2586
16400	-44.1	76.8	1	254	16	2601
16500	-44.3	75.7	1	259	16	2616
16600	-44.4	74.6	1	266	18	2632
16700	-43.7	73.5	1	264	15	2647
16800	-43.1	72.4	1	267	17	2662
16900	-42.9	71.3	1	269	20	2677
17000	-42.5	70.3	1	259	22	2693
17100	-42.0	69.3	1	255	23	2708
17200	-41.9	68.3	1	260	20	2723
17300	-41.9	67.3	1	256	24	2739
17400	-42.2	66.3	1	250	23	2754
17500	-42.2	65.3	1	242	20	2770
17600	-42.4	64.4	1	233	20	2785
17700	-42.4	63.4	1	228	18	2800
17800	-42.2	62.5	1	237	14	2816
17900	-42.4	61.6	1	263	14	2831
18000	-42.5	60.7	1	263	16	2846
18100	-42.2	59.8	1	251	15	2862
18200	-41.8	58.9	1	254	14	2877
18300	-41.9	58.0	1	252	14	2893

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
18400	-42.1	57.2	1	257	16	2908
18500	-42.5	56.4	1	252	17	2924
18600	-42.5	55.5	1	250	18	2939
18700	-42.7	54.7	1	252	19	2954
18800	-42.3	53.9	1	252	19	2970
18900	-42.3	53.1	1	247	20	2985
19000	-42.1	52.4	1	249	18	3001
19100	-41.7	51.6	1	246	17	3016
19200	-41.4	50.8	1	236	15	3032
19300	-41.6	50.1	1	237	13	3047
19400	-42.0	49.4	1	258	13	3062
19500	-42.3	48.6	1	262	12	3078
19600	-42.3	47.9	1	259	12	3093
19700	-42.6	47.2	1	269	14	3109
19800	-42.5	46.5	1	269	14	3124
19900	-42.8	45.9	1	272	15	3140
20000	-43.0	45.2	1	272	16	3155
20100	-42.9	44.5	1	269	17	3171
20200	-42.5	43.9	1	261	15	3186
20300	-42.6	43.2	1	248	13	3202
20400	-42.6	42.6	1	250	15	3217
20500	-42.5	42.0	1	259	15	3233
20600	-42.8	41.4	1	253	15	3248
20700	-42.6	40.7	1	240	15	3264
20800	-42.7	40.1	1	245	16	3279
20900	-42.7	39.6	1	259	14	3295
21000	-42.4	39.0	1	242	15	3310
21100	-42.2	38.4	1	227	17	3326
21200	-42.3	37.8	1	226	14	3341
21300	-42.1	37.3	1	233	10	3357
21400	-42.0	36.8	1	249	7	3372
21500	-41.7	36.2	1	247	12	3388
21600	-41.4	35.7	1	242	10	3403
21700	-41.1	35.2	1	236	7	3419
21800	-41.3	34.7	1	233	4	3434
21900	-41.3	34.2	1	262	5	3450
22000	-41.4	33.7	1	281	8	3465
22100	-41.6	33.2	1	279	10	3481
22200	-41.8	32.7	1	269	12	3496
22300	-42.2	32.2	1	268	15	3512
22400	-42.4	31.7	1	256	13	3528
22500	-42.4	31.3	1	233	11	3543
22600	-42.3	30.8	1	234	6	3559
22700	-42.3	30.4	1	282	6	3574
22800	-42.3	29.9	1	268	11	3590

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
22900	-41.5	29.5	1	261	12	3605
23000	-41.5	29.1	1	245	13	3621
23100	-41.8	28.6	1	248	13	3636
23200	-42.1	28.2	1	254	15	3652
23300	-42.3	27.8	1	251	12	3668
23400	-42.1	27.4	1	237	7	3683
23500	-41.9	27.0	1	248	8	3699
23600	-41.7	26.6	1	256	7	3714
23700	-41.9	26.2	1	254	7	3730
23800	-41.9	25.8	1	276	3	3745
23900	-41.8	25.5	1	302	4	3761
24000	-42.0	25.1	1	301	8	3777
24100	-42.3	24.7	1	301	8	3792
24200	-42.3	24.4	1	307	9	3808
24300	-42.3	24.0	1	304	10	3823
24400	-42.0	23.6	1	309	10	3839
24500	-41.6	23.3	1	304	14	3854
24600	-41.5	23.0	1	286	17	3870
24700	-41.1	22.6	1	257	19	3886
24800	-40.8	22.3	1	238	20	3901
24900	-40.5	22.0	1	232	17	3917
25000	-40.6	21.7	1	228	12	3932
25100	-40.6	21.3	1	228	10	3948
25200	-40.7	21.0	1	225	12	3964
25300	-40.4	20.7	1	215	9	3979
25400	-39.9	20.4	1	206	11	3995
25500	-39.8	20.1	1	211	10	4010