

**Altitude Report:**

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
1	-13.4	828.6	56	264	4	251
2	-13.4	828.5	56	264	4	251
3	-13.4	828.4	56	264	4	251
4	-13.4	828.3	56	264	4	251
5	-13.4	828.2	56	264	4	251
6	-13.4	828.0	56	264	4	251
7	-13.4	827.9	56	264	4	252
8	-13.4	827.8	56	264	4	252
9	-13.4	827.7	56	264	4	252
10	-13.4	827.6	56	264	4	252
11	-13.4	827.5	56	264	4	252
12	-13.4	827.4	56	264	4	252
13	-13.4	827.3	56	264	4	252
14	-13.4	827.2	56	264	4	252
15	-13.4	827.1	56	264	4	253
16	-13.4	827.0	56	264	4	253
17	-13.4	826.8	56	264	4	253
18	-13.4	826.7	56	264	4	253
19	-13.4	826.6	56	264	4	253
20	-13.4	826.5	56	264	4	253
21	-13.4	826.4	56	264	4	253
22	-13.4	826.3	56	264	4	253
23	-13.4	826.2	56	264	4	254
24	-13.4	826.1	56	264	4	254
25	-13.4	826.0	56	264	4	254
26	-13.4	825.9	56	264	4	254
27	-13.4	825.8	56	264	4	254
28	-13.4	825.6	56	264	4	254
29	-13.4	825.5	56	264	4	254
30	-13.4	825.4	56	264	4	254
31	-13.4	825.3	56	264	4	254
32	-13.4	825.2	56	264	4	255
33	-13.4	825.1	56	264	4	255
34	-13.4	825.0	56	264	4	255
35	-13.4	824.9	56	264	4	255
36	-13.4	824.8	55	264	4	255
37	-13.4	824.7	55	264	4	255
38	-13.4	824.6	55	264	4	255
39	-13.4	824.5	55	264	4	255
40	-13.4	824.3	55	264	4	256
41	-13.4	824.2	55	264	4	256
42	-13.4	824.1	55	264	4	256
43	-13.4	824.0	55	264	4	256

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
44	-13.4	823.9	55	264	4	256
45	-13.4	823.8	55	264	4	256
46	-13.4	823.7	55	264	4	256
47	-13.4	823.6	55	264	4	256
48	-13.4	823.5	55	264	4	257
49	-13.4	823.4	55	264	4	257
50	-13.4	823.3	55	264	4	257
55	-13.4	822.7	55	264	4	257
60	-13.4	822.2	55	264	4	258
65	-13.4	821.6	55	264	4	259
70	-13.4	821.1	55	264	4	259
75	-13.4	820.6	55	264	4	260
80	-13.4	820.0	55	264	4	261
85	-13.4	819.5	55	264	4	261
90	-13.4	818.9	55	264	4	262
95	-13.4	818.4	55	264	4	262
100	-13.4	817.9	55	264	4	263
105	-13.4	817.3	55	264	4	264
110	-13.4	816.8	54	265	4	264
115	-13.4	816.2	54	265	4	265
120	-13.4	815.7	54	265	4	266
125	-13.4	815.2	54	265	4	266
130	-13.4	814.6	54	265	4	267
135	-13.4	814.1	54	265	4	267
140	-13.4	813.6	54	265	4	268
145	-13.4	813.0	54	265	4	269
150	-13.4	812.5	54	265	4	269
155	-13.4	812.0	54	265	4	270
160	-13.4	811.4	54	265	4	270
165	-13.4	810.9	54	265	4	271
170	-13.4	810.4	54	265	4	272
175	-13.4	809.8	54	265	4	272
180	-13.4	809.3	53	265	5	273
185	-13.4	808.8	53	265	5	274
190	-13.4	808.2	53	265	5	274
195	-13.4	807.7	53	265	5	275
200	-13.4	807.2	53	265	5	275
205	-13.4	806.6	53	265	5	276
210	-13.3	806.1	53	265	5	277
215	-13.3	805.6	53	265	5	277
220	-13.3	805.0	53	265	5	278
225	-13.3	804.5	53	265	5	279
230	-13.3	804.0	53	265	5	279
235	-13.3	803.4	53	265	5	280
240	-13.3	802.9	53	265	5	280

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
245	-13.3	802.4	53	265	5	281
250	-13.3	801.9	53	265	5	282
255	-13.3	801.3	52	265	5	282
260	-13.3	800.8	52	265	5	283
265	-13.3	800.3	52	265	5	284
270	-13.3	799.8	52	265	5	284
275	-13.3	799.2	52	265	5	285
280	-13.3	798.7	52	265	5	285
285	-13.3	798.2	52	265	5	286
290	-13.3	797.6	52	265	5	287
295	-13.3	797.1	52	265	5	287
300	-13.3	796.6	52	265	5	288
305	-13.3	796.1	52	265	5	289
310	-13.3	795.5	52	265	5	289
315	-13.3	795.0	52	265	5	290
320	-13.3	794.5	52	265	5	290
325	-13.3	794.0	51	265	5	291
330	-13.3	793.5	51	265	5	292
335	-13.3	792.9	51	265	5	292
340	-13.3	792.4	51	265	5	293
345	-13.3	791.9	51	265	5	293
350	-13.3	791.4	51	265	5	294
355	-13.3	790.8	51	265	5	295
360	-13.3	790.3	51	265	5	295
365	-13.3	789.8	51	265	5	296
370	-13.3	789.3	51	265	5	297
375	-13.3	788.8	51	265	5	297
380	-13.3	788.3	51	265	5	298
385	-13.3	787.7	51	265	5	298
390	-13.3	787.2	51	265	5	299
395	-13.3	786.7	50	265	5	300
400	-13.3	786.2	50	265	6	300
405	-13.3	785.7	50	265	6	301
410	-13.3	785.1	50	265	6	302
415	-13.3	784.6	50	265	6	302
420	-13.3	784.1	50	265	6	303
425	-13.3	783.6	50	265	6	303
430	-13.3	783.1	50	265	6	304
435	-13.3	782.6	50	265	6	305
440	-13.3	782.0	50	265	6	305
445	-13.3	781.5	50	265	6	306
450	-13.3	781.0	50	266	6	307
455	-13.3	780.5	50	266	6	307
460	-13.3	780.0	50	266	6	308
465	-13.3	779.5	49	266	6	309

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
470	-13.3	779.0	49	266	6	309
475	-13.3	778.5	49	266	6	310
480	-13.3	777.9	49	266	6	310
485	-13.3	777.4	49	266	6	311
490	-13.3	776.9	49	266	6	312
495	-13.3	776.4	49	266	6	312
500	-13.3	775.9	49	266	6	313
510	-13.3	774.9	49	266	6	314
520	-13.3	773.9	49	266	6	315
530	-13.3	772.8	49	266	6	317
540	-13.3	771.8	48	266	6	318
550	-13.3	770.8	48	266	6	319
560	-13.3	769.8	48	266	6	320
570	-13.3	768.8	48	266	6	322
580	-13.3	767.8	48	266	6	323
590	-13.3	766.8	48	266	6	324
600	-13.3	765.7	48	266	6	325
610	-13.3	764.7	47	266	6	327
620	-13.2	763.7	47	266	7	328
630	-13.2	762.7	47	266	7	329
640	-13.2	761.7	47	266	7	331
650	-13.2	760.7	47	266	7	332
660	-13.2	759.7	47	266	7	333
670	-13.2	758.7	47	266	7	334
680	-13.2	757.7	46	266	7	336
690	-13.2	756.7	46	266	7	337
700	-13.2	755.7	46	266	7	338
710	-13.2	754.7	46	266	7	339
720	-13.2	753.7	46	266	7	341
730	-13.2	752.8	46	266	7	342
740	-13.2	751.8	46	266	7	343
750	-13.2	750.8	46	266	7	344
760	-13.2	749.8	45	266	7	346
770	-13.2	748.8	45	266	7	347
780	-13.2	747.8	45	266	7	348
790	-13.2	746.8	45	266	7	349
800	-13.2	745.9	45	266	7	351
810	-13.2	744.9	45	266	7	352
820	-13.2	743.9	45	266	7	353
830	-13.2	742.9	44	266	7	355
840	-13.2	741.9	44	266	8	356
850	-13.2	741.0	44	266	8	357
860	-13.2	740.0	44	266	8	358
870	-13.2	739.0	44	266	8	360
880	-13.2	738.0	44	266	8	361

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
890	-13.2	737.1	44	266	8	362
900	-13.2	736.1	45	266	8	364
910	-13.2	735.1	45	266	8	365
920	-13.2	734.2	45	266	8	366
930	-13.2	733.2	45	266	8	367
940	-13.2	732.2	45	266	8	369
950	-13.2	731.3	46	266	8	370
960	-13.2	730.3	46	266	8	371
970	-13.2	729.3	46	266	8	373
980	-13.2	728.4	46	266	8	374
990	-13.2	727.4	46	266	8	375
1000	-13.2	726.5	46	266	8	376
1050	-13.0	721.7	48	266	8	383
1100	-12.9	717.0	49	266	9	389
1150	-12.9	712.3	50	266	9	396
1200	-12.8	707.6	50	267	9	402
1250	-12.8	703.0	50	267	9	409
1300	-12.8	698.4	50	267	10	415
1350	-13.1	693.8	49	267	10	422
1400	-13.7	689.2	46	267	10	428
1450	-14.1	684.7	43	267	10	435
1500	-14.5	680.2	42	266	10	442
1550	-14.9	675.7	42	256	9	449
1600	-15.3	671.3	43	243	8	456
1650	-15.6	666.8	44	228	5	462
1700	-15.7	662.4	43	190	3	469
1750	-15.8	658.0	41	142	4	475
1800	-15.7	653.7	39	131	4	482
1850	-16.1	649.3	37	126	5	489
1900	-16.5	645.0	37	132	5	495
1950	-16.9	640.7	38	138	5	502
2000	-16.8	636.5	39	132	8	509
2050	-16.8	632.2	38	129	11	515
2100	-16.9	628.0	37	128	11	522
2150	-17.0	623.9	36	130	11	529
2200	-17.2	619.7	34	136	10	535
2250	-17.5	615.6	32	143	9	542
2300	-17.9	611.5	32	149	8	549
2350	-18.2	607.4	32	144	8	556
2400	-18.7	603.3	34	140	7	563
2450	-19.2	599.3	35	137	7	570
2500	-19.7	595.2	37	137	6	577
2550	-20.1	591.2	39	138	6	584
2600	-20.6	587.3	41	126	6	591
2650	-21.1	583.3	43	107	7	598

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
2700	-21.6	579.4	45	092	7	605
2750	-21.9	575.4	48	071	8	612
2800	-22.2	571.5	50	061	8	619
2850	-22.6	567.6	52	064	6	626
2900	-23.0	563.8	55	071	5	633
2950	-23.4	559.9	57	083	4	641
3000	-23.8	556.1	59	111	3	648
3050	-24.1	552.3	61	139	3	655
3100	-24.4	548.5	61	147	3	661
3150	-24.8	544.8	59	154	4	668
3200	-25.2	541.0	58	159	4	675
3250	-25.6	537.3	58	163	4	682
3300	-26.0	533.6	58	160	4	689
3350	-26.4	529.9	59	155	5	696
3400	-26.8	526.2	59	148	6	703
3450	-27.0	522.6	58	129	8	710
3500	-26.9	519.0	58	112	10	717
3550	-26.8	515.4	59	100	11	723
3600	-26.9	511.8	61	090	10	730
3650	-27.0	508.3	61	086	10	737
3700	-27.2	504.8	61	076	11	744
3750	-27.4	501.3	61	067	12	751
3800	-27.7	497.8	60	065	11	758
3850	-27.9	494.3	59	057	10	765
3900	-28.0	490.9	59	046	9	771
3950	-28.2	487.5	60	035	7	778
4000	-28.5	484.1	60	027	6	785
4050	-28.9	480.7	60	020	6	792
4100	-29.3	477.4	61	008	5	799
4150	-29.7	474.0	62	360	4	807
4200	-30.1	470.7	63	358	3	814
4250	-30.5	467.4	64	003	3	821
4300	-30.9	464.1	64	356	2	828
4350	-31.3	460.9	65	328	2	835
4400	-31.7	457.6	64	245	0	842
4450	-32.1	454.4	63	129	1	849
4500	-32.2	451.2	62	089	2	856
4550	-32.2	448.0	61	043	3	863
4600	-32.2	444.8	60	015	3	869
4650	-32.4	441.7	59	341	3	876
4700	-32.6	438.6	59	313	4	883
4750	-33.0	435.4	60	298	3	890
4800	-33.3	432.4	60	283	3	897
4850	-33.6	429.3	60	274	4	904
4900	-33.8	426.2	61	271	4	911

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
4950	-33.9	423.2	60	276	4	918
5000	-34.1	420.2	59	272	4	925
5100	-34.6	414.2	58	291	5	939
5200	-35.2	408.3	58	294	6	953
5300	-36.0	402.5	58	289	7	968
5400	-36.9	396.7	59	287	7	982
5500	-37.5	391.0	60	297	6	996
5600	-38.2	385.4	61	309	7	1011
5700	-39.0	379.8	60	311	6	1025
5800	-39.7	374.3	61	316	8	1039
5900	-40.5	368.8	61	297	7	1054
6000	-40.9	363.5	50	294	7	1067
6100	-41.7	358.1	45	308	9	1081
6200	-42.5	352.9	45	314	9	1095
6300	-43.2	347.7	45	322	7	1110
6400	-43.7	342.6	41	321	8	1124
6500	-44.3	337.5	38	321	10	1138
6600	-44.7	332.5	36	324	10	1152
6700	-45.3	327.5	32	321	10	1166
6800	-45.9	322.7	31	328	12	1180
6900	-46.4	317.8	31	331	12	1194
7000	-46.9	313.1	31	328	12	1209
7100	-47.5	308.4	30	320	11	1223
7200	-47.9	303.7	30	325	11	1237
7300	-48.5	299.2	30	331	15	1252
7400	-48.8	294.7	29	330	17	1266
7500	-48.9	290.2	28	331	17	1280
7600	-49.2	285.8	27	333	18	1294
7700	-49.3	281.5	26	329	19	1308
7800	-49.5	277.2	26	325	19	1323
7900	-49.6	273.0	25	319	18	1337
8000	-49.5	268.9	23	309	15	1351
8100	-49.2	264.8	21	301	14	1365
8200	-48.9	260.8	20	299	14	1379
8300	-48.5	256.9	18	295	14	1393
8400	-48.5	253.0	17	295	14	1407
8500	-48.5	249.2	16	290	13	1422
8600	-48.6	245.4	15	279	14	1436
8700	-48.4	241.7	14	277	15	1450
8800	-47.7	238.1	14	277	17	1465
8900	-46.9	234.5	12	272	13	1479
9000	-46.9	231.0	11	263	14	1493
9100	-46.6	227.5	10	264	17	1507
9200	-45.9	224.1	9	265	18	1522
9300	-45.5	220.8	8	267	17	1536

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
9400	-45.1	217.5	7	260	18	1550
9500	-44.8	214.3	6	256	20	1565
9600	-45.0	211.1	5	256	22	1579
9700	-44.5	208.0	5	254	20	1594
9800	-44.4	204.9	4	259	19	1608
9900	-44.3	201.9	4	256	21	1623
10000	-44.3	198.9	3	262	21	1638
10100	-44.5	195.9	3	252	22	1652
10200	-44.4	193.0	3	245	23	1667
10300	-44.3	190.2	2	245	23	1682
10400	-44.8	187.4	2	251	23	1697
10500	-44.8	184.6	2	254	22	1711
10600	-44.8	181.8	2	257	24	1726
10700	-44.5	179.1	2	255	24	1741
10800	-44.5	176.5	1	248	23	1756
10900	-44.2	173.9	1	247	25	1770