

Altitude Report:

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
1	-13.4	828.6	56	264	4	251
2	-13.4	828.5	56	264	4	251
3	-13.4	828.4	56	264	4	251
4	-13.4	828.3	56	264	4	251
5	-13.4	828.2	56	264	4	251
6	-13.4	828.0	56	264	4	251
7	-13.4	827.9	56	264	4	251
8	-13.4	827.8	56	264	4	252
9	-13.4	827.7	56	264	4	252
10	-13.4	827.6	56	264	4	252
11	-13.3	827.5	56	264	4	252
12	-13.3	827.4	56	264	4	252
13	-13.3	827.3	56	264	4	252
14	-13.3	827.2	56	264	4	252
15	-13.3	827.1	56	264	4	252
16	-13.3	827.0	56	265	4	253
17	-13.3	826.8	56	265	4	253
18	-13.3	826.7	56	265	4	253
19	-13.3	826.6	56	265	4	253
20	-13.3	826.5	56	265	4	253
21	-13.3	826.4	56	265	4	253
22	-13.3	826.3	56	265	4	253
23	-13.3	826.2	56	265	4	253
24	-13.3	826.1	55	265	4	254
25	-13.3	826.0	55	265	4	254
26	-13.3	825.9	55	265	4	254
27	-13.3	825.8	55	265	4	254
28	-13.3	825.7	55	265	3	254
29	-13.3	825.5	55	265	3	254
30	-13.3	825.4	55	265	3	254
31	-13.3	825.3	55	265	3	254
32	-13.2	825.2	55	265	3	254
33	-13.2	825.1	55	265	3	255
34	-13.2	825.0	55	265	3	255
35	-13.2	824.9	55	265	3	255
36	-13.2	824.8	55	265	3	255
37	-13.2	824.7	55	265	3	255
38	-13.2	824.6	55	265	3	255
39	-13.2	824.5	55	265	3	255
40	-13.2	824.3	55	265	3	255
41	-13.2	824.2	55	265	3	256
42	-13.2	824.1	55	265	3	256
43	-13.2	824.0	55	265	3	256

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
44	-13.2	823.9	55	265	3	256
45	-13.2	823.8	55	265	3	256
46	-13.2	823.7	55	266	3	256
47	-13.2	823.6	55	266	3	256
48	-13.2	823.5	55	266	3	256
49	-13.2	823.4	55	266	3	256
50	-13.2	823.3	55	266	3	257
55	-13.1	822.7	55	266	3	257
60	-13.1	822.2	55	266	3	258
65	-13.1	821.6	55	266	3	258
70	-13.1	821.1	55	266	3	259
75	-13.0	820.6	54	267	3	260
80	-13.0	820.0	54	267	3	260
85	-13.0	819.5	54	267	3	261
90	-13.0	818.9	54	267	3	261
95	-12.9	818.4	54	268	3	262
100	-12.9	817.9	54	268	3	263
105	-12.9	817.3	54	268	3	263
110	-12.9	816.8	54	268	3	264
115	-12.8	816.3	54	268	3	264
120	-12.8	815.7	53	269	3	265
125	-12.8	815.2	53	269	3	266
130	-12.8	814.6	53	269	3	266
135	-12.8	814.1	53	270	3	267
140	-12.7	813.6	53	270	3	267
145	-12.7	813.0	53	270	3	268
150	-12.7	812.5	53	270	3	269
155	-12.7	812.0	53	271	3	269
160	-12.6	811.4	53	271	3	270
165	-12.6	810.9	53	271	3	270
170	-12.6	810.4	52	272	2	271
175	-12.6	809.8	52	272	2	272
180	-12.5	809.3	52	272	2	272
185	-12.5	808.8	52	273	2	273
190	-12.5	808.3	52	273	2	273
195	-12.5	807.7	52	273	2	274
200	-12.4	807.2	52	274	2	275
205	-12.4	806.7	52	274	2	275
210	-12.4	806.1	52	275	2	276
215	-12.4	805.6	51	275	2	276
220	-12.3	805.1	51	275	2	277
225	-12.3	804.6	51	276	2	277
230	-12.3	804.0	51	276	2	278
235	-12.3	803.5	51	277	2	279
240	-12.2	803.0	51	277	2	279

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
245	-12.2	802.4	51	278	2	280
250	-12.2	801.9	51	278	2	280
255	-12.2	801.4	51	279	2	281
260	-12.1	800.9	51	280	2	282
265	-12.1	800.3	50	280	2	282
270	-12.1	799.8	50	281	2	283
275	-12.1	799.3	50	281	2	284
280	-12.1	798.8	50	282	2	284
285	-12.0	798.2	50	283	2	285
290	-12.0	797.7	50	283	2	285
295	-12.0	797.2	50	284	2	286
300	-12.0	796.7	50	285	2	287
305	-11.9	796.2	50	286	2	287
310	-11.9	795.6	50	286	2	288
315	-11.9	795.1	49	287	2	288
320	-11.9	794.6	49	288	2	289
325	-11.8	794.1	49	289	2	290
330	-11.8	793.6	49	290	1	290
335	-11.8	793.0	49	291	1	291
340	-11.8	792.5	49	292	1	291
345	-11.7	792.0	49	293	1	292
350	-11.7	791.5	49	294	1	293
355	-11.7	791.0	49	295	1	293
360	-11.7	790.4	48	296	1	294
365	-11.6	789.9	48	297	1	294
370	-11.6	789.4	48	299	1	295
375	-11.6	788.9	48	300	1	296
380	-11.6	788.4	48	301	1	296
385	-11.5	787.9	48	303	1	297
390	-11.5	787.4	48	304	1	297
395	-11.5	786.8	48	306	1	298
400	-11.5	786.3	48	307	1	299
405	-11.5	785.8	48	309	1	299
410	-11.4	785.3	47	311	1	300
415	-11.4	784.8	47	312	1	300
420	-11.4	784.3	47	314	1	301
425	-11.4	783.8	47	316	1	302
430	-11.3	783.2	47	318	1	302
435	-11.3	782.7	47	320	1	303
440	-11.3	782.2	47	322	1	303
445	-11.3	781.7	47	324	1	304
450	-11.2	781.2	47	326	1	305
455	-11.2	780.7	46	328	1	305
460	-11.2	780.2	46	330	1	306
465	-11.2	779.7	46	332	1	306

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
470	-11.1	779.2	46	334	1	307
475	-11.1	778.7	46	337	1	308
480	-11.1	778.1	46	339	1	308
485	-11.1	777.6	46	341	1	309
490	-11.0	777.1	46	343	1	309
495	-11.0	776.6	46	345	1	310
500	-11.0	776.1	46	347	1	311
510	-10.9	775.1	45	352	1	312
520	-10.9	774.1	45	356	1	313
530	-10.9	773.1	45	360	1	314
540	-10.8	772.1	45	003	1	316
550	-10.8	771.1	44	007	1	317
560	-10.7	770.1	44	010	1	318
570	-10.7	769.1	44	013	1	319
580	-10.6	768.1	44	016	1	320
590	-10.6	767.1	44	019	1	322
600	-10.5	766.1	43	021	1	323
610	-10.5	765.1	43	023	1	324
620	-10.4	764.1	43	026	1	325
630	-10.4	763.1	43	028	1	327
640	-10.3	762.1	43	029	2	328
650	-10.3	761.1	42	031	2	329
660	-10.2	760.1	42	033	2	330
670	-10.2	759.1	42	034	2	331
680	-10.1	758.1	42	035	2	333
690	-10.1	757.1	42	037	2	334
700	-10.0	756.2	41	038	2	335
710	-10.0	755.2	41	039	2	336
720	-9.9	754.2	41	040	2	338
730	-9.9	753.2	41	041	2	339
740	-9.8	752.2	41	042	2	340
750	-9.8	751.3	40	043	2	341
760	-9.7	750.3	40	044	2	343
770	-9.7	749.3	40	044	2	344
780	-9.6	748.3	40	045	2	345
790	-9.6	747.4	39	046	2	346
800	-9.6	746.4	39	046	3	347
810	-9.5	745.4	39	047	3	349
820	-9.5	744.5	39	048	3	350
830	-9.4	743.5	39	048	3	351
840	-9.4	742.5	38	049	3	352
850	-9.3	741.6	38	049	3	354
860	-9.3	740.6	38	050	3	355
870	-9.2	739.7	38	050	3	356
880	-9.2	738.7	38	051	3	357

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
890	-9.1	737.7	37	051	3	359
900	-9.1	736.8	37	051	3	360
910	-9.0	735.8	37	052	3	361
920	-9.0	734.9	37	052	3	362
930	-8.9	733.9	37	052	3	364
940	-8.9	733.0	36	053	4	365
950	-8.8	732.0	36	053	4	366
960	-8.8	731.1	36	053	4	367
970	-8.7	730.1	36	054	4	368
980	-8.7	729.2	35	054	4	370
990	-8.6	728.3	35	054	4	371
1000	-8.6	727.3	35	055	4	372
1050	-8.3	722.6	34	056	4	378
1100	-8.1	718.0	33	057	5	385
1150	-7.9	713.4	32	058	5	391
1200	-7.7	708.8	30	058	5	397
1250	-8.6	704.2	27	059	6	404
1300	-11.2	699.7	28	060	6	413
1350	-11.4	695.1	32	060	7	420
1400	-12.0	690.6	33	061	7	427
1450	-13.1	686.1	31	061	7	434
1500	-13.7	681.5	29	060	8	441
1550	-13.9	677.1	30	059	10	448
1600	-14.1	672.6	30	066	11	454
1650	-14.5	668.2	31	075	13	461
1700	-14.8	663.8	31	080	15	468
1750	-14.9	659.4	31	083	19	475
1800	-15.1	655.0	30	085	19	481
1850	-15.4	650.7	29	088	18	488
1900	-15.8	646.4	29	093	16	495
1950	-16.1	642.1	30	099	14	502
2000	-16.3	637.9	31	105	13	508
2050	-16.6	633.6	31	105	12	515
2100	-17.0	629.4	31	103	13	522
2150	-17.2	625.2	32	098	15	529
2200	-17.4	621.1	32	097	14	536
2250	-17.8	616.9	32	097	13	543
2300	-18.1	612.8	33	096	11	549
2350	-18.5	608.7	34	094	10	556
2400	-18.9	604.6	36	089	9	563
2450	-19.2	600.6	37	084	8	570
2500	-19.6	596.5	38	088	9	577
2550	-19.9	592.5	39	093	9	584
2600	-20.0	588.5	39	093	9	591
2650	-19.7	584.6	38	088	9	597

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
2700	-18.8	580.7	35	081	7	603
2750	-18.9	576.8	33	077	7	610
2800	-19.2	572.9	32	076	7	617
2850	-19.5	569.0	31	075	6	623
2900	-19.8	565.2	31	078	5	630
2950	-20.0	561.4	30	091	5	637
3000	-20.2	557.6	29	095	6	644
3050	-20.4	553.9	29	094	5	651
3100	-20.5	550.1	29	088	4	657
3150	-20.2	546.4	27	081	4	664
3200	-19.9	542.8	21	097	4	670
3250	-20.0	539.1	18	099	3	677
3300	-20.3	535.5	16	091	3	683
3350	-20.7	531.9	16	082	3	690
3400	-21.1	528.3	16	075	3	697
3450	-21.1	524.7	14	076	2	704
3500	-21.1	521.1	11	125	2	711
3550	-21.1	517.6	10	148	2	717
3600	-21.0	514.1	9	181	2	724
3650	-20.9	510.7	9	214	2	731
3700	-20.9	507.2	8	227	3	737
3750	-21.1	503.8	8	224	3	744
3800	-21.2	500.4	8	242	3	751
3850	-21.4	497.0	8	260	4	758
3900	-21.5	493.6	9	263	5	765
3950	-21.7	490.3	10	255	5	772
4000	-21.9	487.0	12	248	5	779
4050	-22.0	483.7	11	245	6	786
4100	-22.0	480.4	11	247	7	793
4150	-22.2	477.1	12	248	8	800
4200	-22.5	473.9	14	244	9	807
4250	-22.8	470.6	16	229	9	814
4300	-23.0	467.4	18	231	11	821
4350	-23.1	464.3	19	232	12	828
4400	-23.3	461.1	21	233	13	835
4450	-23.7	457.9	26	230	13	843
4500	-24.0	454.8	32	227	14	850
4550	-24.4	451.7	36	224	14	857
4600	-24.8	448.6	39	221	14	865
4650	-25.0	445.5	41	225	12	872
4700	-25.1	442.5	41	231	11	879
4750	-25.4	439.4	41	241	11	886
4800	-25.6	436.4	40	250	12	893
4850	-25.8	433.4	38	255	13	900
4900	-26.2	430.4	37	256	15	907

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
4950	-26.6	427.5	37	253	15	914
5000	-26.8	424.5	39	251	16	921
5100	-27.3	418.6	44	247	19	936
5200	-27.7	412.9	46	243	21	950
5300	-27.9	407.2	45	247	24	964
5400	-28.3	401.5	41	243	26	978
5500	-28.5	395.9	38	242	29	991
5600	-28.4	390.5	35	244	30	1005
5700	-28.7	385.0	31	238	31	1019
5800	-29.0	379.7	29	239	33	1033
5900	-29.8	374.4	31	242	34	1048
6000	-30.7	369.2	35	245	36	1062
6100	-31.1	364.0	43	248	40	1077
6200	-31.5	358.9	48	243	41	1092
6300	-32.2	353.9	46	237	40	1106
6400	-32.7	348.9	43	244	40	1120
6500	-33.0	343.9	42	252	41	1134
6600	-33.5	339.1	44	256	43	1149
6700	-34.1	334.3	45	256	44	1163
6800	-34.9	329.5	44	253	46	1178
6900	-35.0	324.8	41	249	49	1192
7000	-35.4	320.2	40	252	51	1206
7100	-36.0	315.6	41	253	52	1221
7200	-36.8	311.1	42	252	53	1235
7300	-37.6	306.6	43	251	53	1250
7400	-38.1	302.2	41	251	53	1264
7500	-39.0	297.9	40	251	53	1279
7600	-39.7	293.5	40	254	55	1294
7700	-40.1	289.3	41	254	57	1308
7800	-40.6	285.1	43	253	58	1323
7900	-41.2	280.9	43	253	58	1337
8000	-42.1	276.8	42	254	58	1352
8100	-43.0	272.7	42	255	58	1367
8200	-43.9	268.7	42	254	58	1381
8300	-44.6	264.7	43	255	60	1396
8400	-45.1	260.8	43	252	62	1411
8500	-45.8	256.9	44	253	63	1425
8600	-46.7	253.1	45	252	65	1440
8700	-47.3	249.3	43	251	65	1455
8800	-48.1	245.5	40	252	65	1469
8900	-49.0	241.8	40	252	66	1484
9000	-49.8	238.2	39	254	67	1499
9100	-50.6	234.5	39	256	68	1513
9200	-51.4	231.0	39	256	68	1528
9300	-52.2	227.4	38	255	68	1543

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
9400	-53.1	223.9	38	255	68	1558
9500	-54.1	220.5	39	255	67	1573
9600	-55.0	217.1	40	254	67	1588
9700	-56.0	213.7	41	253	66	1603
9800	-56.8	210.3	43	254	64	1617
9900	-57.2	207.1	43	257	63	1632
10000	-57.5	203.8	44	262	65	1647
10100	-57.3	200.6	41	264	67	1661
10200	-55.6	197.5	38	255	64	1675
10300	-55.1	194.4	37	248	59	1689
10400	-54.2	191.4	34	247	53	1703
10500	-54.0	188.4	32	247	48	1718
10600	-53.3	185.5	29	254	45	1732
10700	-52.8	182.7	27	260	48	1746
10800	-52.7	179.9	25	260	49	1761
10900	-52.4	177.1	23	257	44	1775
11000	-52.3	174.4	20	262	46	1790
11100	-51.3	171.7	19	262	50	1804
11200	-50.8	169.1	17	258	51	1819
11300	-50.3	166.5	15	255	46	1833
11400	-50.5	164.0	13	256	43	1848
11500	-49.8	161.5	12	254	42	1862
11600	-49.7	159.1	10	250	42	1877
11700	-49.6	156.7	9	250	41	1892
11800	-49.6	154.3	8	250	39	1907
11900	-49.7	151.9	7	249	37	1922
12000	-49.9	149.6	6	255	36	1936
12100	-49.1	147.4	6	254	38	1951
12200	-48.7	145.2	5	255	35	1966
12300	-49.0	143.0	5	255	32	1981
12400	-48.5	140.8	4	248	31	1996
12500	-48.2	138.7	4	249	30	2011
12600	-48.5	136.6	3	252	30	2026
12700	-48.4	134.5	3	255	30	2041
12800	-48.3	132.5	2	258	30	2056
12900	-48.2	130.5	2	259	31	2070
13000	-48.1	128.6	2	258	29	2085
13100	-47.5	126.6	2	263	29	2100
13200	-47.6	124.7	1	262	29	2115
13300	-47.6	122.9	1	257	30	2130
13400	-47.4	121.0	1	257	29	2145
13500	-47.2	119.2	1	256	27	2161
13600	-46.6	117.4	1	255	27	2176
13700	-46.3	115.7	1	254	26	2191
13800	-46.2	113.9	1	255	24	2206

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
13900	-46.4	112.2	1	260	23	2221
14000	-46.6	110.6	1	268	27	2236
14100	-46.2	108.9	1	271	30	2251
14200	-46.1	107.3	1	268	29	2266
14300	-46.0	105.7	1	266	28	2281
14400	-46.0	104.1	1	265	29	2296
14500	-45.9	102.6	1	261	30	2312
14600	-46.0	101.0	1	262	29	2327
14700	-46.4	99.5	1	262	27	2342
14800	-46.5	98.1	1	267	26	2357
14900	-46.5	96.6	1	269	29	2372
15000	-46.1	95.1	1	264	30	2388
15100	-45.9	93.7	1	265	29	2403
15200	-45.8	92.3	1	261	31	2418
15300	-45.6	91.0	1	253	28	2433
15400	-45.9	89.6	1	247	24	2448
15500	-45.9	88.3	1	251	20	2464
15600	-46.2	87.0	1	265	20	2479
15700	-46.2	85.7	1	266	23	2494
15800	-45.7	84.4	1	264	26	2509
15900	-45.3	83.1	1	257	27	2525
16000	-45.2	81.9	1	254	23	2540
16100	-45.4	80.7	1	260	21	2555
16200	-45.5	79.5	1	260	20	2571
16300	-45.5	78.3	1	263	22	2586
16400	-45.2	77.2	1	260	21	2601
16500	-45.0	76.0	1	257	19	2616
16600	-45.1	74.9	1	264	22	2632
16700	-45.3	73.8	1	262	24	2647
16800	-45.4	72.7	1	261	24	2662
16900	-45.5	71.6	1	268	24	2678
17000	-45.5	70.5	1	267	27	2693
17100	-45.4	69.5	1	257	28	2708
17200	-45.3	68.5	1	243	26	2724
17300	-45.2	67.4	1	245	22	2739
17400	-44.9	66.4	1	242	19	2754
17500	-45.0	65.5	1	244	16	2770
17600	-44.9	64.5	1	253	17	2785
17700	-44.9	63.5	1	262	16	2801
17800	-44.6	62.6	1	271	20	2816
17900	-44.4	61.7	1	268	22	2831
18000	-44.3	60.8	1	260	23	2847
18100	-44.1	59.9	1	259	23	2862
18200	-44.0	59.0	1	259	23	2877
18300	-44.1	58.1	1	262	25	2893

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
18400	-43.6	57.3	1	258	22	2908
18500	-43.5	56.4	1	251	18	2924
18600	-43.6	55.6	1	261	18	2939
18700	-43.9	54.8	1	268	18	2955
18800	-44.1	54.0	1	271	18	2970
18900	-43.9	53.2	1	264	20	2985
19000	-44.0	52.4	1	255	19	3001
19100	-44.1	51.6	1	246	18	3016
19200	-44.1	50.8	1	247	19	3032
19300	-43.7	50.1	1	239	19	3047
19400	-43.7	49.4	1	239	17	3063
19500	-43.7	48.6	1	237	13	3078
19600	-43.4	47.9	1	234	14	3093
19700	-43.1	47.2	1	238	12	3109
19800	-42.8	46.5	1	239	11	3124
19900	-43.0	45.8	1	237	11	3140
20000	-42.8	45.2	1	242	9	3155
20100	-43.1	44.5	1	261	9	3171
20200	-43.1	43.8	1	263	11	3186
20300	-43.2	43.2	1	278	13	3202
20400	-43.4	42.6	1	291	17	3217
20500	-43.7	41.9	1	286	18	3233
20600	-43.7	41.3	1	279	18	3248
20700	-43.6	40.7	1	277	17	3264
20800	-43.6	40.1	1	273	18	3279
20900	-43.7	39.5	1	259	20	3295
21000	-43.5	38.9	1	253	18	3310
21100	-43.3	38.4	1	239	13	3326
21200	-43.5	37.8	1	230	9	3341
21300	-43.3	37.3	1	254	6	3357
21400	-43.3	36.7	1	272	9	3372
21500	-43.5	36.2	1	278	12	3388
21600	-43.4	35.6	1	270	13	3403
21700	-43.3	35.1	1	257	13	3419
21800	-43.0	34.6	1	256	11	3434
21900	-42.8	34.1	1	262	9	3450
22000	-42.9	33.6	1	288	8	3465
22100	-43.0	33.1	1	282	12	3481
22200	-42.5	32.6	1	281	11	3496
22300	-42.3	32.1	1	274	13	3512
22400	-42.7	31.7	1	272	17	3528
22500	-42.8	31.2	1	263	17	3543
22600	-42.9	30.7	1	259	14	3559
22700	-42.7	30.3	1	270	11	3574
22800	-42.5	29.9	1	288	10	3590

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
22900	-42.6	29.4	1	289	12	3605
23000	-42.8	29.0	1	278	16	3621
23100	-42.9	28.6	1	274	15	3636
23200	-43.1	28.1	1	266	16	3652
23300	-43.2	27.7	1	260	14	3668
23400	-42.8	27.3	1	260	12	3683
23500	-42.5	26.9	1	253	14	3699
23600	-42.5	26.5	1	248	12	3714
23700	-42.2	26.1	1	257	9	3730
23800	-42.0	25.8	1	275	9	3745
23900	-41.3	25.4	1	265	10	3761
24000	-41.1	25.0	1	281	11	3776
24100	-40.9	24.7	1	266	11	3792
24200	-40.7	24.3	1	253	8	3808
24300	-40.3	23.9	1	275	9	3823
24400	-40.3	23.6	1	290	11	3839