

Altitude Report:

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
1	-13.1	822.3	39	118	2	248
2	-13.1	822.2	39	118	2	248
3	-13.1	822.1	39	118	2	248
4	-13.1	822.0	39	117	2	248
5	-13.1	821.9	39	117	2	248
6	-13.1	821.8	39	117	2	248
7	-13.1	821.6	39	117	2	248
8	-13.1	821.5	39	117	2	249
9	-13.1	821.4	39	117	2	249
10	-13.1	821.3	39	117	2	249
11	-13.1	821.2	39	117	2	249
12	-13.1	821.1	39	116	2	249
13	-13.0	821.0	39	116	2	249
14	-13.0	820.9	39	116	2	249
15	-13.0	820.8	39	116	2	249
16	-13.0	820.7	39	116	2	249
17	-13.0	820.6	39	116	2	250
18	-13.0	820.5	39	116	2	250
19	-13.0	820.3	39	115	2	250
20	-13.0	820.2	39	115	2	250
21	-13.0	820.1	39	115	2	250
22	-13.0	820.0	39	115	2	250
23	-13.0	819.9	39	115	2	250
24	-13.0	819.8	39	115	2	250
25	-13.0	819.7	39	115	2	251
26	-13.0	819.6	39	115	2	251
27	-13.0	819.5	39	114	2	251
28	-13.0	819.4	39	114	2	251
29	-13.0	819.3	39	114	2	251
30	-13.0	819.2	39	114	2	251
31	-13.0	819.1	39	114	2	251
32	-13.0	818.9	39	114	2	251
33	-13.0	818.8	39	114	2	252
34	-13.0	818.7	39	114	2	252
35	-13.0	818.6	39	114	2	252
36	-13.0	818.5	39	113	2	252
37	-13.0	818.4	39	113	2	252
38	-12.9	818.3	39	113	2	252
39	-12.9	818.2	39	113	2	252
40	-12.9	818.1	39	113	2	252
41	-12.9	818.0	39	113	2	252
42	-12.9	817.9	39	113	2	253
43	-12.9	817.8	39	113	2	253

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
44	-12.9	817.7	39	112	2	253
45	-12.9	817.5	39	112	2	253
46	-12.9	817.4	39	112	2	253
47	-12.9	817.3	39	112	2	253
48	-12.9	817.2	39	112	2	253
49	-12.9	817.1	39	112	2	253
50	-12.9	817.0	39	112	2	254
55	-12.9	816.5	38	111	2	254
60	-12.9	815.9	38	111	2	255
65	-12.8	815.4	38	110	3	255
70	-12.8	814.9	38	110	3	256
75	-12.8	814.3	38	109	3	257
80	-12.8	813.8	38	109	3	257
85	-12.8	813.3	38	108	3	258
90	-12.7	812.7	38	108	3	258
95	-12.7	812.2	38	107	3	259
100	-12.7	811.7	38	107	3	260
105	-12.7	811.1	38	106	3	260
110	-12.7	810.6	38	106	3	261
115	-12.6	810.1	38	106	3	261
120	-12.6	809.5	38	105	3	262
125	-12.6	809.0	38	105	3	263
130	-12.6	808.5	38	104	3	263
135	-12.6	807.9	38	104	3	264
140	-12.5	807.4	38	104	3	264
145	-12.5	806.9	38	103	3	265
150	-12.5	806.3	38	103	3	266
155	-12.5	805.8	37	103	3	266
160	-12.5	805.3	37	102	3	267
165	-12.4	804.8	37	102	3	267
170	-12.4	804.2	37	102	3	268
175	-12.4	803.7	37	101	3	269
180	-12.4	803.2	37	101	3	269
185	-12.4	802.7	37	101	3	270
190	-12.3	802.1	37	100	3	271
195	-12.3	801.6	37	100	3	271
200	-12.3	801.1	37	100	3	272
205	-12.3	800.5	37	100	3	272
210	-12.3	800.0	37	099	3	273
215	-12.3	799.5	37	099	3	274
220	-12.2	799.0	37	099	3	274
225	-12.2	798.5	37	099	4	275
230	-12.2	797.9	37	098	4	275
235	-12.2	797.4	37	098	4	276
240	-12.2	796.9	37	098	4	277

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
245	-12.1	796.4	37	098	4	277
250	-12.1	795.8	37	097	4	278
255	-12.1	795.3	36	097	4	278
260	-12.1	794.8	36	097	4	279
265	-12.1	794.3	36	097	4	280
270	-12.0	793.8	36	096	4	280
275	-12.0	793.2	36	096	4	281
280	-12.0	792.7	36	096	4	281
285	-12.0	792.2	36	096	4	282
290	-12.0	791.7	36	096	4	283
295	-11.9	791.2	36	095	4	283
300	-11.9	790.6	36	095	4	284
305	-11.9	790.1	36	095	4	285
310	-11.9	789.6	36	095	4	285
315	-11.9	789.1	36	095	4	286
320	-11.8	788.6	36	094	4	286
325	-11.8	788.1	36	094	4	287
330	-11.8	787.5	36	094	4	288
335	-11.8	787.0	36	094	4	288
340	-11.8	786.5	36	094	4	289
345	-11.7	786.0	36	093	4	289
350	-11.7	785.5	36	093	4	290
355	-11.7	785.0	35	093	4	291
360	-11.7	784.5	35	093	4	291
365	-11.7	783.9	35	093	4	292
370	-11.6	783.4	35	093	5	292
375	-11.6	782.9	35	092	5	293
380	-11.6	782.4	35	092	5	294
385	-11.6	781.9	35	092	5	294
390	-11.6	781.4	35	092	5	295
395	-11.5	780.9	35	092	5	296
400	-11.5	780.4	35	092	5	296
405	-11.5	779.9	35	092	5	297
410	-11.5	779.3	35	091	5	297
415	-11.5	778.8	35	091	5	298
420	-11.4	778.3	35	091	5	299
425	-11.4	777.8	35	091	5	299
430	-11.4	777.3	35	091	5	300
435	-11.4	776.8	35	091	5	300
440	-11.4	776.3	35	091	5	301
445	-11.3	775.8	35	091	5	302
450	-11.3	775.3	35	090	5	302
455	-11.3	774.8	35	090	5	303
460	-11.3	774.3	34	090	5	304
465	-11.3	773.8	34	090	5	304

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
470	-11.2	773.3	34	090	5	305
475	-11.2	772.7	34	090	5	305
480	-11.2	772.2	34	090	5	306
485	-11.2	771.7	34	090	5	307
490	-11.2	771.2	34	089	5	307
495	-11.1	770.7	34	089	5	308
500	-11.1	770.2	34	089	5	308
510	-11.1	769.2	34	089	5	310
520	-11.0	768.2	34	089	6	311
530	-11.0	767.2	34	089	6	312
540	-11.0	766.2	34	088	6	313
550	-10.9	765.2	34	088	6	315
560	-10.9	764.2	33	088	6	316
570	-10.8	763.2	33	088	6	317
580	-10.8	762.2	33	088	6	318
590	-10.8	761.2	33	087	6	320
600	-10.7	760.2	33	087	6	321
610	-10.7	759.3	33	087	6	322
620	-10.7	758.3	33	087	6	323
630	-10.6	757.3	33	087	6	325
640	-10.6	756.3	33	087	6	326
650	-10.5	755.3	33	087	6	327
660	-10.5	754.3	32	086	7	328
670	-10.5	753.3	32	086	7	329
680	-10.4	752.4	32	086	7	331
690	-10.4	751.4	32	086	7	332
700	-10.3	750.4	32	086	7	333
710	-10.3	749.4	32	086	7	334
720	-10.3	748.5	32	086	7	336
730	-10.2	747.5	32	085	7	337
740	-10.2	746.5	32	085	7	338
750	-10.1	745.5	32	085	7	339
760	-10.1	744.6	31	085	7	341
770	-10.1	743.6	31	085	7	342
780	-10.0	742.6	31	085	7	343
790	-10.0	741.7	31	085	7	344
800	-9.9	740.7	31	085	8	346
810	-9.9	739.7	31	084	8	347
820	-9.9	738.8	31	084	8	348
830	-9.8	737.8	31	084	8	349
840	-9.8	736.9	31	084	8	351
850	-9.7	735.9	31	084	8	352
860	-9.7	735.0	31	084	8	353
870	-9.7	734.0	30	084	8	354
880	-9.6	733.0	30	084	8	356

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
890	-9.6	732.1	30	084	8	357
900	-9.6	731.1	30	084	8	358
910	-9.7	730.2	30	083	8	360
920	-9.8	729.2	29	083	8	361
930	-9.8	728.3	29	083	9	362
940	-9.8	727.4	29	083	9	363
950	-9.7	726.4	29	083	9	365
960	-9.7	725.5	29	083	9	366
970	-9.7	724.5	29	083	9	367
980	-9.7	723.6	29	083	9	369
990	-9.8	722.6	29	083	9	370
1000	-9.8	721.7	29	083	9	371
1050	-10.2	717.0	29	082	9	378
1100	-10.3	712.4	29	082	10	385
1150	-10.5	707.8	31	082	10	391
1200	-11.5	703.2	33	081	10	399
1250	-12.5	698.6	35	081	11	406
1300	-12.5	694.0	40	081	11	413
1350	-12.6	689.5	41	081	12	419
1400	-12.7	684.9	36	080	12	426
1450	-12.7	680.5	31	080	12	432
1500	-12.7	676.0	29	080	11	438
1550	-13.0	671.6	29	077	10	445
1600	-13.4	667.2	29	076	9	452
1650	-13.9	662.8	30	075	7	459
1700	-14.3	658.4	31	070	7	466
1750	-14.7	654.1	32	069	6	473
1800	-15.0	649.8	34	078	5	480
1850	-15.3	645.5	35	088	4	487
1900	-15.7	641.2	36	102	4	494
1950	-16.1	637.0	37	118	4	501
2000	-16.4	632.7	38	117	5	507
2050	-16.8	628.5	39	125	5	514
2100	-17.2	624.3	40	124	6	521
2150	-17.7	620.2	41	118	7	528
2200	-18.1	616.0	43	110	8	535
2250	-18.6	611.9	45	107	9	542
2300	-18.9	607.8	48	106	10	549
2350	-19.3	603.7	51	107	10	556
2400	-19.7	599.7	54	108	10	564
2450	-20.2	595.7	57	112	10	571
2500	-20.6	591.6	60	115	10	578
2550	-20.9	587.6	63	110	10	585
2600	-21.1	583.7	65	099	10	592
2650	-21.3	579.7	68	088	10	599

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
2700	-21.6	575.8	68	083	9	606
2750	-22.0	571.9	68	082	9	612
2800	-22.4	568.0	68	083	9	619
2850	-22.8	564.1	68	083	10	626
2900	-23.2	560.3	68	081	10	633
2950	-23.6	556.5	69	074	9	640
3000	-23.9	552.7	70	062	9	647
3050	-24.3	548.9	70	056	9	654
3100	-24.4	545.1	69	054	8	661
3150	-24.8	541.4	67	053	8	668
3200	-25.2	537.7	66	048	8	675
3250	-25.6	534.0	66	056	8	682
3300	-26.1	530.3	66	067	7	689
3350	-26.5	526.7	67	076	7	696
3400	-26.9	523.0	68	079	7	703
3450	-27.3	519.4	68	076	8	710
3500	-27.7	515.8	68	075	7	717
3550	-28.1	512.2	67	073	7	724
3600	-28.6	508.6	67	071	7	731
3650	-29.0	505.1	67	071	8	738
3700	-29.4	501.6	67	081	8	745
3750	-29.8	498.1	69	084	8	752
3800	-30.3	494.6	71	086	8	759
3850	-30.7	491.1	73	090	8	766
3900	-31.2	487.6	75	093	8	773
3950	-31.7	484.2	76	096	8	781
4000	-32.1	480.8	76	095	9	788
4050	-32.4	477.4	75	091	9	795
4100	-32.7	474.0	74	087	9	801
4150	-33.1	470.7	72	084	10	808
4200	-33.5	467.3	69	082	10	815
4250	-33.8	464.0	66	085	10	822
4300	-34.2	460.7	62	093	10	829
4350	-34.5	457.4	59	093	10	836
4400	-34.9	454.1	56	090	10	842
4450	-35.2	450.9	53	089	10	849
4500	-35.5	447.7	50	089	10	856
4550	-35.8	444.4	48	089	11	863
4600	-36.1	441.2	46	089	10	870
4650	-36.2	438.1	44	105	10	876
4700	-36.4	434.9	43	116	11	883
4750	-36.7	431.8	42	120	12	890
4800	-37.0	428.7	41	119	12	897
4850	-37.1	425.6	40	114	12	904
4900	-37.1	422.5	39	115	10	911

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
4950	-37.3	419.5	38	126	9	918
5000	-37.6	416.4	37	141	9	925
5100	-38.2	410.4	38	149	10	939
5200	-38.7	404.5	41	147	9	953
5300	-39.2	398.6	42	157	9	967
5400	-39.8	392.8	39	152	10	981
5500	-40.2	387.1	39	161	9	995
5600	-40.8	381.5	42	162	10	1010
5700	-41.4	375.9	42	173	11	1024
5800	-42.0	370.4	42	175	10	1038
5900	-42.4	365.0	40	178	11	1052
6000	-43.1	359.6	38	171	13	1066
6100	-43.7	354.3	38	179	12	1080
6200	-44.3	349.0	36	181	14	1094
6300	-44.8	343.9	35	180	15	1108
6400	-45.4	338.7	34	177	14	1123
6500	-46.0	333.7	33	177	14	1137
6600	-46.7	328.7	32	184	13	1151
6700	-47.4	323.8	31	177	15	1165
6800	-47.5	318.9	30	181	17	1179
6900	-48.0	314.1	31	182	17	1194
7000	-48.5	309.4	32	183	18	1208
7100	-49.1	304.7	34	186	18	1223
7200	-49.8	300.1	36	187	17	1237
7300	-50.5	295.5	37	191	17	1252
7400	-51.1	291.0	38	193	15	1266
7500	-51.7	286.6	39	197	16	1281
7600	-52.2	282.2	40	199	16	1295
7700	-52.8	277.8	40	197	16	1310
7800	-53.2	273.6	40	195	16	1324
7900	-53.5	269.4	39	193	16	1338
8000	-53.4	265.2	37	198	16	1353
8100	-52.9	261.1	35	200	16	1366
8200	-52.1	257.1	32	199	16	1380
8300	-51.1	253.2	29	206	17	1394
8400	-50.0	249.3	26	204	17	1407
8500	-49.5	245.5	23	202	17	1421
8600	-48.7	241.8	20	203	17	1435
8700	-47.9	238.2	18	211	17	1449
8800	-47.5	234.6	15	206	17	1463
8900	-46.9	231.1	13	208	17	1478
9000	-46.6	227.6	11	209	16	1492
9100	-46.4	224.2	10	204	17	1506
9200	-45.9	220.9	8	202	14	1520
9300	-45.9	217.6	7	201	15	1535

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
9400	-45.4	214.3	6	202	12	1549
9500	-45.0	211.2	6	215	13	1564
9600	-45.1	208.0	5	223	14	1578
9700	-45.0	204.9	4	222	15	1593
9800	-44.6	201.9	4	223	15	1607
9900	-44.2	198.9	3	218	16	1622
10000	-44.2	196.0	3	214	17	1637
10100	-44.4	193.1	3	213	16	1651
10200	-44.3	190.2	2	205	14	1666
10300	-44.4	187.4	2	214	14	1681
10400	-44.2	184.6	2	224	15	1696
10500	-44.3	181.9	2	220	16	1710
10600	-44.5	179.2	1	217	14	1725
10700	-44.6	176.5	1	221	16	1740
10800	-44.7	173.9	1	218	14	1755
10900	-44.5	171.3	1	223	12	1770
11000	-44.5	168.8	1	222	13	1784
11100	-44.6	166.3	1	210	16	1799
11200	-45.0	163.8	1	216	14	1814
11300	-45.0	161.4	1	216	13	1829
11400	-44.9	159.0	1	222	13	1844
11500	-44.8	156.6	1	224	13	1859
11600	-44.6	154.3	1	225	14	1874
11700	-44.4	152.0	1	224	14	1889
11800	-44.2	149.8	1	228	15	1903
11900	-43.9	147.6	1	227	16	1918
12000	-43.9	145.4	1	230	16	1933
12100	-43.7	143.2	1	234	13	1948
12200	-43.6	141.1	1	236	12	1963
12300	-43.6	139.1	1	237	13	1978
12400	-43.7	137.0	1	233	14	1993
12500	-43.8	135.0	1	234	12	2008
12600	-43.9	133.0	1	228	13	2023
12700	-43.9	131.0	1	238	11	2038
12800	-44.2	129.1	1	224	10	2053
12900	-44.3	127.2	1	231	12	2069
13000	-44.3	125.3	1	247	14	2084
13100	-44.2	123.4	1	237	13	2099
13200	-44.4	121.6	1	243	12	2114
13300	-44.4	119.8	1	259	11	2129
13400	-44.3	118.1	1	253	13	2144
13500	-44.4	116.3	1	242	14	2159
13600	-44.5	114.6	1	238	18	2174
13700	-44.2	112.9	1	236	15	2189
13800	-44.2	111.2	1	230	16	2204

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
13900	-44.4	109.6	1	226	15	2220
14000	-44.4	108.0	1	229	10	2235
14100	-44.4	106.4	1	233	12	2250
14200	-44.5	104.8	1	236	10	2265
14300	-44.6	103.2	1	230	10	2280
14400	-44.9	101.7	1	229	9	2295
14500	-45.2	100.2	1	237	11	2311
14600	-45.6	98.7	1	246	13	2326
14700	-45.7	97.2	1	249	15	2341
14800	-45.7	95.8	1	255	17	2356
14900	-45.7	94.4	1	253	17	2372
15000	-45.4	93.0	1	249	19	2387
15100	-45.0	91.6	1	247	22	2402
15200	-44.2	90.2	1	232	22	2417
15300	-44.2	88.9	1	226	19	2432
15400	-44.5	87.6	1	227	16	2448
15500	-44.3	86.3	1	230	13	2463
15600	-44.0	85.0	1	235	12	2478
15700	-43.8	83.8	1	234	17	2493
15800	-43.3	82.5	1	225	15	2509
15900	-43.4	81.3	1	214	13	2524
16000	-43.5	80.1	1	217	12	2539
16100	-43.5	78.9	1	249	10	2554
16200	-43.7	77.8	1	291	11	2570
16300	-43.8	76.6	1	282	12	2585
16400	-44.1	75.5	1	250	13	2600
16500	-43.6	74.4	1	226	13	2616
16600	-42.7	73.3	1	230	10	2631
16700	-42.7	72.2	1	244	13	2646
16800	-42.5	71.2	1	243	14	2662
16900	-42.8	70.1	1	235	11	2677
17000	-43.1	69.1	1	230	9	2692
17100	-43.4	68.1	1	227	11	2708
17200	-43.7	67.1	1	218	8	2723
17300	-43.9	66.1	1	224	9	2739
17400	-44.0	65.1	1	231	12	2754
17500	-44.0	64.1	1	230	12	2769
17600	-43.8	63.2	1	240	12	2785
17700	-43.1	62.3	1	240	12	2800
17800	-42.9	61.4	1	255	9	2815
17900	-42.8	60.5	1	290	10	2831
18000	-42.8	59.6	1	289	13	2846
18100	-43.3	58.7	1	281	17	2862
18200	-43.8	57.8	1	272	19	2877
18300	-43.9	57.0	1	259	18	2892

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
18400	-44.2	56.1	1	246	17	2908
18500	-44.7	55.3	1	232	16	2923
18600	-44.9	54.5	1	222	18	2939
18700	-44.6	53.7	1	217	14	2954
18800	-43.9	52.9	1	224	13	2970
18900	-43.5	52.1	1	245	10	2985
19000	-43.0	51.3	1	256	11	3000
19100	-42.9	50.6	1	257	10	3016
19200	-42.6	49.8	1	244	6	3031
19300	-42.9	49.1	1	243	4	3047
19400	-43.0	48.4	1	297	8	3062
19500	-43.4	47.7	1	275	10	3078
19600	-43.5	47.0	1	256	11	3093
19700	-43.4	46.3	1	230	9	3109
19800	-43.5	45.6	1	209	7	3124
19900	-43.3	44.9	1	186	4	3140
20000	-42.9	44.3	1	211	2	3155
20100	-42.5	43.6	1	296	3	3170
20200	-42.7	43.0	1	319	5	3186
20300	-42.9	42.4	1	313	6	3201
20400	-43.0	41.7	1	298	10	3217
20500	-42.9	41.1	1	294	14	3232
20600	-43.4	40.5	1	288	16	3248
20700	-44.0	39.9	1	286	15	3264
20800	-44.5	39.3	1	277	16	3279
20900	-44.8	38.8	1	265	15	3295
21000	-44.7	38.2	1	259	13	3310
21100	-44.5	37.6	1	253	12	3326
21200	-44.3	37.1	1	246	13	3341
21300	-44.3	36.5	1	252	14	3357
21400	-43.8	36.0	1	248	17	3372
21500	-43.9	35.5	1	230	16	3388
21600	-43.9	34.9	1	219	13	3403
21700	-43.4	34.4	1	224	11	3419
21800	-43.3	33.9	1	238	9	3434
21900	-43.5	33.4	1	256	8	3450
22000	-43.7	32.9	1	243	9	3465
22100	-43.7	32.4	1	227	13	3481
22200	-43.7	32.0	1	210	11	3496
22300	-43.5	31.5	1	187	7	3512
22400	-43.1	31.0	1	190	6	3527
22500	-43.2	30.6	1	232	6	3543
22600	-43.0	30.1	1	226	5	3558
22700	-42.8	29.7	1	240	7	3574
22800	-42.3	29.3	1	238	11	3590

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
22900	-42.0	28.8	1	210	12	3605
23000	-42.2	28.4	1	197	10	3621
23100	-42.2	28.0	1	198	6	3636
23200	-42.4	27.6	1	202	4	3652
23300	-42.5	27.2	1	168	4	3667
23400	-42.8	26.8	1	182	3	3683
23500	-43.0	26.4	1	220	3	3698
23600	-42.7	26.0	1	242	3	3714
23700	-42.7	25.6	1	200	2	3730
23800	-42.7	25.2	1	159	3	3745
23900	-42.2	24.9	1	247	4	3761
24000	-41.7	24.5	1	247	5	3776
24100	-41.5	24.2	1	227	3	3792
24200	-41.9	23.8	1	198	5	3807
24300	-41.8	23.5	1	150	3	3823
24400	-41.7	23.1	1	077	5	3839
24500	-41.2	22.8	1	024	6	3854
24600	-41.6	22.4	1	346	6	3870
24700	-41.9	22.1	1	327	6	3885
24800	-41.6	21.8	1	314	7	3901