

**Altitude Report:**

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
1	-11.5	831.4	65	053	6	250
2	-11.5	831.3	64	053	6	250
3	-11.6	831.2	64	053	6	251
4	-11.6	831.1	64	053	7	251
5	-11.6	831.0	63	053	7	251
6	-11.6	830.8	63	053	7	251
7	-11.6	830.7	62	053	7	251
8	-11.7	830.6	62	053	7	251
9	-11.7	830.5	62	053	8	251
10	-11.7	830.4	61	053	8	251
11	-11.7	830.3	61	053	8	252
12	-11.7	830.2	61	053	8	252
13	-11.8	830.1	60	053	8	252
14	-11.8	830.0	60	053	8	252
15	-11.8	829.9	60	053	9	252
16	-11.8	829.8	59	053	9	252
17	-11.8	829.7	59	053	9	252
18	-11.9	829.5	59	053	9	252
19	-11.9	829.4	58	054	9	253
20	-11.9	829.3	58	054	10	253
21	-11.9	829.2	57	054	10	253
22	-11.9	829.1	57	054	10	253
23	-12.0	829.0	57	054	10	253
24	-12.0	828.9	56	054	10	253
25	-12.0	828.8	56	054	11	253
26	-12.0	828.7	56	054	11	253
27	-12.1	828.6	55	054	11	254
28	-12.1	828.5	55	054	11	254
29	-12.1	828.3	55	054	11	254
30	-12.1	828.2	54	054	12	254
31	-12.1	828.1	54	054	12	254
32	-12.1	828.0	54	054	12	254
33	-12.1	827.9	53	054	12	254
34	-12.1	827.8	53	054	12	254
35	-12.1	827.7	52	054	12	254
36	-12.1	827.6	52	054	13	255
37	-12.1	827.5	52	054	13	255
38	-12.1	827.4	52	054	13	255
39	-12.1	827.3	52	054	13	255
40	-12.1	827.2	52	054	13	255
41	-12.1	827.0	51	054	14	255
42	-12.0	826.9	51	054	14	255
43	-12.0	826.8	51	054	14	255

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
44	-12.0	826.7	51	054	14	255
45	-12.0	826.6	51	054	14	256
46	-12.0	826.5	51	055	13	256
47	-12.0	826.4	51	055	13	256
48	-12.0	826.3	51	055	13	256
49	-12.0	826.2	51	055	13	256
50	-12.0	826.1	51	055	13	256
55	-12.0	825.5	51	056	13	257
60	-11.9	825.0	51	057	13	257
65	-11.9	824.5	51	058	13	258
70	-11.8	823.9	50	059	12	258
75	-11.8	823.4	50	060	12	259
80	-11.8	822.8	50	061	12	260
85	-11.7	822.3	50	062	12	260
90	-11.7	821.8	49	063	12	261
95	-11.7	821.2	49	065	11	261
100	-11.7	820.7	49	066	11	262
105	-11.7	820.1	49	067	11	263
110	-11.7	819.6	49	068	11	263
115	-11.7	819.1	49	070	11	264
120	-11.7	818.5	49	071	10	264
125	-11.7	818.0	49	072	10	265
130	-11.7	817.5	49	073	10	266
135	-11.7	816.9	49	074	10	266
140	-11.7	816.4	49	075	10	267
145	-11.7	815.9	48	076	9	268
150	-11.7	815.3	48	077	9	268
155	-11.7	814.8	48	077	9	269
160	-11.8	814.3	48	079	9	269
165	-11.8	813.7	48	080	9	270
170	-11.8	813.2	48	081	8	271
175	-11.9	812.7	48	082	8	271
180	-11.9	812.1	48	083	8	272
185	-12.0	811.6	48	084	8	273
190	-12.0	811.1	48	086	8	273
195	-12.0	810.5	48	087	7	274
200	-12.1	810.0	49	089	7	275
205	-12.1	809.5	49	090	7	275
210	-12.2	808.9	49	091	7	276
215	-12.2	808.4	49	092	7	277
220	-12.2	807.9	49	093	7	277
225	-12.3	807.4	49	094	7	278
230	-12.3	806.8	49	095	6	279
235	-12.4	806.3	49	095	6	280
240	-12.4	805.8	49	096	6	280

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
245	-12.5	805.2	49	097	6	281
250	-12.5	804.7	49	098	6	282
255	-12.6	804.2	49	099	6	282
260	-12.6	803.7	49	100	6	283
265	-12.6	803.1	49	101	6	284
270	-12.7	802.6	49	102	6	284
275	-12.7	802.1	50	103	6	285
280	-12.8	801.5	50	104	6	286
285	-12.8	801.0	50	105	5	286
290	-12.9	800.5	50	107	5	287
295	-12.9	800.0	50	106	5	288
300	-12.9	799.4	50	104	5	288
305	-13.0	798.9	50	102	6	289
310	-13.0	798.4	50	100	6	290
315	-13.1	797.9	50	099	6	290
320	-13.1	797.3	50	097	6	291
325	-13.1	796.8	51	095	6	292
330	-13.2	796.3	51	094	6	292
335	-13.2	795.8	51	092	6	293
340	-13.3	795.2	51	091	6	294
345	-13.3	794.7	51	089	6	294
350	-13.3	794.2	51	088	7	295
355	-13.3	793.7	51	087	7	296
360	-13.4	793.2	51	085	7	296
365	-13.4	792.6	51	084	7	297
370	-13.4	792.1	51	083	7	298
375	-13.4	791.6	51	082	7	298
380	-13.5	791.1	51	082	8	299
385	-13.5	790.5	51	082	8	300
390	-13.5	790.0	51	083	8	300
395	-13.5	789.5	51	083	8	301
400	-13.6	789.0	51	083	8	301
405	-13.6	788.5	51	083	8	302
410	-13.6	787.9	51	084	9	303
415	-13.6	787.4	51	084	9	303
420	-13.7	786.9	51	084	9	304
425	-13.7	786.4	51	084	9	305
430	-13.7	785.9	51	085	9	305
435	-13.8	785.4	51	085	10	306
440	-13.8	784.8	51	085	10	307
445	-13.8	784.3	51	085	10	307
450	-13.8	783.8	51	085	10	308
455	-13.9	783.3	51	086	10	309
460	-13.9	782.8	51	086	11	309
465	-13.9	782.2	50	086	11	310

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
470	-14.0	781.7	50	086	11	311
475	-14.0	781.2	50	086	10	311
480	-14.0	780.7	50	086	10	312
485	-14.0	780.2	50	086	10	313
490	-14.1	779.7	50	086	10	313
495	-14.1	779.2	50	086	10	314
500	-14.1	778.6	50	086	10	315
510	-14.1	777.6	50	086	10	316
520	-14.2	776.6	50	086	10	317
530	-14.2	775.6	50	086	10	318
540	-14.3	774.5	50	087	9	320
550	-14.3	773.5	50	087	9	321
560	-14.4	772.5	50	088	9	322
570	-14.5	771.5	50	089	9	324
580	-14.6	770.5	50	090	9	325
590	-14.7	769.4	50	091	9	326
600	-14.7	768.4	50	092	8	328
610	-14.8	767.4	50	093	8	329
620	-14.9	766.4	51	094	8	330
630	-15.0	765.4	51	095	8	332
640	-15.1	764.4	51	096	8	333
650	-15.2	763.3	51	096	8	335
660	-15.2	762.3	51	096	8	336
670	-15.3	761.3	52	097	8	337
680	-15.4	760.3	52	097	8	339
690	-15.5	759.3	52	097	8	340
700	-15.6	758.3	52	098	8	341
710	-15.7	757.3	52	098	7	343
720	-15.8	756.3	53	099	7	344
730	-15.9	755.3	53	101	7	345
740	-16.0	754.3	53	103	7	347
750	-16.1	753.3	53	105	7	348
760	-16.2	752.3	54	107	7	350
770	-16.3	751.3	54	109	7	351
780	-16.4	750.3	54	111	7	352
790	-16.4	749.3	55	113	7	354
800	-16.5	748.3	55	115	7	355
810	-16.6	747.3	56	116	7	356
820	-16.7	746.3	56	116	7	358
830	-16.7	745.3	56	117	7	359
840	-16.8	744.3	57	118	7	360
850	-16.8	743.3	57	119	7	362
860	-16.9	742.3	58	119	7	363
870	-17.0	741.3	58	120	6	364
880	-17.0	740.3	58	121	6	366

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
890	-17.1	739.3	59	121	6	367
900	-17.1	738.3	59	120	6	368
910	-17.2	737.4	59	119	6	370
920	-17.3	736.4	60	118	6	371
930	-17.3	735.4	60	117	6	372
940	-17.4	734.4	60	115	6	374
950	-17.5	733.4	60	114	5	375
960	-17.5	732.4	61	113	5	377
970	-17.6	731.5	61	111	5	378
980	-17.7	730.5	61	108	6	379
990	-17.7	729.5	61	105	6	381
1000	-17.8	728.5	61	102	6	382
1050	-18.2	723.7	62	092	9	389
1100	-18.6	718.8	62	087	9	395
1150	-19.1	714.0	63	084	9	402
1200	-19.6	709.2	64	083	9	409
1250	-20.0	704.4	66	079	10	416
1300	-20.5	699.7	67	075	13	423
1350	-20.8	695.0	69	070	13	430
1400	-21.0	690.3	71	065	14	436
1450	-21.1	685.5	74	062	16	443
1500	-21.3	681.0	75	061	17	450
1550	-21.6	676.3	77	060	15	456
1600	-21.9	671.7	78	060	14	463
1650	-22.3	667.2	78	062	15	470
1700	-22.6	662.7	79	063	15	477
1750	-22.9	658.2	79	064	13	484
1800	-23.3	653.7	79	063	12	490
1850	-23.7	649.2	80	059	12	497
1900	-24.1	644.8	80	056	12	504
1950	-24.5	640.4	80	057	12	511
2000	-24.9	636.0	79	051	11	518
2050	-25.2	631.6	78	040	10	524
2100	-25.4	627.2	75	042	9	531
2150	-25.6	622.9	70	048	8	537
2200	-25.8	618.6	66	057	8	544
2250	-25.9	614.4	63	067	8	550
2300	-25.8	610.1	63	067	7	556
2350	-25.8	605.9	63	052	7	563
2400	-26.0	601.8	63	037	10	570
2450	-26.2	597.6	62	025	10	576
2500	-26.4	593.5	62	010	9	583
2550	-26.7	589.4	62	360	9	590
2600	-26.9	585.3	62	352	8	596
2650	-27.2	581.3	63	347	8	603

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
2700	-27.5	577.2	63	344	9	610
2750	-27.8	573.2	63	339	9	617
2800	-28.0	569.2	64	331	9	624
2850	-28.3	565.3	64	325	9	631
2900	-28.7	561.3	65	321	9	638
2950	-29.0	557.4	65	319	8	644
3000	-29.4	553.5	65	316	7	651
3050	-29.7	549.7	66	321	6	658
3100	-30.1	545.8	66	330	6	665
3150	-30.1	542.0	66	337	8	672
3200	-30.0	538.2	66	318	9	678
3250	-30.1	534.4	67	305	11	685
3300	-30.2	530.7	67	295	12	692
3350	-30.4	526.9	66	293	12	699
3400	-30.7	523.2	66	290	12	705
3450	-31.0	519.6	65	289	12	712
3500	-31.2	515.9	65	289	12	719
3550	-31.5	512.3	64	289	12	726
3600	-31.8	508.7	64	289	12	733
3650	-32.2	505.1	63	284	13	740
3700	-32.6	501.5	63	283	13	747
3750	-33.0	497.9	62	283	13	754
3800	-33.4	494.4	61	284	14	761
3850	-33.7	490.9	61	287	14	767
3900	-34.0	487.4	60	290	13	774
3950	-34.4	483.9	60	290	14	781
4000	-34.8	480.5	60	287	15	788
4050	-35.2	477.0	60	285	16	795
4100	-35.6	473.6	60	284	16	802
4150	-36.0	470.2	59	284	17	809
4200	-36.4	466.8	59	287	17	816
4250	-36.7	463.5	58	289	17	823
4300	-37.0	460.1	58	290	16	830
4350	-37.4	456.8	58	291	16	837
4400	-37.8	453.5	58	291	15	844
4450	-38.3	450.2	57	291	15	851
4500	-38.7	447.0	57	292	15	858
4550	-39.1	443.7	57	297	14	865
4600	-39.5	440.5	57	303	14	872
4650	-39.8	437.3	57	304	14	879
4700	-40.0	434.1	57	304	14	886
4750	-40.4	430.9	57	306	14	893
4800	-40.8	427.7	57	312	14	900
4850	-41.2	424.6	56	314	15	907
4900	-41.6	421.5	56	313	15	914

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
4950	-41.9	418.4	56	311	14	921
5000	-42.3	415.3	56	310	14	928
5100	-43.1	409.2	55	307	16	943
5200	-44.0	403.1	55	300	14	957
5300	-44.9	397.2	54	298	15	971
5400	-45.8	391.2	54	298	15	985
5500	-46.7	385.4	55	297	16	1000
5600	-47.6	379.6	55	294	15	1014
5700	-48.5	373.9	54	293	16	1028
5800	-49.4	368.2	54	299	16	1042
5900	-50.0	362.6	54	301	15	1056
6000	-50.5	357.1	54	299	17	1070
6100	-51.1	351.7	53	303	18	1085
6200	-51.8	346.3	53	302	19	1099
6300	-51.9	341.0	52	294	21	1113
6400	-51.7	335.8	53	301	21	1126
6500	-52.2	330.6	52	303	20	1141
6600	-52.6	325.6	52	295	23	1155
6700	-52.7	320.5	51	288	25	1169
6800	-52.4	315.6	50	290	26	1182
6900	-52.0	310.8	50	289	24	1196
7000	-51.7	306.0	49	289	22	1210
7100	-51.4	301.3	49	291	21	1224
7200	-51.6	296.7	49	290	23	1238
7300	-51.7	292.2	48	284	24	1252
7400	-51.2	287.7	47	286	24	1266
7500	-50.7	283.3	47	285	23	1280
7600	-50.4	279.0	46	283	23	1294
7700	-49.9	274.8	45	285	24	1308
7800	-49.6	270.6	45	283	23	1322
7900	-49.3	266.5	44	280	23	1336
8000	-48.9	262.5	43	279	26	1350
8100	-48.7	258.5	43	279	25	1364
8200	-48.7	254.6	42	277	24	1379
8300	-48.9	250.8	42	282	23	1393
8400	-48.9	247.0	41	280	21	1407
8500	-48.7	243.2	40	281	22	1422
8600	-48.3	239.6	40	277	24	1436
8700	-48.1	236.0	38	277	24	1450
8800	-47.3	232.4	5	273	23	1462
8900	-47.2	228.9	2	280	21	1476
9000	-47.1	225.5	1	279	21	1490
9100	-46.9	222.1	1	271	20	1505
9200	-46.9	218.8	1	266	19	1520
9300	-46.9	215.5	1	266	21	1534

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
9400	-47.0	212.3	1	270	20	1549
9500	-46.8	209.1	1	279	22	1563
9600	-46.1	206.0	1	281	19	1578
9700	-46.0	202.9	1	288	20	1592
9800	-45.8	199.9	1	286	22	1607
9900	-45.7	196.9	1	283	25	1622
10000	-45.7	194.0	1	--	--	1636
10100	-45.6	191.1	1	--	--	1651
10200	-45.5	188.3	1	--	--	1666
10300	-45.3	185.5	1	--	--	1680
10400	-45.2	182.7	1	--	--	1695
10500	-45.0	180.0	1	--	--	1710
10600	-44.9	177.3	1	--	--	1725
10700	-44.7	174.7	1	270	21	1739
10800	-45.0	172.1	1	267	20	1754
10900	-45.1	169.5	1	265	20	1769
11000	-45.4	167.0	1	269	22	1784
11100	-45.5	164.5	1	269	23	1799
11200	-45.5	162.1	1	266	21	1814
11300	-45.6	159.7	1	266	23	1829
11400	-45.8	157.3	1	269	24	1844
11500	-45.8	155.0	1	269	22	1858
11600	-46.0	152.6	1	277	25	1873
11700	-45.7	150.4	1	269	28	1888
11800	-45.8	148.1	1	262	30	1903
11900	-45.9	145.9	1	255	29	1918
12000	-46.0	143.8	1	252	26	1933
12100	-46.1	141.6	1	249	24	1948
12200	-46.3	139.5	1	249	22	1963
12300	-46.2	137.4	1	250	23	1978
12400	-45.8	135.4	1	252	21	1993
12500	-45.5	133.4	1	256	21	2008
12600	-45.5	131.4	1	263	22	2023
12700	-45.5	129.4	1	260	21	2038
12800	-45.8	127.5	1	259	20	2053
12900	-45.7	125.6	1	268	20	2068
13000	-45.2	123.7	1	268	23	2083
13100	-44.8	121.9	1	264	22	2098
13200	-44.8	120.1	1	267	22	2113
13300	-44.5	118.3	1	263	23	2128
13400	-44.5	116.6	1	256	23	2143
13500	-44.7	114.8	1	253	19	2159
13600	-44.9	113.1	1	260	16	2174
13700	-45.1	111.5	1	263	18	2189
13800	-44.8	109.8	1	265	20	2204



Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
13900	-44.5	108.2	1	258	19	2219
14000	-44.4	106.6	1	255	17	2234
14100	-44.1	105.0	1	255	15	2249
14200	-44.1	103.4	1	257	17	2265
14300	-44.1	101.9	1	252	16	2280
14400	-44.0	100.4	1	259	11	2295
14500	-44.2	98.9	1	271	12	2310
14600	-44.0	97.5	1	275	14	2325
14700	-43.9	96.0	1	265	17	2340
14800	-43.7	94.6	1	256	15	2356
14900	-43.1	93.2	1	257	13	2371
15000	-43.1	91.9	1	263	10	2386
15100	-43.3	90.5	1	270	11	2401
15200	-43.2	89.2	1	276	15	2417
15300	-43.1	87.9	1	272	17	2432
15400	-42.7	86.6	1	274	13	2447
15500	-42.9	85.3	1	273	14	2462
15600	-43.2	84.0	1	270	16	2478
15700	-43.3	82.8	1	259	17	2493
15800	-43.1	81.6	1	264	17	2508
15900	-42.4	80.4	1	258	18	2523
16000	-42.6	79.2	1	253	17	2539
16100	-42.1	78.1	1	253	16	2554
16200	-41.9	76.9	1	271	15	2569
16300	-41.9	75.8	1	282	15	2585
16400	-42.0	74.7	1	269	15	2600
16500	-41.6	73.6	1	262	11	2615
16600	-41.0	72.5	1	256	10	2631
16700	-40.9	71.5	1	256	12	2646
16800	-41.4	70.4	1	257	15	2661
16900	-41.8	69.4	1	244	14	2677
17000	-41.6	68.4	1	242	13	2692
17100	-42.1	67.4	1	253	11	2707
17200	-42.1	66.4	1	262	13	2723
17300	-41.7	65.4	1	257	17	2738
17400	-41.3	64.5	1	245	15	2753
17500	-40.9	63.5	1	237	11	2769
17600	-40.8	62.6	1	242	7	2784
17700	-40.4	61.7	1	246	9	2800
17800	-40.2	60.8	1	240	9	2815
17900	-40.0	59.9	1	227	6	2830
18000	-39.9	59.0	1	240	6	2846
18100	-40.0	58.2	1	269	6	2861
18200	-40.1	57.3	1	269	7	2877
18300	-40.1	56.5	1	271	7	2892

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
18400	-39.8	55.7	1	274	12	2907
18500	-39.6	54.9	1	253	13	2923
18600	-39.5	54.1	1	234	12	2938
18700	-39.4	53.3	1	206	11	2954
18800	-39.4	52.5	1	208	7	2969
18900	-39.5	51.8	1	247	6	2985
19000	-39.6	51.0	1	259	7	3000
19100	-39.6	50.3	1	293	6	3015
19200	-39.3	49.6	1	293	6	3031
19300	-39.1	48.9	1	272	6	3046
19400	-39.0	48.1	1	278	6	3062
19500	-39.3	47.5	1	248	4	3077
19600	-39.2	46.8	1	233	3	3093
19700	-39.4	46.1	1	284	5	3108
19800	-39.4	45.4	1	297	6	3124
19900	-39.6	44.8	1	280	6	3139
20000	-39.6	44.1	1	266	4	3155
20100	-39.6	43.5	1	275	4	3170
20200	-39.2	42.9	1	296	3	3186
20300	-38.8	42.2	1	324	3	3201
20400	-39.3	41.6	1	302	6	3217
20500	-39.7	41.0	1	284	8	3232
20600	-39.4	40.4	1	277	10	3248
20700	-39.6	39.9	1	264	11	3263
20800	-39.7	39.3	1	254	10	3279
20900	-39.9	38.7	1	258	7	3294
21000	-39.8	38.1	1	270	7	3310
21100	-39.7	37.6	1	271	7	3325
21200	-39.1	37.1	1	242	7	3341
21300	-38.8	36.5	1	255	4	3356
21400	-38.4	36.0	1	333	3	3372
21500	-38.7	35.5	1	299	6	3387
21600	-38.8	35.0	1	273	9	3403
21700	-38.7	34.5	1	245	8	3418
21800	-38.7	34.0	1	255	9	3434
21900	-38.9	33.5	1	234	9	3449
22000	-38.9	33.0	1	226	10	3465
22100	-38.6	32.5	1	211	8	3481
22200	-38.5	32.0	1	203	5	3496
22300	-38.5	31.6	1	181	1	3512
22400	-38.3	31.1	1	267	2	3527
22500	-38.3	30.7	1	266	6	3543
22600	-38.2	30.2	1	238	7	3558
22700	-37.8	29.8	1	185	3	3574
22800	-37.5	29.4	1	111	2	3589

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
22900	-37.7	29.0	1	116	0	3605
23000	-37.6	28.5	1	195	3	3620
23100	-37.6	28.1	1	186	6	3636
23200	-37.4	27.7	1	175	6	3652
23300	-37.5	27.3	1	180	2	3667
23400	-37.8	26.9	1	163	3	3683
23500	-37.5	26.6	1	177	3	3698
23600	-37.5	26.2	1	184	2	3714
23700	-37.6	25.8	1	281	3	3729
23800	-37.6	25.4	1	247	4	3745
23900	-37.7	25.1	1	--	--	3761
24000	-37.8	24.7	1	--	--	3776
24100	-37.5	24.4	1	--	--	3792
24200	-36.9	24.0	1	--	--	3807
24300	-36.4	23.7	1	219	2	3823
24400	-36.1	23.3	1	174	3	3839
24500	-35.8	23.0	1	153	4	3854
24600	-35.7	22.7	1	105	3	3870
24700	-36.0	22.4	1	006	5	3885
24800	-36.0	22.0	1	322	6	3901
24900	-35.8	21.7	1	303	8	3916
25000	-35.9	21.4	1	283	6	3932
25100	-35.8	21.1	1	060	1	3948
25200	-35.7	20.8	1	102	6	3963
25300	-35.5	20.5	1	097	2	3979
25400	-35.5	20.2	1	266	5	3994
25500	-35.5	19.9	1	263	4	4010
25600	-35.6	19.7	1	188	3	4026
25700	-35.2	19.4	1	205	3	4041
25800	-35.1	19.1	1	233	5	4057
25900	-34.8	18.8	1	267	5	4073
26000	-34.6	18.6	1	248	4	4088
26100	-34.6	18.3	1	224	4	4104
26200	-34.4	18.0	1	258	4	4119
26300	-34.8	17.8	1	320	4	4135
26400	-35.1	17.5	1	345	4	4151
26500	-34.9	17.3	1	350	5	4166
26600	-34.6	17.0	1	306	3	4182
26700	-34.3	16.8	1	281	4	4197
26800	-33.5	16.6	1	307	3	4213
26900	-33.6	16.3	1	207	4	4229
27000	-33.5	16.1	1	211	5	4244
27100	-33.3	15.9	1	231	9	4260
27200	-33.1	15.7	1	202	7	4276
27300	-33.3	15.4	1	257	5	4291

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
27400	-32.7	15.2	1	213	5	4307
27500	-32.9	15.0	1	169	9	4322
27600	-32.5	14.8	1	153	11	4338
27700	-32.7	14.6	1	137	10	4354
27800	-32.6	14.4	1	099	5	4369
27900	-33.4	14.2	1	024	6	4385
28000	-34.1	14.0	1	359	10	4401
28100	-34.0	13.8	1	018	6	4416
28200	-33.0	13.6	1	045	4	4432
28300	-32.8	13.4	1	005	2	4448
28400	-32.4	13.2	1	--	--	4463
28500	-32.1	13.0	1	--	--	4479
28600	-32.1	12.8	1	--	--	4494
28700	-32.1	12.7	1	--	--	4510
28800	-31.5	12.5	1	--	--	4526
28900	-31.1	12.3	1	--	--	4541
29000	-31.0	12.1	1	--	--	4557
29100	-30.9	12.0	1	--	--	4573
29200	-31.0	11.8	1	--	--	4588
29300	-31.2	11.6	1	--	--	4604
29400	-30.8	11.5	1	--	--	4620
29500	-29.6	11.3	1	251	4	4635
29600	-29.9	11.2	1	071	3	4651
29700	-30.0	11.0	1	052	2	4666
29800	-30.0	10.9	1	104	7	4682
29900	-29.5	10.7	1	129	2	4698
30000	-29.3	10.6	1	089	6	4713
30100	-29.2	10.4	1	041	5	4729
30200	-28.8	10.3	1	054	8	4745
30300	-28.5	10.1	1	008	8	4760
30400	-28.2	10.0	1	003	13	4776
30500	-27.6	9.9	1	005	14	4792
30600	-26.9	9.7	1	349	11	4807
30700	-27.1	9.6	1	331	6	4823
30800	-27.1	9.5	1	285	9	4839
30900	-26.9	9.3	1	291	10	4854
31000	-26.7	9.2	1	274	7	4870