

Altitude Report:

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
1	-9.7	832.5	58	059	3	249
2	-9.8	832.4	57	059	3	249
3	-9.8	832.3	57	060	4	249
4	-9.9	832.2	57	061	4	249
5	-9.9	832.1	56	061	4	249
6	-9.9	831.9	56	062	4	249
7	-10.0	831.8	56	062	4	249
8	-10.0	831.7	55	063	4	250
9	-10.0	831.6	55	063	4	250
10	-10.1	831.5	55	064	4	250
11	-10.1	831.4	55	064	4	250
12	-10.2	831.3	54	065	4	250
13	-10.2	831.2	54	065	4	250
14	-10.2	831.1	54	065	4	250
15	-10.3	831.0	53	066	5	251
16	-10.3	830.9	53	066	5	251
17	-10.4	830.8	53	066	5	251
18	-10.4	830.7	52	067	5	251
19	-10.4	830.5	52	067	5	251
20	-10.5	830.4	52	067	5	251
21	-10.5	830.3	51	068	5	251
22	-10.5	830.2	51	068	5	252
23	-10.6	830.1	51	068	5	252
24	-10.6	830.0	50	069	5	252
25	-10.7	829.9	50	069	5	252
26	-10.7	829.8	50	069	5	252
27	-10.7	829.7	49	069	6	252
28	-10.8	829.6	49	070	6	252
29	-10.8	829.5	49	070	6	253
30	-10.9	829.4	48	070	6	253
31	-10.9	829.2	48	070	6	253
32	-10.9	829.1	48	070	6	253
33	-11.0	829.0	48	071	6	253
34	-11.0	828.9	47	071	6	253
35	-11.1	828.8	47	071	6	253
36	-11.1	828.7	47	071	6	254
37	-11.1	828.6	46	071	6	254
38	-11.2	828.5	46	072	7	254
39	-11.2	828.4	46	072	7	254
40	-11.2	828.3	45	072	7	254
41	-11.3	828.2	45	072	7	254
42	-11.3	828.1	45	072	7	254
43	-11.3	827.9	44	073	7	254

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
44	-11.3	827.8	44	073	7	255
45	-11.3	827.7	44	073	7	255
46	-11.3	827.6	43	073	7	255
47	-11.3	827.5	43	073	7	255
48	-11.3	827.4	43	073	7	255
49	-11.3	827.3	42	073	7	255
50	-11.3	827.2	42	074	8	255
55	-11.3	826.7	41	074	8	256
60	-11.3	826.1	40	074	8	256
65	-11.3	825.6	40	075	8	257
70	-11.3	825.0	40	075	8	258
75	-11.3	824.5	40	075	8	258
80	-11.3	824.0	40	076	8	259
85	-11.3	823.4	40	076	8	260
90	-11.3	822.9	40	076	8	260
95	-11.3	822.3	40	077	7	261
100	-11.3	821.8	40	077	7	261
105	-11.3	821.3	40	078	7	262
110	-11.3	820.7	40	078	7	263
115	-11.3	820.2	40	078	7	263
120	-11.3	819.7	41	079	7	264
125	-11.3	819.1	41	079	7	265
130	-11.3	818.6	41	079	7	265
135	-11.3	818.1	40	080	7	266
140	-11.3	817.5	40	080	7	266
145	-11.3	817.0	40	081	7	267
150	-11.4	816.5	40	081	7	268
155	-11.4	815.9	40	081	7	268
160	-11.4	815.4	40	082	7	269
165	-11.4	814.9	40	082	7	270
170	-11.4	814.3	40	083	7	270
175	-11.4	813.8	40	083	7	271
180	-11.5	813.3	39	084	7	272
185	-11.5	812.7	39	084	7	272
190	-11.5	812.2	39	085	7	273
195	-11.5	811.7	39	085	7	273
200	-11.5	811.1	39	086	7	274
205	-11.5	810.6	39	086	7	275
210	-11.6	810.1	39	086	7	275
215	-11.6	809.5	39	087	7	276
220	-11.6	809.0	39	087	7	277
225	-11.7	808.5	39	088	7	277
230	-11.7	808.0	39	088	7	278
235	-11.8	807.4	39	089	7	279
240	-11.8	806.9	39	089	7	279

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
245	-11.8	806.4	39	090	7	280
250	-11.9	805.9	39	090	7	281
255	-11.9	805.4	39	091	7	281
260	-11.9	804.8	39	091	7	282
265	-12.0	804.3	39	092	7	283
270	-12.0	803.7	39	092	7	283
275	-12.1	803.2	39	093	7	284
280	-12.1	802.7	39	095	7	285
285	-12.1	802.2	39	097	7	285
290	-12.2	801.6	39	099	7	286
295	-12.2	801.1	39	101	7	287
300	-12.3	800.6	39	104	6	287
305	-12.3	800.1	39	106	6	288
310	-12.4	799.5	39	108	6	289
315	-12.4	799.0	39	111	6	289
320	-12.5	798.5	39	113	6	290
325	-12.5	798.0	39	116	6	291
330	-12.6	797.4	39	119	6	291
335	-12.6	796.9	40	121	6	292
340	-12.6	796.4	40	124	6	293
345	-12.7	795.9	40	126	6	293
350	-12.7	795.3	40	129	6	294
355	-12.8	794.8	40	132	6	295
360	-12.8	794.3	40	134	6	295
365	-12.8	793.8	40	137	6	296
370	-12.8	793.3	40	139	6	297
375	-12.9	792.7	40	141	6	297
380	-12.9	792.2	40	141	6	298
385	-12.9	791.7	40	140	6	299
390	-12.9	791.2	40	140	6	299
395	-12.9	790.7	41	139	6	300
400	-12.9	790.1	41	139	6	301
405	-13.0	789.6	41	138	6	301
410	-13.0	789.1	41	137	6	302
415	-13.0	788.6	41	137	6	303
420	-13.0	788.1	41	136	6	303
425	-13.0	787.5	41	136	6	304
430	-13.1	787.0	41	135	6	305
435	-13.1	786.5	42	134	6	305
440	-13.1	786.0	42	134	6	306
445	-13.1	785.5	42	133	6	307
450	-13.2	784.9	42	132	5	307
455	-13.2	784.4	42	131	5	308
460	-13.2	783.9	42	131	5	309
465	-13.2	783.4	42	130	5	309

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
470	-13.2	782.9	42	129	5	310
475	-13.3	782.4	42	128	5	311
480	-13.3	781.9	42	126	5	311
485	-13.3	781.3	42	125	5	312
490	-13.3	780.8	42	124	5	312
495	-13.4	780.3	42	123	5	313
500	-13.4	779.8	42	122	5	314
510	-13.5	778.8	43	119	5	315
520	-13.6	777.7	43	117	5	316
530	-13.6	776.7	43	115	5	318
540	-13.7	775.7	43	113	5	319
550	-13.8	774.7	43	110	5	320
560	-13.9	773.7	43	109	5	322
570	-13.9	772.6	43	108	6	323
580	-14.0	771.6	43	107	6	325
590	-14.1	770.6	43	106	6	326
600	-14.2	769.6	43	105	7	327
610	-14.3	768.6	43	104	7	329
620	-14.4	767.5	44	103	7	330
630	-14.5	766.5	44	103	8	331
640	-14.6	765.5	44	102	8	333
650	-14.6	764.5	44	102	8	334
660	-14.7	763.5	44	102	8	335
670	-14.8	762.5	45	102	8	337
680	-14.9	761.5	45	102	8	338
690	-15.0	760.5	45	101	8	339
700	-15.0	759.5	46	101	7	341
710	-15.1	758.5	46	101	7	342
720	-15.2	757.4	46	101	7	343
730	-15.3	756.4	47	101	7	345
740	-15.3	755.4	47	101	7	346
750	-15.4	754.4	48	100	7	348
760	-15.5	753.4	48	099	7	349
770	-15.6	752.4	49	099	6	350
780	-15.7	751.4	49	098	6	352
790	-15.7	750.4	50	097	6	353
800	-15.8	749.4	51	096	6	354
810	-15.9	748.4	51	095	6	356
820	-16.0	747.5	52	094	6	357
830	-16.1	746.5	53	092	6	359
840	-16.2	745.5	53	090	6	360
850	-16.3	744.5	54	088	6	361
860	-16.4	743.5	55	085	6	363
870	-16.5	742.5	55	083	6	364
880	-16.6	741.5	56	081	6	366

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
890	-16.7	740.5	57	079	6	367
900	-16.8	739.5	57	077	6	368
910	-16.9	738.5	58	075	6	370
920	-16.9	737.6	58	075	6	371
930	-17.0	736.6	59	075	6	373
940	-17.1	735.6	60	075	6	374
950	-17.1	734.6	60	075	6	375
960	-17.2	733.6	61	076	6	377
970	-17.3	732.6	62	076	6	378
980	-17.4	731.7	62	076	6	379
990	-17.4	730.7	63	076	6	381
1000	-17.5	729.7	63	079	5	382
1050	-17.8	724.8	65	097	5	389
1100	-18.1	720.0	67	107	4	396
1150	-18.3	715.2	68	101	3	402
1200	-18.6	710.4	70	065	5	409
1250	-19.0	705.6	72	044	5	416
1300	-19.2	700.9	73	024	5	423
1350	-19.6	696.2	73	023	6	429
1400	-19.9	691.5	74	027	6	436
1450	-20.3	686.9	74	040	4	443
1500	-20.7	682.2	75	057	3	450
1550	-20.9	677.6	77	079	2	456
1600	-21.1	673.0	78	110	2	463
1650	-21.4	668.5	78	133	2	470
1700	-21.8	664.0	77	078	3	476
1750	-22.1	659.4	76	067	3	483
1800	-22.5	655.0	76	069	3	490
1850	-23.0	650.5	76	073	2	497
1900	-23.4	646.1	76	085	1	504
1950	-23.9	641.7	75	094	2	510
2000	-24.3	637.3	75	095	2	517
2050	-24.8	632.9	76	082	3	524
2100	-25.3	628.6	77	065	3	531
2150	-25.8	624.2	78	057	3	538
2200	-26.2	619.9	79	057	4	545
2250	-26.6	615.6	80	045	3	552
2300	-26.8	611.4	80	328	2	559
2350	-26.3	607.2	80	309	2	565
2400	-26.2	603.0	78	322	1	571
2450	-26.2	598.8	75	042	1	577
2500	-26.3	594.7	73	086	2	584
2550	-26.3	590.6	70	079	2	590
2600	-26.6	586.5	66	096	2	597
2650	-26.9	582.4	63	122	2	603

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
2700	-27.2	578.4	60	139	2	610
2750	-27.6	574.4	58	151	2	617
2800	-27.9	570.4	56	143	2	624
2850	-28.4	566.4	54	134	2	630
2900	-28.8	562.5	53	123	2	637
2950	-29.2	558.6	53	132	1	644
3000	-29.6	554.7	53	250	1	651
3050	-29.9	550.8	53	207	1	658
3100	-30.3	546.9	54	206	1	665
3150	-30.7	543.1	55	224	1	672
3200	-31.1	539.3	56	304	1	679
3250	-31.5	535.5	56	330	1	686
3300	-31.9	531.7	57	318	2	693
3350	-32.3	527.9	59	308	1	700
3400	-32.7	524.2	60	232	1	707
3450	-33.1	520.5	61	239	2	714
3500	-33.4	516.8	60	239	3	721
3550	-33.7	513.1	60	240	4	728
3600	-34.0	509.4	61	261	4	734
3650	-34.3	505.8	61	278	4	741
3700	-34.6	502.2	62	292	4	748
3750	-34.8	498.6	62	294	5	755
3800	-34.8	495.0	61	289	6	762
3850	-34.9	491.5	59	270	6	768
3900	-35.3	488.0	58	267	6	775
3950	-35.6	484.5	57	267	6	782
4000	-35.8	481.0	55	263	6	789
4050	-36.0	477.6	53	261	6	796
4100	-36.4	474.1	52	259	7	803
4150	-36.7	470.7	51	259	7	809
4200	-37.0	467.3	50	265	7	816
4250	-37.4	464.0	50	264	7	823
4300	-37.7	460.6	49	263	7	830
4350	-38.1	457.3	48	259	7	837
4400	-38.4	454.0	48	250	7	844
4450	-38.8	450.7	47	253	7	851
4500	-39.2	447.4	47	252	8	858
4550	-39.6	444.1	47	249	8	865
4600	-39.9	440.9	46	250	8	872
4650	-40.3	437.7	46	252	8	879
4700	-40.7	434.4	46	257	8	886
4750	-41.1	431.3	45	259	8	893
4800	-41.5	428.1	44	258	8	900
4850	-41.8	424.9	44	254	9	907
4900	-42.3	421.8	43	255	10	914

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
4950	-42.7	418.7	43	257	10	921
5000	-43.1	415.6	42	255	10	928
5100	-44.0	409.5	42	255	10	942
5200	-44.9	403.4	41	255	9	956
5300	-45.7	397.4	41	250	8	971
5400	-46.4	391.5	42	251	9	985
5500	-47.1	385.6	42	244	8	999
5600	-47.8	379.8	42	247	7	1013
5700	-48.4	374.1	42	246	8	1027
5800	-49.1	368.4	41	244	9	1041
5900	-49.8	362.8	42	246	10	1055
6000	-50.6	357.3	42	242	10	1070
6100	-51.2	351.9	42	234	11	1084
6200	-51.4	346.5	41	240	10	1098
6300	-51.6	341.2	41	249	10	1112
6400	-52.1	336.0	40	250	13	1126
6500	-52.6	330.8	39	244	13	1140
6600	-53.0	325.7	39	238	15	1154
6700	-53.2	320.7	38	246	15	1168
6800	-53.3	315.7	37	250	13	1182
6900	-53.0	310.9	37	256	14	1196
7000	-53.3	306.1	36	256	14	1210
7100	-53.3	301.4	35	252	16	1224
7200	-53.1	296.7	34	259	16	1238
7300	-53.1	292.2	32	261	13	1252
7400	-52.8	287.7	31	258	16	1265
7500	-51.8	283.2	30	253	17	1279
7600	-51.4	278.9	29	258	13	1293
7700	-50.3	274.7	27	282	14	1307
7800	-50.3	270.5	25	280	18	1321
7900	-50.4	266.4	24	261	16	1335
8000	-49.5	262.3	22	263	15	1349
8100	-49.1	258.3	21	266	18	1363
8200	-48.8	254.4	20	265	16	1377
8300	-48.6	250.6	18	267	11	1391
8400	-48.2	246.8	17	283	9	1405
8500	-47.7	243.1	15	276	12	1419
8600	-47.4	239.5	14	275	14	1434
8700	-47.2	235.9	13	278	13	1448
8800	-46.7	232.3	12	289	12	1462
8900	-46.7	228.9	11	303	12	1476
9000	-46.3	225.4	10	298	14	1491
9100	-45.9	222.1	9	283	16	1505
9200	-46.2	218.8	8	274	17	1520
9300	-46.0	215.5	7	270	17	1534

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
9400	-46.0	212.3	7	274	16	1549
9500	-45.7	209.1	6	265	15	1563
9600	-45.1	206.0	6	269	11	1578
9700	-44.9	202.9	5	279	10	1592
9800	-44.9	199.9	4	271	11	1607
9900	-44.8	197.0	4	270	11	1622
10000	-44.5	194.0	4	267	10	1636
10100	-44.4	191.2	3	270	11	1651
10200	-44.4	188.3	3	283	9	1665
10300	-44.4	185.5	3	275	11	1680
10400	-44.4	182.8	2	274	11	1695
10500	-44.4	180.1	2	276	10	1710
10600	-44.3	177.4	2	279	11	1725
10700	-44.3	174.8	2	275	9	1739
10800	-44.2	172.2	1	290	7	1754
10900	-44.2	169.7	1	281	8	1769
11000	-44.1	167.2	1	277	6	1784
11100	-44.2	164.7	1	291	7	1799
11200	-44.1	162.3	1	293	6	1813
11300	-44.0	159.9	1	285	7	1828
11400	-44.2	157.5	1	280	8	1843
11500	-44.1	155.2	1	273	8	1858
11600	-44.0	152.9	1	254	7	1873
11700	-43.9	150.6	1	260	6	1888
11800	-43.8	148.4	1	284	7	1903
11900	-43.4	146.2	1	276	9	1918
12000	-42.8	144.0	1	281	10	1933
12100	-42.7	141.9	1	293	8	1948
12200	-42.5	139.8	1	275	7	1963
12300	-42.6	137.8	1	283	7	1978
12400	-42.6	135.8	1	282	8	1993
12500	-42.6	133.8	1	274	8	2008
12600	-43.1	131.8	1	256	6	2023
12700	-43.5	129.9	1	248	4	2038
12800	-43.9	128.0	1	006	1	2053
12900	-43.8	126.1	1	288	3	2068
13000	-43.5	124.2	1	311	5	2083
13100	-43.5	122.4	1	327	7	2098
13200	-43.4	120.6	1	287	5	2113
13300	-43.3	118.8	1	256	4	2128
13400	-43.4	117.0	1	297	2	2143
13500	-43.5	115.3	1	356	2	2159
13600	-43.8	113.6	1	015	3	2174
13700	-44.1	111.9	1	014	5	2189
13800	-44.5	110.3	1	346	6	2204

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
13900	-44.8	108.7	1	331	8	2219
14000	-44.3	107.0	1	297	9	2234
14100	-43.9	105.5	1	271	8	2249
14200	-43.7	103.9	1	284	8	2265
14300	-43.7	102.4	1	291	9	2280
14400	-43.9	100.9	1	282	9	2295
14500	-44.2	99.4	1	283	8	2310
14600	-44.0	97.9	1	259	5	2325
14700	-44.1	96.5	1	239	5	2341
14800	-44.3	95.0	1	257	7	2356
14900	-44.2	93.6	1	260	5	2371
15000	-43.9	92.3	1	284	5	2386
15100	-43.7	90.9	1	316	6	2402
15200	-43.6	89.6	1	287	6	2417
15300	-43.2	88.2	1	267	8	2432
15400	-43.3	86.9	1	258	6	2447
15500	-43.0	85.7	1	253	5	2462
15600	-42.9	84.4	1	277	3	2478
15700	-42.7	83.2	1	297	4	2493
15800	-42.8	81.9	1	323	3	2508
15900	-42.7	80.7	1	328	6	2524
16000	-42.7	79.6	1	323	10	2539
16100	-42.7	78.4	1	315	12	2554
16200	-42.5	77.2	1	294	12	2569
16300	-42.4	76.1	1	267	12	2585
16400	-42.2	75.0	1	243	10	2600
16500	-42.3	73.9	1	224	6	2615
16600	-42.4	72.8	1	248	5	2631
16700	-42.3	71.7	1	254	6	2646
16800	-42.0	70.7	1	273	6	2661
16900	-42.1	69.7	1	281	8	2677
17000	-41.9	68.6	1	270	8	2692
17100	-41.7	67.6	1	242	8	2707
17200	-41.6	66.6	1	243	7	2723
17300	-41.6	65.7	1	255	5	2738
17400	-41.8	64.7	1	259	7	2754
17500	-41.6	63.8	1	256	5	2769
17600	-41.4	62.8	1	259	5	2784
17700	-41.4	61.9	1	227	5	2800
17800	-41.3	61.0	1	239	4	2815
17900	-41.2	60.1	1	303	6	2831
18000	-41.1	59.3	1	270	7	2846
18100	-41.0	58.4	1	222	6	2861
18200	-40.8	57.5	1	199	4	2877
18300	-40.7	56.7	1	312	5	2892

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
18400	-40.6	55.9	1	320	11	2908
18500	-40.4	55.1	1	296	10	2923
18600	-40.4	54.3	1	271	6	2938
18700	-40.1	53.5	1	227	3	2954
18800	-39.7	52.7	1	242	4	2969
18900	-39.8	51.9	1	253	3	2985
19000	-39.8	51.2	1	349	2	3000
19100	-40.1	50.5	1	344	3	3016
19200	-40.1	49.7	1	302	1	3031
19300	-40.2	49.0	1	117	2	3047
19400	-40.1	48.3	1	026	2	3062
19500	-39.9	47.6	1	008	5	3077
19600	-40.1	46.9	1	351	7	3093
19700	-40.1	46.2	1	323	6	3108
19800	-39.8	45.6	1	247	5	3124
19900	-39.3	44.9	1	230	4	3139
20000	-39.2	44.2	1	096	1	3155
20100	-39.1	43.6	1	002	5	3170
20200	-39.4	43.0	1	327	4	3186
20300	-39.5	42.4	1	270	2	3201
20400	-39.8	41.7	1	279	2	3217
20500	-39.6	41.1	1	312	4	3232
20600	-39.6	40.5	1	295	5	3248
20700	-39.9	40.0	1	269	7	3263
20800	-39.9	39.4	1	235	4	3279
20900	-39.8	38.8	1	163	5	3294
21000	-39.6	38.2	1	141	3	3310
21100	-39.3	37.7	1	232	1	3325
21200	-39.0	37.2	1	248	4	3341
21300	-38.7	36.6	1	189	4	3356
21400	-38.3	36.1	1	141	5	3372
21500	-38.3	35.6	1	113	4	3387
21600	-38.5	35.1	1	059	3	3403
21700	-38.8	34.6	1	022	4	3418
21800	-38.8	34.1	1	358	3	3434
21900	-38.9	33.6	1	337	3	3450
22000	-38.6	33.1	1	020	2	3465
22100	-38.7	32.6	1	086	6	3481
22200	-38.6	32.1	1	090	9	3496
22300	-38.9	31.7	1	077	11	3512
22400	-39.0	31.2	1	058	7	3527
22500	-38.7	30.8	1	355	3	3543
22600	-38.3	30.3	1	284	2	3558
22700	-37.9	29.9	1	080	3	3574
22800	-37.8	29.5	1	060	6	3589

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
22900	-37.8	29.0	1	349	4	3605
23000	-37.7	28.6	1	279	5	3621
23100	-37.6	28.2	1	256	5	3636
23200	-37.6	27.8	1	310	1	3652
23300	-37.5	27.4	1	039	5	3667
23400	-37.8	27.0	1	016	6	3683
23500	-37.8	26.6	1	003	9	3698
23600	-37.9	26.2	1	005	15	3714
23700	-37.9	25.9	1	350	11	3730
23800	-37.7	25.5	1	337	9	3745
23900	-37.4	25.1	1	313	7	3761
24000	-37.5	24.8	1	300	5	3776
24100	-37.6	24.4	1	316	4	3792
24200	-37.5	24.1	1	333	5	3807
24300	-37.4	23.7	1	320	3	3823
24400	-37.2	23.4	1	289	2	3839
24500	-36.9	23.1	1	309	2	3854
24600	-36.8	22.7	1	001	5	3870
24700	-37.0	22.4	1	346	7	3885
24800	-37.1	22.1	1	299	5	3901
24900	-37.2	21.8	1	278	5	3917
25000	-37.2	21.5	1	270	3	3932
25100	-37.3	21.1	1	316	2	3948
25200	-37.7	20.8	1	252	3	3963
25300	-37.5	20.5	1	199	3	3979
25400	-37.3	20.3	1	264	2	3995
25500	-37.2	20.0	1	304	3	4010
25600	-36.9	19.7	1	306	5	4026
25700	-36.7	19.4	1	301	6	4041
25800	-36.7	19.1	1	301	4	4057
25900	-36.6	18.8	1	236	1	4073
26000	-36.4	18.6	1	173	3	4088
26100	-36.0	18.3	1	163	5	4104
26200	-35.8	18.1	1	158	4	4119
26300	-35.5	17.8	1	101	8	4135
26400	-35.8	17.5	1	100	7	4151
26500	-35.7	17.3	1	105	6	4166
26600	-35.2	17.1	1	093	6	4182
26700	-35.0	16.8	1	126	7	4197
26800	-34.5	16.6	1	135	9	4213
26900	-34.0	16.3	1	139	6	4229
27000	-33.4	16.1	1	142	3	4244
27100	-32.9	15.9	1	094	1	4260
27200	-32.5	15.7	1	126	1	4276
27300	-32.5	15.4	1	130	6	4291

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
27400	-32.4	15.2	1	102	10	4307
27500	-32.2	15.0	1	083	14	4322
27600	-32.2	14.8	1	069	16	4338
27700	-32.1	14.6	1	054	18	4354
27800	-32.4	14.4	1	045	21	4369
27900	-32.7	14.2	1	039	23	4385
28000	-33.1	14.0	1	037	21	4401
28100	-33.0	13.8	1	033	17	4416
28200	-32.9	13.6	1	014	14	4432
28300	-32.7	13.4	1	001	13	4448
28400	-32.7	13.2	1	357	10	4463
28500	-32.3	13.0	1	348	6	4479
28600	-31.9	12.9	1	349	3	4494