

Altitude Report:

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
1	-9.3	821.9	60	075	13	245
2	-9.3	821.8	59	075	14	245
3	-9.3	821.7	59	075	14	245
4	-9.3	821.6	58	075	15	245
5	-9.3	821.5	58	075	15	245
6	-9.3	821.4	57	075	15	246
7	-9.3	821.3	57	075	16	246
8	-9.2	821.1	56	075	16	246
9	-9.2	821.0	56	075	17	246
10	-9.2	820.9	55	075	17	246
11	-9.2	820.8	55	075	17	246
12	-9.2	820.7	55	075	18	246
13	-9.2	820.6	54	075	18	246
14	-9.2	820.5	54	075	19	246
15	-9.2	820.4	53	075	19	246
16	-9.2	820.3	53	075	19	246
17	-9.2	820.2	52	075	20	247
18	-9.2	820.1	52	075	20	247
19	-9.2	820.0	51	075	21	247
20	-9.2	819.9	51	075	21	247
21	-9.2	819.8	50	075	21	247
22	-9.2	819.7	50	075	22	247
23	-9.1	819.6	50	074	22	247
24	-9.1	819.4	49	074	23	247
25	-9.1	819.3	49	074	23	247
26	-9.1	819.2	48	074	23	247
27	-9.1	819.1	48	074	24	248
28	-9.1	819.0	47	074	24	248
29	-9.1	818.9	47	074	25	248
30	-9.1	818.8	46	074	25	248
31	-9.1	818.7	46	074	25	248
32	-9.1	818.6	45	074	26	248
33	-9.1	818.5	45	074	26	248
34	-9.1	818.4	45	074	27	248
35	-9.1	818.3	44	074	27	248
36	-9.1	818.2	44	074	27	248
37	-9.1	818.1	44	074	28	249
38	-9.1	818.0	44	074	28	249
39	-9.1	817.9	44	074	28	249
40	-9.1	817.7	44	074	28	249
41	-9.1	817.6	44	075	28	249
42	-9.1	817.5	43	075	28	249
43	-9.1	817.4	43	075	28	249

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
44	-9.1	817.3	43	075	28	249
45	-9.1	817.2	43	075	28	250
46	-9.1	817.1	43	075	28	250
47	-9.1	817.0	43	075	28	250
48	-9.1	816.9	43	075	28	250
49	-9.1	816.8	43	075	28	250
50	-9.1	816.8	43	075	28	250
55	-9.0	816.3	42	075	28	251
60	-9.0	815.7	41	075	28	251
65	-9.0	815.1	41	076	28	252
70	-9.0	814.6	40	076	28	252
75	-9.0	814.1	39	076	28	253
80	-9.0	813.5	39	077	28	254
85	-9.0	813.0	38	077	28	254
90	-9.0	812.5	38	077	28	255
95	-9.0	811.9	38	077	28	255
100	-9.0	811.4	38	078	28	256
105	-9.0	810.9	37	078	27	257
110	-9.0	810.4	37	078	26	257
115	-9.0	809.8	37	078	26	258
120	-9.1	809.3	37	078	25	259
125	-9.1	808.8	37	078	25	259
130	-9.1	808.3	36	078	24	260
135	-9.1	807.7	36	079	24	261
140	-9.1	807.2	36	079	23	261
145	-9.1	806.7	36	079	23	262
150	-9.2	806.2	36	079	22	262
155	-9.2	805.7	36	079	21	263
160	-9.2	805.1	36	079	21	264
165	-9.2	804.6	36	080	21	264
170	-9.2	804.1	36	080	21	265
175	-9.3	803.6	36	080	21	266
180	-9.3	803.0	36	080	21	266
185	-9.3	802.5	37	080	21	267
190	-9.3	802.0	37	080	21	268
195	-9.4	801.5	37	080	21	268
200	-9.4	801.0	37	081	21	269
205	-9.4	800.4	37	081	21	270
210	-9.5	799.9	37	081	21	270
215	-9.5	799.4	37	081	21	271
220	-9.5	798.9	37	081	21	272
225	-9.5	798.4	37	081	21	272
230	-9.6	797.9	37	081	21	273
235	-9.6	797.3	37	081	21	274
240	-9.6	796.8	37	081	21	274

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
245	-9.7	796.3	37	080	20	275
250	-9.7	795.8	37	080	20	276
255	-9.7	795.3	37	080	19	276
260	-9.8	794.8	37	079	19	277
265	-9.8	794.2	37	079	19	278
270	-9.8	793.7	37	078	18	278
275	-9.9	793.2	37	078	18	279
280	-9.9	792.7	37	077	18	280
285	-10.0	792.2	37	077	17	280
290	-10.0	791.7	38	076	17	281
295	-10.0	791.1	38	076	17	282
300	-10.1	790.6	38	075	16	282
305	-10.1	790.1	38	076	16	283
310	-10.2	789.6	38	077	16	284
315	-10.2	789.1	38	079	16	284
320	-10.3	788.6	38	081	15	285
325	-10.3	788.1	38	083	15	286
330	-10.3	787.6	38	084	15	286
335	-10.4	787.0	38	086	15	287
340	-10.4	786.5	38	088	15	288
345	-10.4	786.0	38	090	14	288
350	-10.4	785.5	39	092	14	289
355	-10.5	785.0	39	094	14	290
360	-10.5	784.5	39	096	14	290
365	-10.5	784.0	39	098	14	291
370	-10.5	783.5	39	100	14	292
375	-10.6	782.9	39	102	14	292
380	-10.6	782.4	39	102	14	293
385	-10.6	781.9	39	102	13	294
390	-10.6	781.4	39	101	13	294
395	-10.7	780.9	39	101	13	295
400	-10.7	780.4	39	101	12	296
405	-10.7	779.9	39	101	12	296
410	-10.8	779.4	39	100	12	297
415	-10.8	778.9	40	100	11	298
420	-10.8	778.4	40	100	11	298
425	-10.8	777.9	40	099	11	299
430	-10.9	777.4	40	099	10	300
435	-10.9	776.8	40	098	10	300
440	-10.9	776.3	40	098	10	301
445	-11.0	775.8	40	097	9	302
450	-11.0	775.3	40	098	9	302
455	-11.1	774.8	40	098	9	303
460	-11.1	774.3	40	099	9	304
465	-11.1	773.8	40	099	9	304

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
470	-11.2	773.3	40	100	9	305
475	-11.2	772.8	40	100	9	306
480	-11.2	772.3	40	101	9	306
485	-11.3	771.8	40	101	9	307
490	-11.3	771.3	40	102	9	308
495	-11.3	770.8	40	102	8	308
500	-11.4	770.3	40	103	8	309
510	-11.5	769.3	40	104	8	310
520	-11.5	768.3	41	105	8	312
530	-11.6	767.3	41	105	8	313
540	-11.7	766.3	41	105	8	314
550	-11.8	765.3	41	104	7	316
560	-11.9	764.3	41	104	7	317
570	-12.0	763.3	41	104	7	319
580	-12.1	762.3	41	104	7	320
590	-12.2	761.3	42	103	6	321
600	-12.3	760.3	42	104	6	323
610	-12.4	759.3	42	105	7	324
620	-12.5	758.3	42	107	7	325
630	-12.6	757.3	42	109	7	327
640	-12.7	756.3	43	110	8	328
650	-12.8	755.3	43	111	8	330
660	-12.9	754.3	43	112	9	331
670	-12.9	753.3	43	113	9	332
680	-13.0	752.3	44	114	9	334
690	-13.1	751.3	44	116	8	335
700	-13.2	750.3	44	117	8	336
710	-13.2	749.4	44	118	8	338
720	-13.3	748.4	44	120	8	339
730	-13.3	747.4	44	121	8	340
740	-13.4	746.4	45	122	7	342
750	-13.4	745.4	45	122	7	343
760	-13.4	744.4	45	122	7	344
770	-13.5	743.5	45	123	7	346
780	-13.6	742.5	45	123	7	347
790	-13.7	741.5	45	123	7	348
800	-13.8	740.5	45	123	7	350
810	-13.8	739.5	45	123	7	351
820	-13.9	738.6	45	123	7	352
830	-14.0	737.6	45	123	7	354
840	-14.1	736.6	45	123	7	355
850	-14.2	735.6	45	123	7	356
860	-14.2	734.6	46	124	7	358
870	-14.3	733.7	46	124	7	359
880	-14.3	732.7	46	123	7	360

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
890	-14.4	731.8	46	123	7	362
900	-14.4	730.8	46	123	6	363
910	-14.4	729.8	47	122	6	364
920	-14.5	728.9	47	122	6	366
930	-14.5	727.9	47	121	6	367
940	-14.5	726.9	48	121	5	368
950	-14.6	726.0	48	120	5	370
960	-14.6	725.0	48	118	5	371
970	-14.7	724.1	48	116	6	372
980	-14.7	723.1	49	115	6	374
990	-14.8	722.2	49	113	6	375
1000	-14.8	721.2	49	112	7	376
1050	-15.1	716.4	50	111	7	383
1100	-15.4	711.8	51	116	7	390
1150	-15.6	707.0	53	122	7	397
1200	-16.1	702.3	53	121	9	403
1250	-16.6	697.6	55	116	11	410
1300	-17.0	693.0	57	114	11	417
1350	-17.4	688.4	60	102	10	424
1400	-17.8	683.8	62	100	10	431
1450	-18.3	679.2	63	109	12	438
1500	-18.6	674.7	66	102	17	445
1550	-18.8	670.2	68	104	18	452
1600	-18.7	665.7	69	104	17	458
1650	-18.8	661.2	70	098	16	465
1700	-17.8	656.8	72	072	13	471
1750	-17.2	652.4	73	055	15	477
1800	-17.1	648.1	73	051	18	483
1850	-17.5	643.8	71	054	17	490
1900	-17.8	639.5	70	055	16	497
1950	-18.2	635.2	70	050	15	504
2000	-18.6	630.9	71	048	14	510
2050	-18.8	626.7	73	044	13	517
2100	-19.1	622.5	74	037	13	524
2150	-19.4	618.3	76	034	13	531
2200	-19.8	614.2	77	033	13	538
2250	-20.1	610.0	78	038	13	545
2300	-20.4	605.9	79	041	12	552
2350	-20.7	601.8	79	042	11	559
2400	-21.0	597.8	79	043	11	565
2450	-21.2	593.7	79	046	10	572
2500	-21.4	589.7	79	050	9	579
2550	-21.7	585.7	79	055	8	586
2600	-21.9	581.8	79	060	7	593
2650	-22.1	577.8	79	069	6	599

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
2700	-22.2	573.9	80	080	6	606
2750	-22.5	570.0	79	081	7	613
2800	-22.9	566.1	78	085	7	620
2850	-23.3	562.3	79	095	7	627
2900	-23.7	558.4	79	098	8	634
2950	-24.1	554.6	80	099	9	641
3000	-24.6	550.8	81	112	11	648
3050	-25.0	547.0	82	129	7	655
3100	-25.3	543.3	82	107	5	662
3150	-25.6	539.5	83	088	5	669
3200	-25.9	535.8	83	084	5	676
3250	-26.0	532.1	82	025	6	682
3300	-25.6	528.5	82	013	9	689
3350	-25.0	524.8	79	018	10	695
3400	-25.4	521.2	73	006	10	701
3450	-25.9	517.6	65	355	9	708
3500	-26.3	514.1	58	339	9	715
3550	-26.7	510.5	52	325	9	721
3600	-27.0	507.0	48	315	10	728
3650	-27.3	503.5	45	310	11	735
3700	-27.5	500.0	43	306	13	742
3750	-27.8	496.5	40	302	13	748
3800	-28.1	493.1	38	301	12	755
3850	-28.5	489.6	36	303	11	762
3900	-28.8	486.2	36	302	11	769
3950	-29.3	482.8	35	306	11	776
4000	-29.7	479.5	35	309	10	783
4050	-30.1	476.1	33	295	10	790
4100	-30.5	472.8	30	281	10	797
4150	-30.7	469.4	26	274	10	803
4200	-31.1	466.1	24	269	11	810
4250	-31.5	462.9	22	269	13	817
4300	-31.7	459.6	21	271	14	824
4350	-31.9	456.3	21	275	14	831
4400	-32.2	453.1	21	279	13	838
4450	-32.5	449.9	20	281	12	845
4500	-32.9	446.7	19	280	12	852
4550	-33.2	443.6	19	280	13	859
4600	-33.5	440.4	18	282	15	866
4650	-33.9	437.3	18	280	15	873
4700	-34.2	434.2	17	278	15	880
4750	-34.5	431.1	17	277	15	887
4800	-34.8	428.0	17	279	14	894
4850	-35.2	424.9	18	279	14	901
4900	-35.6	421.9	19	277	14	908

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
4950	-36.0	418.9	20	279	14	916
5000	-36.3	415.8	21	276	14	923
5100	-37.1	409.9	22	275	12	937
5200	-37.8	404.0	25	271	12	951
5300	-38.6	398.1	29	276	14	966
5400	-39.3	392.4	31	283	15	980
5500	-40.1	386.7	33	278	14	995
5600	-40.8	381.0	35	279	14	1009
5700	-41.6	375.5	37	277	15	1023
5800	-42.4	370.0	38	275	17	1038
5900	-43.2	364.5	39	280	17	1052
6000	-43.9	359.1	40	282	17	1066
6100	-44.7	353.8	41	286	17	1081
6200	-45.5	348.5	41	288	18	1095
6300	-46.2	343.3	42	286	19	1109
6400	-47.0	338.2	42	289	18	1124
6500	-47.8	333.1	43	292	18	1138
6600	-48.4	328.1	43	288	18	1153
6700	-49.1	323.1	42	290	18	1167
6800	-49.8	318.2	42	293	17	1181
6900	-50.6	313.4	42	290	18	1196
7000	-51.3	308.6	42	288	19	1210
7100	-52.0	303.9	41	286	19	1224
7200	-52.7	299.2	41	283	20	1239
7300	-53.5	294.6	41	286	20	1253
7400	-54.3	290.1	41	280	18	1268
7500	-55.0	285.6	41	269	18	1282
7600	-55.7	281.1	41	269	18	1297
7700	-56.4	276.7	41	271	20	1311
7800	-56.8	272.4	41	265	18	1326
7900	-57.0	268.1	39	276	18	1340
8000	-55.8	263.9	37	268	22	1353
8100	-54.0	259.8	34	254	20	1366
8200	-53.2	255.8	32	253	15	1380
8300	-52.1	251.9	30	273	8	1394
8400	-51.3	248.1	27	299	8	1408
8500	-51.0	244.3	24	286	12	1422
8600	-50.6	240.5	21	280	16	1436
8700	-50.4	236.9	19	282	17	1450
8800	-49.7	233.3	17	278	17	1464
8900	-48.9	229.8	15	280	21	1478
9000	-48.0	226.3	14	274	20	1492
9100	-47.3	222.9	12	274	17	1506
9200	-46.9	219.5	10	259	21	1520
9300	-46.5	216.3	9	264	19	1535

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
9400	-46.5	213.0	7	257	17	1549
9500	-46.5	209.8	7	253	16	1564
9600	-46.8	206.7	6	254	15	1578
9700	-46.7	203.6	5	247	14	1593
9800	-46.4	200.6	5	242	12	1608
9900	-46.5	197.6	4	251	11	1622
10000	-45.8	194.6	4	269	9	1637
10100	-45.4	191.7	3	262	12	1651
10200	-44.9	188.9	3	270	14	1666
10300	-44.1	186.1	3	280	13	1680
10400	-43.9	183.3	2	272	17	1695
10500	-43.9	180.6	2	273	15	1710
10600	-43.7	178.0	2	280	15	1725
10700	-43.7	175.3	1	283	17	1739
10800	-44.0	172.7	1	279	18	1754
10900	-44.3	170.2	1	278	15	1769
11000	-44.3	167.7	1	265	18	1784
11100	-44.6	165.2	1	258	19	1799
11200	-44.8	162.7	1	251	20	1814
11300	-44.9	160.3	1	248	17	1829
11400	-45.6	157.9	1	250	13	1844
11500	-45.5	155.6	1	254	12	1859
11600	-45.3	153.3	1	267	13	1873
11700	-45.2	151.0	1	274	15	1888
11800	-45.4	148.8	1	270	17	1903
11900	-45.5	146.5	1	266	19	1918
12000	-45.0	144.4	1	261	19	1933
12100	-44.5	142.2	1	266	16	1948
12200	-43.9	140.1	1	268	17	1963
12300	-43.9	138.1	1	260	20	1978
12400	-44.1	136.0	1	251	19	1993
12500	-44.2	134.0	1	249	15	2008
12600	-44.2	132.0	1	258	12	2023
12700	-44.3	130.1	1	269	9	2038
12800	-44.1	128.1	1	297	9	2053
12900	-43.9	126.3	1	313	13	2068
13000	-44.7	124.4	1	298	16	2083
13100	-44.5	122.5	1	284	19	2098
13200	-44.6	120.7	1	271	20	2113
13300	-44.2	118.9	1	269	19	2129
13400	-44.4	117.2	1	269	16	2144
13500	-44.6	115.5	1	263	14	2159
13600	-45.0	113.7	1	273	15	2174
13700	-45.3	112.1	1	276	16	2189
13800	-45.3	110.4	1	272	14	2204

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
13900	-45.4	108.7	1	268	15	2219
14000	-45.5	107.1	1	270	15	2235
14100	-45.5	105.5	1	266	16	2250
14200	-45.2	104.0	1	273	16	2265
14300	-45.2	102.4	1	280	17	2280
14400	-45.4	100.9	1	277	19	2295
14500	-45.7	99.4	1	268	21	2311
14600	-45.3	97.9	1	262	21	2326
14700	-44.5	96.5	1	257	19	2341
14800	-44.1	95.1	1	260	16	2356
14900	-43.9	93.7	1	270	17	2371
15000	-43.3	92.3	1	271	20	2386
15100	-43.0	90.9	1	264	20	2401
15200	-42.9	89.6	1	263	19	2417
15300	-42.7	88.3	1	266	18	2432
15400	-42.7	87.0	1	269	18	2447
15500	-42.7	85.7	1	261	19	2462
15600	-42.8	84.4	1	261	16	2478
15700	-42.6	83.2	1	271	13	2493
15800	-42.9	82.0	1	271	17	2508
15900	-42.5	80.8	1	256	19	2524
16000	-42.3	79.6	1	248	15	2539
16100	-41.9	78.4	1	261	12	2554
16200	-41.8	77.3	1	273	11	2569
16300	-41.8	76.1	1	280	9	2585
16400	-41.7	75.0	1	292	5	2600
16500	-41.6	73.9	1	290	8	2615
16600	-42.0	72.9	1	288	12	2631
16700	-41.7	71.8	1	290	17	2646
16800	-42.1	70.7	1	293	21	2661
16900	-42.5	69.7	1	294	19	2677
17000	-42.4	68.7	1	284	20	2692
17100	-42.4	67.7	1	277	21	2708
17200	-42.2	66.7	1	276	17	2723
17300	-42.3	65.7	1	282	16	2738
17400	-42.1	64.8	1	286	17	2754
17500	-41.7	63.8	1	281	16	2769
17600	-42.1	62.9	1	278	14	2784
17700	-41.8	62.0	1	287	14	2800
17800	-41.6	61.0	1	282	16	2815
17900	-40.9	60.2	1	273	15	2830
18000	-40.6	59.3	1	282	15	2846
18100	-40.5	58.4	1	282	16	2861
18200	-40.6	57.6	1	273	13	2877
18300	-40.7	56.7	1	286	12	2892

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
18400	-41.0	55.9	1	295	14	2908
18500	-41.2	55.1	1	296	15	2923
18600	-41.4	54.3	1	283	12	2938
18700	-41.1	53.5	1	280	14	2954
18800	-41.2	52.7	1	275	12	2969
18900	-41.4	52.0	1	270	10	2985
19000	-41.0	51.2	1	266	11	3000
19100	-40.9	50.5	1	282	13	3016
19200	-41.1	49.7	1	287	16	3031
19300	-40.7	49.0	1	272	11	3047
19400	-40.4	48.3	1	264	9	3062
19500	-40.3	47.6	1	287	11	3077
19600	-40.2	46.9	1	296	14	3093
19700	-40.2	46.2	1	281	14	3108
19800	-39.9	45.5	1	273	10	3124
19900	-40.2	44.9	1	279	11	3139
20000	-39.9	44.2	1	287	14	3155
20100	-39.6	43.6	1	283	14	3170
20200	-39.4	43.0	1	279	14	3186
20300	-39.8	42.3	1	262	12	3201
20400	-40.1	41.7	1	256	10	3217
20500	-40.4	41.1	1	251	9	3232
20600	-40.3	40.5	1	264	5	3248
20700	-40.2	39.9	1	263	5	3263
20800	-40.4	39.4	1	271	5	3279
20900	-40.3	38.8	1	266	8	3294
21000	-40.3	38.2	1	262	11	3310
21100	-40.5	37.7	1	262	10	3325
21200	-40.8	37.1	1	280	8	3341
21300	-40.9	36.6	1	287	9	3356
21400	-40.3	36.1	1	296	9	3372
21500	-40.1	35.5	1	260	10	3387
21600	-40.1	35.0	1	266	8	3403
21700	-40.2	34.5	1	302	8	3418
21800	-40.5	34.0	1	319	10	3434
21900	-40.7	33.5	1	293	11	3450
22000	-40.8	33.0	1	304	7	3465
22100	-40.6	32.6	1	294	7	3481
22200	-40.4	32.1	1	269	5	3496
22300	-40.6	31.6	1	246	4	3512
22400	-40.2	31.2	1	136	1	3527
22500	-40.2	30.7	1	022	3	3543
22600	-40.2	30.3	1	360	3	3558
22700	-40.5	29.8	1	330	7	3574
22800	-40.2	29.4	1	297	8	3589

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
22900	-39.7	29.0	1	308	10	3605
23000	-39.5	28.5	1	317	7	3621
23100	-38.8	28.1	1	279	6	3636
23200	-38.7	27.7	1	261	6	3652
23300	-38.8	27.3	1	250	4	3667
23400	-38.7	26.9	1	256	4	3683
23500	-38.4	26.5	1	248	3	3698
23600	-38.0	26.2	1	340	1	3714
23700	-38.0	25.8	1	356	5	3729
23800	-38.2	25.4	1	350	10	3745
23900	-37.9	25.1	1	328	9	3761
24000	-38.0	24.7	1	292	6	3776
24100	-37.7	24.3	1	282	9	3792
24200	-37.6	24.0	1	293	11	3807
24300	-37.9	23.7	1	308	10	3823
24400	-37.9	23.3	1	325	11	3839
24500	-37.6	23.0	1	319	12	3854
24600	-37.4	22.6	1	300	9	3870
24700	-37.1	22.3	1	305	5	3885
24800	-37.6	22.0	1	020	2	3901
24900	-38.2	21.7	1	057	2	3917
25000	-38.0	21.4	1	347	4	3932
25100	-38.3	21.1	1	283	6	3948
25200	-38.5	20.8	1	294	9	3963
25300	-38.3	20.5	1	278	11	3979
25400	-38.3	20.2	1	289	10	3995
25500	-38.2	19.9	1	301	9	4010
25600	-38.0	19.6	1	307	9	4026
25700	-37.6	19.3	1	318	11	4041
25800	-37.2	19.0	1	292	14	4057
25900	-37.1	18.8	1	277	16	4073
26000	-36.9	18.5	1	260	15	4088
26100	-37.0	18.2	1	241	15	4104
26200	-37.0	18.0	1	223	16	4119
26300	-37.0	17.7	1	222	13	4135
26400	-37.2	17.5	1	220	10	4151
26500	-37.0	17.2	1	234	4	4166
26600	-37.1	17.0	1	098	1	4182
26700	-36.8	16.7	1	345	4	4197
26800	-37.0	16.5	1	299	8	4213
26900	-36.8	16.3	1	285	6	4229
27000	-36.5	16.0	1	353	8	4244
27100	-36.4	15.8	1	316	4	4260
27200	-36.2	15.6	1	285	6	4276
27300	-36.1	15.4	1	349	4	4291

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
27400	-36.2	15.1	1	352	5	4307
27500	-35.8	14.9	1	290	9	4322
27600	-35.3	14.7	1	316	4	4338
27700	-35.1	14.5	1	356	8	4354
27800	-34.9	14.3	1	344	5	4369
27900	-34.8	14.1	1	279	4	4385
28000	-34.7	13.9	1	261	4	4401
28100	-34.6	13.7	1	291	4	4416
28200	-34.1	13.5	1	327	7	4432
28300	-33.4	13.3	1	301	13	4447
28400	-33.4	13.1	1	277	13	4463
28500	-32.9	12.9	1	265	11	4479
28600	-32.3	12.8	1	255	6	4494
28700	-31.9	12.6	1	290	8	4510
28800	-31.9	12.4	1	301	12	4526
28900	-31.9	12.2	1	285	12	4541
29000	-32.0	12.1	1	267	14	4557
29100	-31.9	11.9	1	256	18	4573
29200	-31.4	11.7	1	267	17	4588
29300	-31.5	11.6	1	258	7	4604
29400	-31.4	11.4	1	272	3	4620
29500	-31.1	11.2	1	273	7	4635
29600	-31.0	11.1	1	299	10	4651
29700	-31.1	10.9	1	307	9	4666
29800	-31.4	10.8	1	310	13	4682
29900	-31.0	10.6	1	292	15	4698
30000	-30.7	10.5	1	278	17	4713
30100	-30.6	10.3	1	275	14	4729
30200	-29.9	10.2	1	282	5	4745
30300	-29.2	10.1	1	246	9	4760
30400	-29.0	9.9	1	271	6	4776
30500	-28.7	9.8	1	284	13	4792
30600	-28.8	9.6	1	301	12	4807
30700	-28.8	9.5	1	281	12	4823
30800	-29.0	9.4	1	289	13	4839
30900	-29.0	9.3	1	270	14	4854
31000	-28.5	9.1	1	257	6	4870
31100	-28.6	9.0	1	243	3	4886
31200	-28.2	8.9	1	271	12	4901
31300	-28.0	8.8	1	316	12	4917
31400	-27.8	8.6	1	319	10	4933
31500	-27.4	8.5	1	316	9	4948
31600	-26.9	8.4	1	308	8	4964
31700	-26.8	8.3	1	288	11	4980
31800	-26.9	8.2	1	289	10	4995

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
31900	-26.8	8.1	1	271	9	5011
32000	-26.0	7.9	1	304	13	5027
32100	-26.0	7.8	1	311	11	5042
32200	-26.1	7.7	1	337	12	5058
32300	-25.7	7.6	1	293	9	5074
32400	-25.0	7.5	1	320	9	5089
32500	-24.4	7.4	1	284	6	5105
32600	-23.6	7.3	1	349	3	5121