

Altitude Report:

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
1	-9.5	832.7	58	064	4	248
2	-9.6	832.6	57	063	4	248
3	-9.6	832.5	56	063	4	249
4	-9.7	832.4	55	063	4	249
5	-9.7	832.3	53	063	4	249
6	-9.7	832.2	52	063	5	249
7	-9.8	832.0	51	062	5	249
8	-9.8	831.9	50	062	5	249
9	-9.9	831.8	49	062	5	249
10	-9.9	831.7	48	062	5	249
11	-9.9	831.6	47	062	5	249
12	-10.0	831.5	46	061	5	250
13	-10.0	831.4	45	061	5	250
14	-10.1	831.3	43	061	5	250
15	-10.1	831.2	42	061	5	250
16	-10.1	831.1	41	061	5	250
17	-10.1	831.0	40	061	5	250
18	-10.1	830.9	39	060	6	250
19	-10.1	830.7	38	060	6	250
20	-10.1	830.6	37	060	6	250
21	-10.1	830.5	36	060	6	250
22	-10.1	830.4	35	060	6	250
23	-10.1	830.3	34	060	6	250
24	-10.1	830.2	34	060	6	251
25	-10.2	830.1	34	060	6	251
26	-10.2	830.0	34	060	6	251
27	-10.2	829.9	35	060	6	251
28	-10.2	829.8	35	060	6	251
29	-10.2	829.7	35	061	6	251
30	-10.2	829.5	35	061	6	251
31	-10.2	829.4	35	061	6	252
32	-10.2	829.3	36	061	6	252
33	-10.2	829.2	36	061	6	252
34	-10.2	829.1	36	061	6	252
35	-10.2	829.0	36	061	6	252
36	-10.3	828.9	37	061	6	252
37	-10.3	828.8	37	061	6	252
38	-10.3	828.7	37	061	6	253
39	-10.3	828.6	37	062	6	253
40	-10.3	828.5	37	062	6	253
41	-10.3	828.4	38	062	6	253
42	-10.3	828.3	38	062	6	253
43	-10.3	828.2	38	062	6	253

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
44	-10.3	828.0	38	062	6	253
45	-10.3	827.9	39	062	6	254
46	-10.3	827.8	39	062	6	254
47	-10.3	827.7	39	062	6	254
48	-10.4	827.6	39	062	6	254
49	-10.4	827.5	39	062	6	254
50	-10.4	827.4	39	063	6	254
55	-10.4	826.9	40	063	6	255
60	-10.4	826.3	41	063	6	256
65	-10.5	825.8	41	063	6	256
70	-10.5	825.2	42	062	6	257
75	-10.6	824.7	43	062	6	258
80	-10.6	824.2	43	061	6	258
85	-10.7	823.6	44	061	6	259
90	-10.7	823.1	44	060	6	260
95	-10.8	822.6	45	060	6	261
100	-10.8	822.0	45	059	6	261
105	-10.9	821.5	46	060	6	262
110	-10.9	821.0	46	061	6	263
115	-11.0	820.4	47	062	6	263
120	-11.0	819.9	47	063	5	264
125	-11.0	819.3	48	065	5	265
130	-11.1	818.8	48	066	5	265
135	-11.1	818.3	49	067	5	266
140	-11.2	817.8	49	067	5	267
145	-11.2	817.2	50	066	5	268
150	-11.3	816.7	50	065	4	268
155	-11.4	816.1	50	064	4	269
160	-11.4	815.6	50	062	4	270
165	-11.5	815.1	51	061	4	270
170	-11.5	814.5	51	059	4	271
175	-11.6	814.0	52	061	4	272
180	-11.6	813.5	52	062	4	272
185	-11.6	812.9	52	064	4	273
190	-11.7	812.4	53	066	4	274
195	-11.7	811.9	53	068	4	274
200	-11.7	811.4	54	069	4	275
205	-11.8	810.8	54	070	4	276
210	-11.8	810.3	54	071	5	277
215	-11.8	809.8	55	072	5	277
220	-11.8	809.2	55	073	5	278
225	-11.8	808.7	55	074	5	278
230	-11.8	808.2	55	075	6	279
235	-11.8	807.6	55	075	6	280
240	-11.9	807.1	55	076	6	280

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
245	-11.8	806.6	55	076	6	281
250	-11.8	806.1	54	076	7	282
255	-11.8	805.5	54	075	7	282
260	-11.8	805.0	54	075	7	283
265	-11.8	804.5	54	075	7	283
270	-11.9	804.0	54	074	8	284
275	-11.9	803.4	54	074	8	285
280	-12.0	802.9	54	074	8	285
285	-12.0	802.4	54	075	8	286
290	-12.0	801.9	54	077	8	287
295	-12.1	801.3	54	078	8	287
300	-12.1	800.8	54	080	9	288
305	-12.1	800.3	54	081	9	289
310	-12.2	799.8	53	082	9	289
315	-12.2	799.2	53	083	9	290
320	-12.3	798.7	53	084	9	291
325	-12.3	798.2	53	084	9	291
330	-12.3	797.7	52	084	9	292
335	-12.3	797.1	52	084	9	293
340	-12.3	796.6	52	084	9	293
345	-12.3	796.1	51	084	9	294
350	-12.3	795.6	51	084	9	294
355	-12.3	795.0	51	086	9	295
360	-12.4	794.5	50	087	9	296
365	-12.4	794.0	51	089	9	296
370	-12.4	793.5	51	091	8	297
375	-12.4	793.0	51	092	8	298
380	-12.4	792.4	51	094	8	298
385	-12.5	791.9	51	096	8	299
390	-12.5	791.4	51	097	8	300
395	-12.5	790.9	51	098	8	300
400	-12.5	790.4	51	098	8	301
405	-12.6	789.8	51	098	8	302
410	-12.6	789.3	52	099	8	302
415	-12.7	788.8	52	099	8	303
420	-12.7	788.3	52	100	8	304
425	-12.8	787.8	52	100	8	304
430	-12.8	787.3	52	100	7	305
435	-12.8	786.7	52	100	7	306
440	-12.9	786.2	53	100	7	306
445	-12.9	785.7	53	100	7	307
450	-13.0	785.2	53	100	7	308
455	-13.0	784.7	53	099	7	308
460	-13.1	784.2	53	100	7	309
465	-13.1	783.6	54	100	7	310

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
470	-13.1	783.1	54	101	6	310
475	-13.2	782.6	54	101	6	311
480	-13.2	782.1	54	102	6	312
485	-13.2	781.6	55	102	6	313
490	-13.3	781.1	55	103	6	313
495	-13.3	780.6	55	103	6	314
500	-13.4	780.0	55	104	6	315
510	-13.4	779.0	57	105	6	316
520	-13.5	778.0	58	106	6	317
530	-13.6	777.0	59	108	6	319
540	-13.7	775.9	60	114	5	320
550	-13.8	774.9	60	120	5	322
560	-13.8	773.9	61	127	5	323
570	-13.9	772.9	61	131	5	324
580	-13.9	771.9	61	128	5	325
590	-13.9	770.8	61	126	6	327
600	-13.9	769.8	61	124	6	328
610	-13.9	768.8	60	121	6	329
620	-13.9	767.8	60	120	6	330
630	-13.9	766.8	60	118	6	332
640	-14.0	765.8	59	116	6	333
650	-14.1	764.8	59	115	6	334
660	-14.2	763.7	59	114	6	336
670	-14.3	762.7	59	114	6	337
680	-14.3	761.7	59	113	6	338
690	-14.5	760.7	59	111	6	340
700	-14.6	759.7	59	107	6	341
710	-14.7	758.7	59	104	6	343
720	-14.8	757.7	60	100	6	344
730	-14.9	756.7	60	099	7	345
740	-15.0	755.7	61	100	7	347
750	-15.0	754.7	61	102	7	348
760	-15.1	753.7	61	103	7	349
770	-15.2	752.7	61	105	7	351
780	-15.3	751.7	61	106	7	352
790	-15.4	750.7	61	107	8	353
800	-15.5	749.7	61	108	8	355
810	-15.5	748.7	61	106	8	356
820	-15.6	747.7	61	103	9	357
830	-15.7	746.7	62	100	9	359
840	-15.7	745.7	62	097	10	360
850	-15.8	744.8	62	096	10	361
860	-15.9	743.8	62	095	10	363
870	-15.9	742.8	63	094	9	364
880	-16.0	741.8	63	093	9	366

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
890	-16.0	740.8	63	092	9	367
900	-16.1	739.8	63	090	9	368
910	-16.2	738.8	63	088	9	370
920	-16.3	737.8	63	086	9	371
930	-16.4	736.9	63	085	9	372
940	-16.5	735.9	64	085	9	374
950	-16.5	734.9	64	084	9	375
960	-16.6	733.9	64	084	8	376
970	-16.6	732.9	64	084	8	378
980	-16.7	732.0	64	082	8	379
990	-16.7	731.0	64	080	8	380
1000	-16.8	730.0	64	078	9	382
1050	-17.1	725.2	64	078	8	388
1100	-17.5	720.3	64	078	9	395
1150	-17.7	715.5	66	083	8	402
1200	-17.9	710.7	66	085	7	408
1250	-18.4	706.0	67	077	7	415
1300	-18.7	701.3	68	070	8	422
1350	-19.2	696.6	69	067	9	429
1400	-19.5	691.9	71	067	8	436
1450	-19.7	687.2	72	066	7	442
1500	-19.9	682.6	71	068	6	449
1550	-20.3	678.0	71	065	6	456
1600	-20.6	673.4	71	076	6	462
1650	-20.7	668.9	69	084	6	469
1700	-20.9	664.4	68	078	7	475
1750	-21.2	659.9	67	080	8	482
1800	-21.5	655.4	67	082	9	489
1850	-21.9	651.0	67	082	8	495
1900	-22.1	646.6	67	079	7	502
1950	-22.4	642.2	67	074	7	509
2000	-22.7	637.8	67	063	7	516
2050	-22.8	633.4	64	048	7	522
2100	-22.6	629.1	62	034	8	528
2150	-22.7	624.9	61	018	7	535
2200	-23.0	620.6	60	011	8	541
2250	-23.4	616.4	61	001	9	548
2300	-23.8	612.2	62	350	8	555
2350	-24.2	608.0	64	343	9	562
2400	-24.6	603.8	66	343	9	569
2450	-25.1	599.7	68	345	9	576
2500	-25.4	595.6	70	338	8	583
2550	-25.6	591.5	71	336	7	590
2600	-26.0	587.4	72	330	6	597
2650	-26.2	583.3	72	320	5	604

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
2700	-26.3	579.3	69	313	5	610
2750	-26.5	575.3	67	321	5	617
2800	-26.7	571.3	65	319	5	624
2850	-26.9	567.4	64	308	5	630
2900	-27.2	563.4	64	298	6	637
2950	-27.4	559.5	63	305	6	644
3000	-27.6	555.7	61	308	6	650
3050	-28.0	551.8	62	304	5	657
3100	-28.5	548.0	62	297	5	664
3150	-28.9	544.1	62	292	4	671
3200	-29.2	540.3	62	293	4	678
3250	-29.4	536.6	61	297	4	685
3300	-29.7	532.8	62	301	4	692
3350	-30.1	529.1	62	298	5	699
3400	-30.4	525.4	62	295	5	706
3450	-30.7	521.7	62	299	5	713
3500	-31.0	518.0	62	291	6	719
3550	-31.3	514.4	62	296	6	726
3600	-31.7	510.7	60	295	5	733
3650	-32.1	507.1	60	285	5	740
3700	-32.3	503.6	60	291	5	747
3750	-32.5	500.0	59	292	4	754
3800	-32.6	496.4	57	297	5	760
3850	-32.7	492.9	55	294	5	767
3900	-33.1	489.4	55	298	5	774
3950	-33.4	486.0	55	308	5	781
4000	-33.8	482.5	55	299	5	788
4050	-34.2	479.1	55	290	5	795
4100	-34.4	475.7	55	295	5	802
4150	-34.8	472.3	54	292	5	809
4200	-35.0	468.9	52	309	6	816
4250	-35.1	465.5	52	319	8	822
4300	-35.3	462.2	52	322	7	829
4350	-35.6	458.9	48	322	8	836
4400	-35.9	455.6	45	313	7	843
4450	-36.1	452.3	45	300	5	850
4500	-36.2	449.1	47	284	5	857
4550	-36.3	445.8	48	277	4	864
4600	-36.6	442.6	49	280	4	871
4650	-36.8	439.4	49	266	4	878
4700	-37.1	436.3	49	249	4	885
4750	-37.5	433.1	49	242	4	892
4800	-38.0	430.0	49	244	4	899
4850	-38.4	426.9	50	238	5	906
4900	-38.8	423.8	50	241	4	913

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
4950	-39.0	420.7	49	256	4	920
5000	-39.4	417.6	48	258	4	927
5100	-40.1	411.6	46	269	4	941
5200	-40.9	405.6	45	256	4	955
5300	-41.6	399.6	46	227	7	969
5400	-42.1	393.8	49	216	11	983
5500	-42.8	388.0	51	219	13	998
5600	-43.4	382.3	50	224	13	1012
5700	-44.1	376.6	46	226	12	1026
5800	-44.7	371.0	44	223	11	1040
5900	-45.4	365.5	41	216	14	1054
6000	-46.1	360.0	38	212	16	1068
6100	-46.8	354.7	36	211	17	1082
6200	-47.4	349.3	34	212	17	1096
6300	-48.2	344.1	33	210	18	1110
6400	-49.1	338.9	31	209	18	1125
6500	-49.9	333.7	31	209	19	1139
6600	-50.7	328.7	32	208	20	1153
6700	-51.5	323.6	32	208	19	1168
6800	-52.3	318.7	31	209	18	1182
6900	-53.1	313.8	31	211	18	1196
7000	-53.7	308.9	32	215	17	1211
7100	-54.5	304.2	32	219	15	1225
7200	-55.3	299.4	32	228	12	1240
7300	-56.1	294.8	33	234	12	1254
7400	-56.9	290.2	34	237	11	1269
7500	-56.9	285.6	33	256	12	1283
7600	-56.8	281.1	36	273	12	1297
7700	-56.9	276.7	36	264	15	1311
7800	-56.2	272.4	36	257	16	1325
7900	-54.9	268.2	33	266	13	1338
8000	-55.1	264.0	31	286	14	1352
8100	-53.6	259.9	29	276	17	1366
8200	-52.3	255.9	25	264	19	1379
8300	-51.2	252.0	20	261	15	1393
8400	-49.7	248.2	17	266	13	1406
8500	-49.3	244.4	14	281	12	1420
8600	-49.5	240.7	12	284	14	1435
8700	-49.3	237.1	10	280	17	1449
8800	-48.5	233.5	8	281	16	1463
8900	-47.8	230.0	7	278	16	1477
9000	-45.1	224.9	1	--	--	1490
9100	-45.1	222.2	1	--	--	1504
9200	-45.1	219.5	1	--	--	1519
9300	-45.1	216.6	1	--	--	1534

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
9400	-45.1	213.4	1	--	--	1548
9500	-45.1	210.2	1	--	--	1563
9600	-45.1	207.1	1	276	22	1578
9700	-45.1	204.0	1	276	22	1592
9800	-45.2	201.0	1	276	22	1607
9900	-45.2	198.0	1	276	22	1622
10000	-45.2	195.0	1	276	22	1636
10100	-45.2	192.1	1	276	21	1651
10200	-45.2	189.3	1	276	21	1666
10300	-45.2	186.5	1	276	21	1681
10400	-45.2	183.7	1	276	21	1695
10500	-45.3	181.0	1	276	21	1710
10600	-45.3	178.3	1	276	20	1725
10700	-45.3	175.6	1	276	20	1740
10800	-45.3	173.0	1	276	20	1755
10900	-45.3	170.4	1	276	20	1769
11000	-45.3	167.9	1	277	20	1784
11100	-45.4	165.4	1	277	21	1799
11200	-45.4	163.0	1	277	21	1814
11300	-45.4	160.5	1	277	21	1829
11400	-45.4	158.1	1	278	21	1844
11500	-45.4	155.8	1	278	21	1859
11600	-45.4	153.5	1	278	21	1874
11700	-45.4	151.2	1	278	21	1889
11800	-45.4	148.9	1	279	21	1903
11900	-45.4	146.7	1	279	21	1918
12000	-45.4	144.5	1	278	21	1933
12100	-45.4	142.4	1	278	20	1948
12200	-45.4	140.3	1	278	20	1963
12300	-45.4	139.4	1	277	20	1979
12400	-45.3	136.1	1	276	20	1993
12500	-45.3	134.1	1	270	17	2008
12600	-45.2	132.1	1	279	18	2023
12700	-44.8	130.2	1	283	19	2038
12800	-44.6	128.2	1	276	19	2053
12900	-44.5	126.3	1	283	20	2068
13000	-44.2	124.5	1	285	21	2083
13100	-44.3	122.6	1	284	19	2098
13200	-44.5	120.8	1	285	19	2113
13300	-44.2	119.0	1	281	19	2129
13400	-44.1	117.3	1	280	21	2144
13500	-44.0	115.5	1	277	23	2159
13600	-44.1	113.8	1	272	21	2174
13700	-43.9	112.2	1	276	17	2189
13800	-44.0	110.5	1	285	19	2204

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
13900	-43.8	108.9	1	279	21	2219
14000	-43.5	107.3	1	280	19	2234
14100	-43.5	105.7	1	281	20	2250
14200	-43.5	104.1	1	281	20	2265
14300	-43.4	102.6	1	285	20	2280
14400	-43.2	101.1	1	281	21	2295
14500	-43.5	99.6	1	282	13	2310
14600	-43.6	98.1	1	255	15	2325
14700	-44.0	96.7	1	276	19	2341
14800	-44.1	95.2	1	275	18	2356
14900	-44.1	93.8	1	280	19	2371
15000	-43.3	92.5	1	277	21	2386
15100	-43.2	91.1	1	275	24	2402
15200	-43.4	89.8	1	273	24	2417
15300	-43.4	88.4	1	269	22	2432
15400	-43.3	87.1	1	268	19	2447
15500	-42.8	85.9	1	271	22	2463
15600	-42.4	84.6	1	267	20	2478
15700	-42.6	83.4	1	268	25	2493
15800	-42.4	82.1	1	271	25	2508
15900	-42.3	80.9	1	273	25	2524
16000	-42.2	79.7	1	270	21	2539
16100	-42.5	78.6	1	259	22	2554
16200	-42.5	77.4	1	264	21	2570
16300	-42.2	76.3	1	266	18	2585
16400	-42.4	75.2	1	276	18	2600
16500	-42.4	74.1	1	282	19	2615
16600	-42.4	73.0	1	271	15	2631
16700	-42.1	71.9	1	277	20	2646
16800	-41.9	70.9	1	279	17	2661
16900	-41.4	69.8	1	285	17	2677
17000	-41.4	68.8	1	278	19	2692
17100	-41.4	67.8	1	270	24	2707
17200	-41.1	66.8	1	259	23	2723
17300	-41.4	65.8	1	258	20	2738
17400	-41.6	64.9	1	258	17	2754
17500	-41.9	63.9	1	263	17	2769
17600	-41.5	63.0	1	259	18	2784
17700	-41.5	62.1	1	250	17	2800
17800	-41.5	61.2	1	244	19	2815
17900	-41.4	60.3	1	231	17	2831
18000	-41.0	59.4	1	242	14	2846
18100	-41.0	58.5	1	266	11	2861
18200	-41.0	57.7	1	289	15	2877
18300	-40.8	56.9	1	289	21	2892

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
18400	-40.2	56.0	1	279	21	2908
18500	-40.2	55.2	1	273	16	2923
18600	-40.0	54.4	1	273	16	2938
18700	-40.2	53.6	1	273	19	2954
18800	-40.3	52.8	1	255	19	2969
18900	-40.5	52.1	1	251	15	2985
19000	-40.8	51.3	1	265	10	3000
19100	-41.0	50.6	1	269	11	3016
19200	-41.1	49.8	1	261	7	3031
19300	-41.2	49.1	1	265	12	3047
19400	-41.4	48.4	1	268	12	3062
19500	-41.5	47.7	1	260	16	3078
19600	-41.1	47.0	1	251	17	3093
19700	-40.7	46.3	1	264	14	3108
19800	-40.7	45.6	1	257	12	3124
19900	-40.5	45.0	1	264	13	3139
20000	-40.5	44.3	1	262	11	3155
20100	-40.3	43.7	1	253	10	3170
20200	-40.2	43.0	1	236	8	3186
20300	-40.5	42.4	1	250	6	3201
20400	-40.3	41.8	1	292	7	3217
20500	-40.1	41.2	1	270	11	3232
20600	-40.3	40.6	1	261	15	3248
20700	-39.9	40.0	1	246	13	3263
20800	-39.9	39.4	1	231	8	3279
20900	-40.4	38.9	1	190	7	3294
21000	-40.5	38.3	1	259	3	3310
21100	-40.2	37.7	1	272	6	3325
21200	-40.4	37.2	1	283	11	3341
21300	-40.3	36.7	1	283	9	3356
21400	-40.5	36.1	1	285	9	3372
21500	-40.1	35.6	1	275	12	3387
21600	-39.8	35.1	1	250	14	3403
21700	-39.5	34.6	1	246	9	3418
21800	-39.4	34.1	1	278	8	3434
21900	-39.7	33.6	1	275	10	3450
22000	-39.8	33.1	1	269	10	3465
22100	-39.9	32.6	1	262	12	3481
22200	-39.9	32.2	1	260	10	3496
22300	-39.8	31.7	1	261	10	3512
22400	-39.7	31.2	1	250	11	3527
22500	-39.9	30.8	1	242	11	3543
22600	-39.9	30.3	1	231	10	3558
22700	-40.0	29.9	1	251	8	3574
22800	-40.2	29.5	1	289	5	3589

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
22900	-40.1	29.0	1	300	5	3605
23000	-40.3	28.6	1	296	7	3621
23100	-39.9	28.2	1	275	10	3636
23200	-39.6	27.8	1	250	10	3652
23300	-39.8	27.4	1	244	10	3667
23400	-39.8	27.0	1	243	10	3683
23500	-39.8	26.6	1	229	8	3698
23600	-39.9	26.2	1	241	7	3714
23700	-39.5	25.8	1	281	7	3730
23800	-39.6	25.5	1	254	3	3745
23900	-39.6	25.1	1	268	5	3761
24000	-39.4	24.7	1	268	7	3776
24100	-39.6	24.4	1	274	8	3792
24200	-39.3	24.0	1	258	6	3807
24300	-38.9	23.7	1	249	9	3823
24400	-38.6	23.3	1	262	8	3839
24500	-38.1	23.0	1	259	7	3854
24600	-37.6	22.7	1	269	8	3870
24700	-37.6	22.4	1	272	11	3885
24800	-37.4	22.0	1	255	15	3901
24900	-37.2	21.7	1	240	13	3917
25000	-36.8	21.4	1	233	10	3932
25100	-36.4	21.1	1	217	6	3948
25200	-36.3	20.8	1	234	4	3963
25300	-36.8	20.5	1	261	5	3979
25400	-36.8	20.2	1	268	7	3995
25500	-36.9	19.9	1	279	10	4010
25600	-36.7	19.6	1	278	8	4026
25700	-36.7	19.4	1	288	12	4041
25800	-36.9	19.1	1	281	17	4057
25900	-37.0	18.8	1	263	19	4073
26000	-36.7	18.5	1	241	19	4088
26100	-36.3	18.3	1	232	18	4104
26200	-36.5	18.0	1	225	18	4119
26300	-36.8	17.8	1	216	13	4135
26400	-37.1	17.5	1	229	9	4151
26500	-36.9	17.3	1	262	5	4166
26600	-36.5	17.0	1	283	5	4182
26700	-36.2	16.8	1	260	8	4197
26800	-36.0	16.5	1	253	12	4213
26900	-36.2	16.3	1	244	10	4229
27000	-36.3	16.1	1	224	8	4244
27100	-36.3	15.8	1	245	7	4260
27200	-36.1	15.6	1	278	7	4276
27300	-35.1	15.4	1	272	12	4291

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
27400	-34.4	15.2	1	265	16	4307
27500	-33.8	15.0	1	258	16	4322
27600	-33.2	14.7	1	222	12	4338
27700	-33.2	14.5	1	184	12	4354
27800	-33.3	14.3	1	192	12	4369
27900	-33.5	14.1	1	211	13	4385
28000	-33.2	13.9	1	191	12	4401
28100	-32.9	13.7	1	165	10	4416
28200	-32.9	13.5	1	158	6	4432
28300	-31.8	13.4	1	277	5	4447
28400	-30.8	13.2	1	263	11	4463
28500	-30.1	13.0	1	266	16	4479
28600	-29.5	12.8	1	243	14	4494
28700	-30.1	12.6	1	222	9	4510
28800	-29.7	12.5	1	196	6	4526
28900	-30.0	12.3	1	175	5	4541
29000	-27.5	12.1	1	149	3	4557