

Altitude Report:

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
1	-9.6	827.2	71	121	6	248
2	-9.6	827.1	70	120	6	248
3	-9.6	827.0	70	120	6	248
4	-9.7	826.9	70	120	6	248
5	-9.7	826.8	69	119	7	248
6	-9.7	826.7	69	119	7	248
7	-9.7	826.5	68	119	7	248
8	-9.7	826.4	68	118	7	248
9	-9.7	826.3	68	118	7	248
10	-9.8	826.2	67	118	7	249
11	-9.8	826.1	67	118	7	249
12	-9.8	826.0	67	117	7	249
13	-9.8	825.9	66	117	7	249
14	-9.8	825.8	66	117	7	249
15	-9.8	825.7	65	116	7	249
16	-9.9	825.6	65	116	7	249
17	-9.9	825.5	65	116	7	249
18	-9.9	825.4	64	115	7	250
19	-9.9	825.3	64	115	7	250
20	-9.9	825.2	64	115	7	250
21	-9.9	825.0	63	115	7	250
22	-10.0	824.9	63	114	7	250
23	-10.0	824.8	63	114	7	250
24	-10.0	824.7	62	114	7	250
25	-10.0	824.6	62	113	7	250
26	-10.0	824.5	61	113	7	251
27	-10.0	824.4	61	113	7	251
28	-10.1	824.3	61	113	7	251
29	-10.1	824.2	60	112	7	251
30	-10.1	824.1	60	112	7	251
31	-10.1	824.0	60	112	7	251
32	-10.1	823.9	59	112	7	251
33	-10.1	823.8	59	111	7	251
34	-10.1	823.7	59	111	7	251
35	-10.1	823.5	58	111	7	252
36	-10.1	823.4	58	110	7	252
37	-10.1	823.3	57	110	7	252
38	-10.2	823.2	57	110	7	252
39	-10.2	823.1	57	110	7	252
40	-10.2	823.0	56	110	7	252
41	-10.2	822.9	56	109	7	252
42	-10.2	822.8	56	109	7	252
43	-10.2	822.7	57	109	7	253

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
44	-10.2	822.6	57	109	7	253
45	-10.2	822.5	57	109	7	253
46	-10.2	822.4	57	108	7	253
47	-10.2	822.3	57	108	8	253
48	-10.2	822.2	57	108	8	253
49	-10.3	822.1	57	108	8	253
50	-10.3	822.0	57	108	8	254
55	-10.3	821.4	58	107	8	254
60	-10.4	820.9	59	106	8	255
65	-10.4	820.4	60	105	8	256
70	-10.4	819.8	60	105	8	256
75	-10.5	819.3	61	104	9	257
80	-10.5	818.7	62	103	9	258
85	-10.6	818.2	62	102	9	259
90	-10.6	817.7	63	102	9	259
95	-10.7	817.1	64	101	9	260
100	-10.7	816.6	64	101	10	261
105	-10.7	816.1	64	100	10	261
110	-10.7	815.5	64	100	10	262
115	-10.7	815.0	65	099	10	263
120	-10.7	814.5	65	099	10	263
125	-10.8	813.9	65	099	10	264
130	-10.8	813.4	66	099	10	265
135	-10.8	812.9	66	099	10	265
140	-10.8	812.4	66	099	10	266
145	-10.8	811.8	67	099	10	267
150	-10.9	811.3	67	100	10	267
155	-10.9	810.8	67	100	10	268
160	-10.9	810.3	67	100	10	269
165	-10.9	809.7	68	100	10	269
170	-11.0	809.2	68	100	10	270
175	-11.0	808.7	68	100	11	271
180	-11.0	808.1	68	100	11	271
185	-11.1	807.6	69	100	11	272
190	-11.1	807.1	69	100	11	273
195	-11.1	806.5	69	101	11	273
200	-11.2	806.0	69	101	10	274
205	-11.2	805.5	70	101	10	275
210	-11.3	805.0	70	102	10	275
215	-11.3	804.4	70	102	10	276
220	-11.4	803.9	70	102	10	277
225	-11.4	803.4	71	103	10	277
230	-11.4	802.9	71	103	10	278
235	-11.5	802.3	71	103	10	279
240	-11.5	801.8	71	104	10	279

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
245	-11.6	801.3	72	104	10	280
250	-11.6	800.8	72	105	9	281
255	-11.7	800.2	72	105	9	281
260	-11.7	799.7	72	104	10	282
265	-11.7	799.2	73	103	10	283
270	-11.8	798.7	73	103	10	283
275	-11.8	798.2	73	102	10	284
280	-11.9	797.6	73	102	10	285
285	-11.9	797.1	73	101	11	286
290	-11.9	796.6	73	100	11	286
295	-12.0	796.1	73	100	11	287
300	-12.0	795.5	74	099	11	288
305	-12.1	795.0	74	099	12	288
310	-12.1	794.5	74	098	12	289
315	-12.1	794.0	74	098	12	290
320	-12.2	793.5	74	097	12	290
325	-12.2	792.9	74	097	12	291
330	-12.3	792.4	74	098	13	292
335	-12.3	791.9	74	098	13	292
340	-12.3	791.4	74	098	13	293
345	-12.4	790.9	74	098	13	294
350	-12.4	790.4	74	099	13	294
355	-12.4	789.8	74	099	13	295
360	-12.5	789.3	73	099	13	296
365	-12.5	788.8	73	099	14	296
370	-12.5	788.3	73	099	14	297
375	-12.6	787.8	73	100	14	297
380	-12.6	787.2	73	100	14	298
385	-12.6	786.7	73	100	14	299
390	-12.7	786.2	73	100	14	299
395	-12.7	785.7	73	099	14	300
400	-12.7	785.2	73	099	14	301
405	-12.8	784.7	73	098	14	301
410	-12.8	784.2	73	097	14	302
415	-12.8	783.6	73	097	14	303
420	-12.8	783.1	73	096	14	303
425	-12.9	782.6	73	095	14	304
430	-12.9	782.1	73	094	14	305
435	-12.9	781.6	73	094	14	305
440	-13.0	781.1	73	093	14	306
445	-13.0	780.6	73	092	14	307
450	-13.0	780.0	73	091	14	307
455	-13.1	779.5	73	091	14	308
460	-13.1	779.0	74	090	14	309
465	-13.1	778.5	74	090	14	309

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
470	-13.2	778.0	74	089	14	310
475	-13.2	777.5	74	089	13	311
480	-13.2	777.0	74	089	13	311
485	-13.2	776.5	74	088	13	312
490	-13.3	775.9	74	088	13	313
495	-13.3	775.4	74	087	13	313
500	-13.3	774.9	74	087	12	314
510	-13.4	773.9	74	086	12	315
520	-13.4	772.9	74	085	11	317
530	-13.4	771.9	75	083	11	318
540	-13.5	770.9	75	081	11	319
550	-13.5	769.8	75	079	12	321
560	-13.6	768.8	75	077	12	322
570	-13.7	767.8	75	075	12	323
580	-13.8	766.8	75	074	12	325
590	-13.8	765.8	75	072	13	326
600	-13.9	764.8	75	071	13	327
610	-14.0	763.8	75	069	13	329
620	-14.1	762.8	75	067	14	330
630	-14.1	761.8	75	066	14	331
640	-14.2	760.8	75	065	15	333
650	-14.3	759.7	75	063	15	334
660	-14.3	758.7	75	062	16	335
670	-14.4	757.7	75	061	16	337
680	-14.4	756.7	75	060	17	338
690	-14.5	755.7	75	059	16	339
700	-14.5	754.7	75	058	16	341
710	-14.5	753.7	75	057	16	342
720	-14.5	752.7	75	056	16	343
730	-14.6	751.8	76	055	15	344
740	-14.6	750.8	76	054	15	346
750	-14.7	749.8	76	053	15	347
760	-14.7	748.8	76	052	15	348
770	-14.8	747.8	76	051	15	350
780	-14.8	746.8	76	050	15	351
790	-14.9	745.8	76	049	15	352
800	-14.9	744.8	76	048	15	354
810	-15.0	743.8	76	047	15	355
820	-15.0	742.8	77	046	15	356
830	-15.1	741.9	77	045	15	358
840	-15.2	740.9	77	045	15	359
850	-15.2	739.9	77	045	14	360
860	-15.3	738.9	77	045	14	362
870	-15.4	737.9	77	045	14	363
880	-15.5	737.0	77	046	14	364

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
890	-15.6	736.0	77	046	14	366
900	-15.7	735.0	77	046	14	367
910	-15.8	734.0	77	046	14	369
920	-15.8	733.1	78	046	14	370
930	-15.9	732.1	78	046	14	371
940	-15.9	731.1	78	046	14	373
950	-16.0	730.1	78	046	14	374
960	-16.1	729.2	78	046	14	375
970	-16.1	728.2	78	046	14	377
980	-16.2	727.2	78	046	14	378
990	-16.3	726.3	78	046	14	379
1000	-16.3	725.3	77	046	14	381
1050	-16.7	720.5	77	048	13	387
1100	-17.1	715.7	77	047	12	394
1150	-17.4	710.9	76	046	11	401
1200	-17.7	706.2	75	045	10	407
1250	-18.1	701.5	74	041	10	414
1300	-18.4	696.8	74	038	10	421
1350	-18.8	692.1	74	040	11	427
1400	-19.3	687.5	75	042	12	434
1450	-19.6	682.8	76	043	12	441
1500	-20.0	678.2	76	045	11	448
1550	-20.3	673.7	77	045	10	455
1600	-20.7	669.2	77	046	10	461
1650	-21.0	664.6	78	045	10	468
1700	-21.4	660.2	77	045	9	475
1750	-21.8	655.6	77	044	8	482
1800	-22.1	651.2	76	042	7	488
1850	-22.5	646.8	75	037	6	495
1900	-22.8	642.4	75	034	5	502
1950	-23.2	638.0	75	041	5	509
2000	-23.5	633.6	75	048	5	515
2050	-23.9	629.3	74	051	5	522
2100	-24.2	625.0	72	054	5	529
2150	-24.6	620.7	71	047	5	536
2200	-25.0	616.5	69	038	4	542
2250	-25.4	612.2	68	041	4	549
2300	-25.8	608.0	67	037	4	556
2350	-26.2	603.8	65	036	5	563
2400	-26.5	599.6	64	034	5	569
2450	-27.0	595.5	63	031	6	576
2500	-27.4	591.4	63	028	6	583
2550	-27.9	587.3	63	025	7	590
2600	-28.3	583.2	63	025	9	597
2650	-28.6	579.1	64	022	10	604

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
2700	-29.0	575.1	64	006	8	611
2750	-28.9	571.1	66	331	5	617
2800	-28.0	567.1	67	301	5	623
2850	-28.0	563.2	68	290	6	630
2900	-28.4	559.2	68	288	7	637
2950	-28.8	555.3	68	289	7	644
3000	-29.3	551.5	69	289	7	651
3050	-29.7	547.6	70	288	8	658
3100	-30.1	543.8	71	289	8	665
3150	-30.6	540.0	72	287	8	672
3200	-31.1	536.2	73	280	9	679
3250	-31.4	532.4	74	260	6	686
3300	-30.5	528.6	77	263	5	692
3350	-30.3	524.9	77	265	6	699
3400	-30.3	521.2	76	248	7	705
3450	-30.3	517.6	74	234	8	712
3500	-30.5	514.0	72	230	7	718
3550	-30.8	510.3	70	234	7	725
3600	-31.0	506.8	67	232	7	732
3650	-31.4	503.2	60	223	9	738
3700	-31.7	499.6	50	218	9	745
3750	-31.7	496.1	44	216	8	751
3800	-32.0	492.6	40	213	6	758
3850	-32.2	489.1	38	219	6	764
3900	-32.3	485.7	35	226	7	771
3950	-32.8	482.2	32	228	8	778
4000	-33.1	478.8	28	231	10	785
4050	-33.2	475.4	23	229	11	791
4100	-33.4	472.0	20	225	11	798
4150	-33.8	468.7	17	224	12	805
4200	-34.0	465.3	17	219	11	812
4250	-34.3	462.0	18	213	11	819
4300	-34.5	458.7	19	209	12	826
4350	-34.9	455.5	19	209	13	833
4400	-35.2	452.2	21	210	15	840
4450	-35.5	449.0	22	213	15	847
4500	-35.8	445.7	23	216	15	854
4550	-36.1	442.5	23	217	15	861
4600	-36.5	439.4	24	218	15	868
4650	-36.9	436.2	25	217	14	875
4700	-37.2	433.0	25	217	14	882
4750	-37.5	429.9	26	215	14	889
4800	-37.9	426.8	26	217	15	896
4850	-38.3	423.7	27	220	16	903
4900	-38.6	420.6	27	220	16	910

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
4950	-38.9	417.6	28	219	16	917
5000	-39.3	414.5	28	220	17	925
5100	-40.1	408.5	29	217	16	939
5200	-41.0	402.6	30	218	17	953
5300	-41.8	396.7	32	218	17	967
5400	-42.6	390.8	33	219	17	982
5500	-43.2	385.1	34	212	17	996
5600	-43.9	379.4	36	212	17	1010
5700	-44.5	373.8	36	212	17	1024
5800	-45.0	368.2	35	214	17	1038
5900	-45.6	362.7	34	215	17	1053
6000	-46.4	357.3	34	216	16	1067
6100	-47.1	352.0	34	220	16	1081
6200	-47.8	346.7	34	225	16	1095
6300	-48.5	341.5	34	227	17	1110
6400	-49.0	336.3	32	231	18	1124
6500	-49.8	331.2	32	234	18	1138
6600	-50.7	326.2	32	235	18	1152
6700	-51.6	321.2	32	238	16	1167
6800	-52.2	316.3	32	239	16	1181
6900	-52.8	311.4	33	238	15	1195
7000	-53.8	306.6	33	233	14	1210
7100	-54.4	301.9	34	231	14	1224
7200	-55.0	297.2	35	229	15	1239
7300	-55.4	292.6	35	231	17	1253
7400	-54.3	288.0	33	233	20	1267
7500	-54.1	283.6	33	229	21	1280
7600	-52.5	279.2	30	226	23	1294
7700	-51.9	274.9	29	224	24	1308
7800	-51.2	270.7	26	216	23	1321
7900	-50.9	266.6	24	221	25	1335
8000	-50.2	262.5	22	228	25	1349
8100	-49.7	258.5	19	230	26	1363
8200	-49.1	254.6	18	233	28	1377
8300	-48.7	250.8	16	230	31	1391
8400	-48.7	247.0	14	225	29	1405
8500	-48.2	243.2	13	229	26	1419
8600	-47.3	239.6	11	228	26	1433
8700	-47.2	236.0	10	230	28	1448
8800	-47.5	232.5	9	230	28	1462
8900	-47.4	229.0	8	228	33	1477
9000	-47.2	225.5	7	223	30	1491
9100	-47.1	222.1	6	223	29	1505
9200	-46.7	218.8	6	227	27	1520
9300	-46.6	215.5	5	227	30	1534

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
9400	-46.5	212.3	5	225	30	1549
9500	-46.4	209.2	4	224	30	1563
9600	-46.3	206.0	4	226	29	1578
9700	-46.2	203.0	3	225	30	1593
9800	-45.9	199.9	3	228	31	1607
9900	-45.7	196.9	3	229	32	1622
10000	-45.6	194.0	2	226	33	1636
10100	-45.2	191.1	2	226	31	1651
10200	-45.0	188.3	2	227	34	1666
10300	-45.1	185.5	2	227	36	1680
10400	-45.0	182.7	2	227	34	1695
10500	-44.9	180.0	1	221	34	1710
10600	-44.8	177.4	1	221	32	1725
10700	-44.5	174.7	1	220	33	1739
10800	-44.1	172.1	1	222	31	1754
10900	-43.5	169.6	1	218	33	1769
11000	-43.6	167.1	1	217	30	1784
11100	-43.7	164.6	1	215	26	1798
11200	-43.5	162.2	1	222	27	1813
11300	-43.9	159.8	1	226	27	1828
11400	-44.3	157.4	1	228	29	1843
11500	-44.5	155.1	1	231	31	1858
11600	-44.9	152.8	1	228	32	1873
11700	-44.8	150.6	1	223	33	1888
11800	-44.6	148.3	1	223	32	1903
11900	-44.2	146.1	1	222	30	1918
12000	-44.4	144.0	1	232	27	1933
12100	-44.1	141.8	1	234	30	1948
12200	-43.6	139.7	1	230	32	1963
12300	-43.3	137.7	1	228	33	1978
12400	-43.3	135.7	1	229	31	1993
12500	-43.5	133.7	1	232	30	2008
12600	-43.3	131.7	1	237	31	2023
12700	-43.2	129.7	1	232	32	2038
12800	-42.9	127.8	1	226	33	2053
12900	-42.9	126.0	1	228	34	2068
13000	-42.9	124.1	1	224	29	2083
13100	-42.9	122.3	1	218	25	2098
13200	-43.2	120.5	1	228	23	2113
13300	-43.4	118.7	1	230	24	2128
13400	-43.6	117.0	1	231	26	2143
13500	-43.7	115.2	1	229	27	2159
13600	-43.7	113.5	1	234	29	2174
13700	-43.7	111.9	1	235	29	2189
13800	-43.5	110.2	1	226	28	2204

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
13900	-43.7	108.6	1	228	27	2219
14000	-43.8	107.0	1	235	21	2234
14100	-44.0	105.4	1	228	18	2249
14200	-44.2	103.8	1	233	27	2265
14300	-44.3	102.3	1	228	28	2280
14400	-43.9	100.8	1	224	28	2295
14500	-44.0	99.3	1	217	26	2310
14600	-43.9	97.9	1	227	17	2325
14700	-44.3	96.4	1	232	28	2341
14800	-44.1	95.0	1	238	24	2356
14900	-43.9	93.6	1	240	29	2371
15000	-43.8	92.2	1	235	30	2386
15100	-43.5	90.8	1	214	25	2401
15200	-43.2	89.5	1	222	26	2417
15300	-42.9	88.2	1	212	25	2432
15400	-42.9	86.9	1	213	23	2447
15500	-42.4	85.6	1	220	16	2462
15600	-43.0	84.4	1	223	21	2478
15700	-43.3	83.1	1	223	21	2493
15800	-43.5	81.9	1	226	20	2508
15900	-43.5	80.7	1	223	25	2524
16000	-43.3	79.5	1	224	20	2539
16100	-43.7	78.3	1	238	17	2554
16200	-43.0	77.2	1	236	21	2570
16300	-42.3	76.0	1	244	25	2585
16400	-42.5	74.9	1	238	26	2600
16500	-41.9	73.8	1	225	27	2615
16600	-40.5	72.8	1	219	23	2631
16700	-40.5	71.7	1	227	17	2646
16800	-40.7	70.7	1	242	13	2661
16900	-40.7	69.6	1	181	22	2677
17000	-40.9	68.6	1	184	12	2692
17100	-41.3	67.6	1	219	20	2707
17200	-40.7	66.6	1	232	22	2723
17300	-40.8	65.7	1	224	25	2738
17400	-41.0	64.7	1	207	23	2754
17500	-40.7	63.8	1	223	10	2769
17600	-40.9	62.8	1	248	1	2784
17700	-41.4	61.9	1	248	13	2800
17800	-41.3	61.0	1	246	22	2815
17900	-41.3	60.1	1	238	22	2831
18000	-41.9	59.3	1	238	25	2846
18100	-41.9	58.4	1	239	24	2861
18200	-41.5	57.5	1	230	22	2877
18300	-41.4	56.7	1	225	21	2892

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
18400	-41.6	55.9	1	225	21	2908
18500	-41.8	55.1	1	232	21	2923
18600	-41.8	54.3	1	229	21	2938
18700	-41.1	53.5	1	227	19	2954
18800	-41.0	52.7	1	228	19	2969
18900	-40.4	51.9	1	238	18	2985
19000	-40.2	51.2	1	237	19	3000
19100	-40.1	50.4	1	241	22	3016
19200	-40.1	49.7	1	229	20	3031
19300	-40.1	49.0	1	220	19	3046
19400	-39.9	48.3	1	213	17	3062
19500	-39.8	47.6	1	213	11	3077
19600	-40.2	46.9	1	219	10	3093
19700	-40.5	46.2	1	233	11	3108
19800	-40.8	45.5	1	228	9	3124
19900	-40.9	44.9	1	253	8	3139
20000	-41.3	44.2	1	276	8	3155
20100	-41.7	43.6	1	263	11	3170
20200	-42.1	42.9	1	252	16	3186
20300	-42.0	42.3	1	242	18	3201
20400	-42.3	41.7	1	225	20	3217
20500	-41.8	41.1	1	226	18	3232
20600	-41.5	40.5	1	228	14	3248
20700	-41.1	39.9	1	243	12	3263
20800	-41.0	39.3	1	241	16	3279
20900	-41.0	38.7	1	225	17	3294
21000	-41.3	38.2	1	209	18	3310
21100	-41.2	37.6	1	211	16	3325
21200	-41.2	37.1	1	226	15	3341
21300	-41.4	36.5	1	245	17	3356
21400	-41.3	36.0	1	234	18	3372
21500	-40.8	35.5	1	235	15	3387
21600	-40.2	35.0	1	220	11	3403
21700	-40.2	34.4	1	213	10	3418
21800	-40.4	33.9	1	226	12	3434
21900	-41.0	33.5	1	239	11	3450
22000	-41.2	33.0	1	240	11	3465
22100	-41.5	32.5	1	250	12	3481
22200	-41.4	32.0	1	238	11	3496
22300	-41.4	31.5	1	235	14	3512
22400	-41.2	31.1	1	225	17	3527
22500	-40.4	30.6	1	216	16	3543
22600	-40.4	30.2	1	203	19	3558
22700	-40.4	29.8	1	205	15	3574
22800	-40.2	29.3	1	218	11	3589

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
22900	-40.2	28.9	1	223	13	3605
23000	-40.1	28.5	1	207	14	3621
23100	-39.9	28.1	1	199	15	3636
23200	-39.7	27.7	1	189	16	3652
23300	-39.7	27.3	1	179	12	3667
23400	-39.9	26.9	1	156	8	3683
23500	-40.4	26.5	1	217	5	3698
23600	-40.8	26.1	1	247	11	3714
23700	-40.8	25.7	1	241	3	3730
23800	-40.7	25.3	1	224	2	3745
23900	-40.7	25.0	1	229	9	3761
24000	-40.6	24.6	1	232	12	3776
24100	-40.7	24.3	1	223	18	3792
24200	-40.9	23.9	1	226	12	3807
24300	-40.5	23.6	1	212	9	3823
24400	-40.8	23.2	1	224	7	3839
24500	-40.9	22.9	1	228	9	3854
24600	-40.6	22.5	1	252	10	3870
24700	-40.3	22.2	1	265	12	3885
24800	-40.0	21.9	1	265	11	3901
24900	-40.2	21.6	1	234	18	3917
25000	-40.5	21.3	1	220	14	3932
25100	-40.2	21.0	1	215	8	3948
25200	-40.1	20.7	1	231	13	3963
25300	-40.0	20.4	1	236	14	3979
25400	-39.9	20.1	1	240	14	3995
25500	-40.1	19.8	1	236	17	4010
25600	-40.0	19.5	1	215	15	4026
25700	-39.9	19.2	1	225	11	4041
25800	-39.9	18.9	1	220	14	4057
25900	-39.7	18.7	1	217	15	4073
26000	-39.2	18.4	1	225	13	4088
26100	-39.1	18.1	1	237	14	4104
26200	-38.9	17.9	1	224	17	4119
26300	-38.7	17.6	1	219	21	4135
26400	-38.2	17.4	1	205	22	4151
26500	-38.2	17.1	1	205	18	4166
26600	-37.7	16.9	1	197	20	4182
26700	-37.6	16.6	1	201	17	4197
26800	-37.4	16.4	1	210	14	4213
26900	-37.1	16.1	1	203	16	4229
27000	-37.1	15.9	1	192	14	4244
27100	-37.4	15.7	1	179	15	4260
27200	-37.6	15.5	1	172	9	4276
27300	-37.5	15.2	1	212	9	4291

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
27400	-37.9	15.0	1	268	4	4307
27500	-37.3	14.8	1	216	8	4322
27600	-37.0	14.6	1	211	14	4338
27700	-36.4	14.4	1	238	9	4354
27800	-35.9	14.2	1	228	13	4369
27900	-35.9	14.0	1	234	17	4385
28000	-35.6	13.8	1	255	11	4401
28100	-35.2	13.6	1	235	7	4416
28200	-35.4	13.4	1	216	14	4432
28300	-35.1	13.2	1	199	7	4447
28400	-35.0	13.0	1	253	9	4463
28500	-34.5	12.8	1	253	13	4479
28600	-35.0	12.7	1	273	20	4494
28700	-35.0	12.5	1	269	21	4510
28800	-34.6	12.3	1	237	16	4526
28900	-33.6	12.1	1	220	15	4541
29000	-33.5	12.0	1	239	23	4557
29100	-33.5	11.8	1	246	23	4573
29200	-33.1	11.6	1	245	22	4588
29300	-33.0	11.5	1	234	17	4604
29400	-33.8	11.3	1	211	21	4620
29500	-34.1	11.1	1	220	19	4635
29600	-34.4	11.0	1	222	13	4651
29700	-34.4	10.8	1	244	17	4667
29800	-34.4	10.7	1	211	10	4682
29900	-34.0	10.5	1	213	12	4698
30000	-33.8	10.4	1	214	12	4713
30100	-33.5	10.2	1	201	15	4729
30200	-33.4	10.1	1	189	14	4745
30300	-33.3	9.9	1	192	9	4760
30400	-32.8	9.8	1	210	10	4776
30500	-32.5	9.7	1	236	9	4792
30600	-32.1	9.5	1	247	8	4807
30700	-31.4	9.4	1	229	10	4823
30800	-31.3	9.3	1	213	8	4839
30900	-31.0	9.1	1	231	7	4854
31000	-30.3	9.0	1	229	13	4870
31100	-30.3	8.9	1	219	15	4886
31200	-29.3	8.8	1	184	6	4901
31300	-29.5	8.6	1	153	4	4917
31400	-29.4	8.5	1	--	--	4933
31500	-29.5	8.4	1	--	--	4948
31600	-28.9	8.3	1	--	--	4964
31700	-28.6	8.2	1	--	--	4980
31800	-27.2	8.1	1	271	8	4995

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
31900	-27.2	8.0	1	--	--	5011
32000	-25.2	7.8	1	235	1	5027
32100	-24.9	7.7	1	271	10	5042
32200	-24.3	7.6	1	273	15	5058
32300	-24.0	7.5	1	251	16	5074
32400	-24.1	7.4	1	242	19	5089
32500	-23.5	7.3	1	246	20	5105
32600	-24.0	7.2	1	239	15	5121
32700	-24.0	7.1	1	222	10	5136
32800	-23.8	7.0	1	236	6	5152
32900	-22.6	6.9	1	243	7	5168
33000	-21.9	6.8	1	223	11	5183
33100	-21.3	6.8	1	200	11	5199
33200	-21.2	6.7	1	183	12	5215