

Altitude Report:

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
1	-12.2	831.6	42	216	2	250
2	-12.2	831.5	41	215	1	250
3	-12.3	831.4	41	214	1	250
4	-12.3	831.3	40	213	1	250
5	-12.3	831.2	40	212	1	250
6	-12.3	831.0	39	211	1	250
7	-12.3	830.9	39	210	1	250
8	-12.4	830.8	38	209	1	251
9	-12.4	830.7	38	208	1	251
10	-12.4	830.6	37	206	1	251
11	-12.4	830.5	37	205	1	251
12	-12.4	830.4	36	204	1	251
13	-12.5	830.3	36	202	1	251
14	-12.5	830.2	35	201	1	251
15	-12.5	830.1	35	199	1	251
16	-12.5	830.0	34	197	1	252
17	-12.5	829.8	34	195	1	252
18	-12.6	829.7	33	193	1	252
19	-12.6	829.6	33	191	1	252
20	-12.6	829.5	32	189	1	252
21	-12.6	829.4	32	187	1	252
22	-12.7	829.3	31	184	1	252
23	-12.7	829.2	31	182	1	252
24	-12.7	829.1	30	179	1	252
25	-12.7	829.0	30	177	1	253
26	-12.7	828.9	29	174	1	253
27	-12.8	828.8	29	171	1	253
28	-12.8	828.6	28	168	1	253
29	-12.8	828.5	28	165	1	253
30	-12.8	828.4	27	162	1	253
31	-12.8	828.3	27	160	1	253
32	-12.8	828.2	26	157	1	253
33	-12.8	828.1	26	154	1	253
34	-12.8	828.0	25	151	1	254
35	-12.9	827.9	25	148	1	254
36	-12.9	827.8	24	145	1	254
37	-12.9	827.7	24	142	1	254
38	-12.9	827.6	24	139	1	254
39	-12.9	827.5	24	137	1	254
40	-12.9	827.3	24	134	1	254
41	-12.9	827.2	24	132	1	254
42	-12.9	827.1	24	129	1	255
43	-12.9	827.0	24	126	1	255

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
44	-12.9	826.9	24	123	1	255
45	-13.0	826.8	24	119	1	255
46	-13.0	826.7	24	115	1	255
47	-13.0	826.6	24	111	1	255
48	-13.0	826.5	24	106	1	255
49	-13.0	826.4	24	101	1	255
50	-13.0	826.2	24	096	1	256
55	-13.0	825.7	24	071	1	256
60	-13.1	825.1	24	052	1	257
65	-13.1	824.6	24	039	1	258
70	-13.2	824.1	24	031	1	258
75	-13.2	823.5	24	026	2	259
80	-13.3	823.0	24	022	2	260
85	-13.3	822.5	24	019	2	260
90	-13.4	821.9	24	016	2	261
95	-13.4	821.4	24	014	3	262
100	-13.5	820.8	24	013	3	262
105	-13.5	820.3	24	012	3	263
110	-13.5	819.7	24	011	4	264
115	-13.6	819.2	24	010	4	264
120	-13.6	818.7	24	009	4	265
125	-13.6	818.1	24	010	4	266
130	-13.7	817.6	24	010	4	266
135	-13.7	817.1	24	011	3	267
140	-13.8	816.5	24	011	3	268
145	-13.8	816.0	24	012	3	268
150	-13.8	815.4	24	013	3	269
155	-13.9	814.9	24	014	2	270
160	-13.9	814.4	24	015	2	270
165	-13.9	813.8	24	017	2	271
170	-13.9	813.3	24	019	2	271
175	-13.9	812.8	24	022	1	272
180	-14.0	812.3	24	027	1	273
185	-14.0	811.7	24	035	1	273
190	-14.0	811.1	24	050	1	274
195	-14.0	810.6	24	079	0	275
200	-14.1	810.1	24	108	0	275
205	-14.1	809.5	24	101	1	276
210	-14.1	809.0	24	097	1	277
215	-14.1	808.5	24	095	1	277
220	-14.1	807.9	24	093	1	278
225	-14.1	807.4	24	092	1	279
230	-14.1	806.9	24	091	2	279
235	-14.1	806.3	24	091	2	280
240	-14.1	805.8	24	090	2	280

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
245	-14.1	805.3	24	090	2	281
250	-14.1	804.7	24	089	3	282
255	-14.1	804.2	24	089	3	282
260	-14.1	803.7	24	089	3	283
265	-14.1	803.1	24	088	3	284
270	-14.1	802.6	24	088	3	284
275	-14.2	802.1	24	088	4	285
280	-14.2	801.6	24	088	4	285
285	-14.2	801.1	24	088	4	286
290	-14.3	800.6	24	088	4	287
295	-14.3	800.1	24	088	4	287
300	-14.3	799.5	24	088	4	288
305	-14.4	798.9	24	088	4	289
310	-14.4	798.4	24	089	4	289
315	-14.4	797.9	24	089	4	290
320	-14.5	797.3	23	089	4	291
325	-14.5	796.8	23	089	5	291
330	-14.5	796.3	23	089	5	292
335	-14.5	795.7	23	089	5	293
340	-14.6	795.2	23	089	5	293
345	-14.6	794.7	23	089	5	294
350	-14.6	794.2	23	090	5	295
355	-14.6	793.6	23	090	5	295
360	-14.6	793.1	23	091	5	296
365	-14.7	792.6	23	092	5	297
370	-14.7	792.1	23	092	5	297
375	-14.7	791.5	23	093	5	298
380	-14.7	791.0	23	093	5	298
385	-14.7	790.5	23	094	5	299
390	-14.7	790.0	23	095	5	300
395	-14.7	789.4	23	095	5	300
400	-14.7	788.9	23	096	5	301
405	-14.7	788.4	23	097	5	302
410	-14.7	787.9	23	097	5	302
415	-14.7	787.4	23	096	5	303
420	-14.7	786.8	23	096	5	304
425	-14.8	786.3	24	096	5	304
430	-14.8	785.8	24	095	5	305
435	-14.9	785.3	24	095	4	306
440	-14.9	784.8	24	094	4	306
445	-15.0	784.2	24	094	4	307
450	-15.0	783.7	24	093	4	308
455	-15.0	783.2	24	093	4	308
460	-15.1	782.7	24	092	4	309
465	-15.2	782.2	24	091	4	310

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
470	-15.2	781.6	24	096	4	310
475	-15.3	781.1	24	101	4	311
480	-15.4	780.6	24	106	4	312
485	-15.5	780.1	24	110	4	312
490	-15.5	779.6	25	114	5	313
495	-15.6	779.0	25	118	5	314
500	-15.7	778.5	25	121	5	315
510	-15.8	777.5	25	127	5	316
520	-15.9	776.5	26	131	6	317
530	-15.9	775.4	26	136	6	319
540	-16.0	774.4	27	137	7	320
550	-16.1	773.4	27	138	7	321
560	-16.1	772.3	27	139	8	323
570	-16.2	771.3	28	140	8	324
580	-16.2	770.3	28	140	9	325
590	-16.3	769.3	29	141	10	327
600	-16.4	768.2	29	142	10	328
610	-16.5	767.2	29	143	11	329
620	-16.5	766.2	30	145	11	331
630	-16.5	765.2	30	147	11	332
640	-16.5	764.1	30	149	12	333
650	-16.6	763.1	30	150	12	335
660	-16.5	762.1	30	151	12	336
670	-16.4	761.1	30	151	12	337
680	-16.4	760.1	29	151	11	338
690	-16.3	759.1	29	150	11	339
700	-16.2	758.1	29	150	11	340
710	-16.2	757.1	28	149	10	342
720	-16.2	756.0	27	147	10	343
730	-16.3	755.0	27	146	10	344
740	-16.2	754.0	26	144	10	345
750	-16.2	753.0	26	142	10	347
760	-16.2	752.0	25	141	10	348
770	-16.2	751.0	25	141	10	349
780	-16.2	750.0	24	140	10	350
790	-16.2	749.0	24	139	10	352
800	-16.2	748.0	23	139	10	353
810	-16.3	747.0	23	138	10	354
820	-16.3	746.0	23	137	10	355
830	-16.4	745.1	22	136	10	357
840	-16.5	744.1	22	134	10	358
850	-16.5	743.1	21	132	10	359
860	-16.6	742.1	21	131	10	361
870	-16.7	741.1	21	129	10	362
880	-16.7	740.1	21	130	10	363

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
890	-16.8	739.1	21	130	10	365
900	-16.9	738.1	20	130	10	366
910	-16.9	737.1	20	131	10	367
920	-17.0	736.2	20	131	10	369
930	-17.0	735.2	20	131	10	370
940	-17.1	734.2	20	131	10	371
950	-17.2	733.2	20	130	10	373
960	-17.4	732.2	20	130	10	374
970	-17.5	731.2	20	130	10	375
980	-17.6	730.1	20	130	10	377
990	-17.7	729.2	20	132	11	378
1000	-17.8	728.3	20	134	11	379
1050	-18.2	723.4	20	143	12	386
1100	-18.7	718.6	21	144	12	393
1150	-19.1	713.8	21	146	12	400
1200	-19.4	709.0	22	154	9	406
1250	-19.6	704.2	23	176	8	413
1300	-19.3	699.5	22	196	10	419
1350	-19.1	694.8	21	195	10	425
1400	-18.9	690.1	18	195	10	431
1450	-18.5	685.5	15	191	11	437
1500	-18.5	680.9	13	188	11	444
1550	-18.8	676.4	12	186	11	450
1600	-19.2	671.8	12	183	11	457
1650	-19.4	667.3	11	181	12	464
1700	-19.6	662.8	11	182	13	470
1750	-19.9	658.4	10	185	14	477
1800	-20.1	653.9	10	187	14	484
1850	-20.4	649.5	9	190	16	490
1900	-20.0	645.1	8	195	17	497
1950	-19.5	640.8	7	201	16	503
2000	-19.6	636.5	6	209	15	509
2050	-19.7	632.2	6	212	15	516
2100	-20.1	628.0	5	211	15	523
2150	-20.4	623.7	5	209	16	529
2200	-20.5	619.5	5	211	17	536
2250	-20.5	615.3	5	214	19	543
2300	-20.6	611.2	5	217	21	549
2350	-20.4	607.1	8	218	22	556
2400	-20.6	603.0	13	220	23	563
2450	-20.9	598.9	14	222	24	570
2500	-21.3	594.8	14	224	24	577
2550	-21.6	590.8	14	226	25	583
2600	-22.0	586.8	14	225	24	590
2650	-22.5	582.8	14	225	25	597

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
2700	-22.9	578.9	14	225	25	604
2750	-23.4	574.9	14	222	25	611
2800	-23.8	571.0	14	218	25	618
2850	-24.0	567.1	15	217	25	625
2900	-24.2	563.2	14	214	24	632
2950	-24.3	559.3	14	212	24	638
3000	-24.5	555.5	13	214	23	645
3050	-24.5	551.7	13	217	23	652
3100	-24.7	547.9	13	218	23	659
3150	-24.9	544.2	14	217	24	666
3200	-25.2	540.4	16	217	26	673
3250	-25.4	536.7	19	217	26	680
3300	-25.7	533.0	21	218	27	687
3350	-26.1	529.3	24	221	27	694
3400	-26.4	525.7	29	222	28	701
3450	-26.6	522.0	32	221	28	708
3500	-26.9	518.4	34	221	28	715
3550	-27.1	514.9	35	222	28	722
3600	-27.4	511.3	36	221	28	729
3650	-27.7	507.7	36	222	28	736
3700	-27.9	504.2	36	226	28	743
3750	-28.0	500.7	37	226	29	750
3800	-28.1	497.2	36	227	30	756
3850	-28.3	493.7	36	229	31	763
3900	-28.7	490.3	35	231	31	770
3950	-29.1	486.9	36	233	33	777
4000	-29.4	483.5	36	233	34	784
4050	-29.8	480.1	36	235	34	791
4100	-30.1	476.8	37	236	34	798
4150	-30.5	473.4	37	236	34	805
4200	-30.9	470.1	37	235	33	812
4250	-31.4	466.7	38	234	33	820
4300	-32.0	463.5	39	232	34	827
4350	-32.4	460.2	40	230	34	834
4400	-32.8	457.0	41	228	32	841
4450	-33.1	453.7	42	227	30	848
4500	-33.5	450.5	43	227	30	855
4550	-33.8	447.3	44	225	30	862
4600	-34.2	444.1	45	222	30	869
4650	-34.4	440.9	46	222	30	876
4700	-34.7	437.8	46	222	29	883
4750	-35.1	434.7	46	223	29	890
4800	-35.4	431.5	45	223	30	897
4850	-35.7	428.5	45	223	29	904
4900	-36.0	425.4	45	222	29	911

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
4950	-36.4	422.3	45	221	28	919
5000	-36.8	419.3	45	221	28	926
5100	-37.5	413.3	44	222	27	940
5200	-38.1	407.3	43	220	27	954
5300	-38.8	401.4	42	225	27	968
5400	-39.4	395.6	42	224	27	982
5500	-39.8	389.8	40	226	26	996
5600	-40.2	384.2	38	225	24	1010
5700	-40.9	378.6	37	223	24	1024
5800	-41.7	373.0	35	224	23	1038
5900	-42.4	367.6	35	220	22	1052
6000	-43.0	362.1	35	--	--	1067
6100	-43.7	356.8	38	--	--	1081
6200	-44.5	351.5	36	223	23	1095
6300	-45.0	346.3	37	222	23	1110
6400	-45.8	341.1	37	231	22	1124
6500	-46.4	336.1	37	242	22	1138
6600	-47.0	331.0	38	247	23	1153
6700	-48.0	326.0	38	249	24	1167
6800	-48.8	321.1	38	247	23	1181
6900	-49.6	316.3	39	243	24	1196
7000	-49.9	311.5	38	235	27	1210
7100	-48.1	306.7	33	240	28	1223
7200	-48.3	302.1	30	240	29	1237
7300	-48.1	297.6	27	237	30	1251
7400	-47.8	293.1	24	240	33	1265
7500	-48.0	288.7	22	243	34	1279
7600	-47.9	284.3	20	249	35	1293
7700	-47.3	280.1	18	249	38	1306
7800	-46.7	275.9	16	253	35	1320
7900	-46.4	271.7	15	251	40	1334
8000	-46.0	267.7	13	251	43	1348
8100	-45.8	263.7	11	251	42	1363
8200	-45.6	259.8	10	253	41	1377
8300	-45.1	255.9	9	251	42	1391
8400	-45.4	252.1	8	250	43	1405
8500	-45.2	248.3	7	252	42	1420
8600	-45.1	244.6	6	250	43	1434
8700	-45.2	241.0	6	252	42	1448
8800	-45.2	237.4	5	254	39	1463
8900	-45.3	233.9	5	255	41	1477
9000	-44.8	230.4	4	258	43	1492
9100	-44.5	227.0	4	263	43	1506
9200	-44.3	223.6	3	259	42	1520
9300	-44.3	220.3	3	256	42	1535

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
9400	-45.0	217.1	3	254	42	1550
9500	-44.8	213.8	2	250	44	1564
9600	-44.8	210.7	2	251	42	1579
9700	-44.7	207.5	2	249	43	1594
9800	-44.8	204.5	2	252	42	1608
9900	-44.8	201.4	2	253	42	1623
10000	-44.5	198.4	1	256	42	1637
10100	-43.9	195.5	1	255	43	1652
10200	-43.9	192.6	1	248	38	1667
10300	-43.6	189.8	1	259	39	1681
10400	-43.3	187.0	1	257	40	1696
10500	-42.9	184.2	1	255	39	1711
10600	-43.2	181.5	1	252	41	1726
10700	-43.6	178.8	1	245	39	1740
10800	-44.3	176.2	1	246	36	1755
10900	-45.0	173.6	1	250	34	1770
11000	-45.4	171.0	1	256	33	1785
11100	-44.6	168.5	1	265	39	1800
11200	-44.0	166.0	1	263	43	1815
11300	-43.6	163.5	1	259	45	1829
11400	-43.9	161.1	1	256	47	1844
11500	-43.9	158.7	1	252	46	1859
11600	-44.7	156.4	1	250	44	1874
11700	-44.9	154.1	1	251	43	1889
11800	-44.8	151.8	1	250	44	1904
11900	-44.4	149.5	1	242	39	1919
12000	-44.6	147.3	1	243	37	1934
12100	-44.6	145.1	1	238	31	1949
12200	-44.4	143.0	1	237	29	1964
12300	-45.0	140.9	1	239	26	1979
12400	-45.5	138.8	1	250	28	1994
12500	-46.2	136.7	1	256	30	2009
12600	-46.7	134.7	1	258	34	2024
12700	-47.0	132.7	1	263	35	2040
12800	-46.4	130.7	1	259	34	2054
12900	-46.1	128.7	1	263	36	2069
13000	-46.0	126.8	1	263	39	2084
13100	-45.8	124.9	1	259	41	2099
13200	-45.2	123.1	1	253	43	2114
13300	-44.8	121.2	1	244	41	2129
13400	-45.3	119.4	1	243	43	2145
13500	-45.8	117.7	1	240	42	2160
13600	-46.3	115.9	1	238	42	2175
13700	-46.8	114.2	1	235	41	2190
13800	-46.9	112.5	1	237	40	2205

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
13900	-46.2	110.8	1	231	36	2220
14000	-46.5	109.1	1	231	31	2235
14100	-46.8	107.5	1	233	27	2251
14200	-47.2	105.9	1	240	27	2266
14300	-46.7	104.3	1	247	28	2281
14400	-46.7	102.8	1	248	29	2296
14500	-46.7	101.2	1	246	30	2311
14600	-46.5	99.7	1	245	30	2326
14700	-45.8	98.2	1	243	29	2342
14800	-45.5	96.8	1	238	26	2357
14900	-45.5	95.3	1	237	25	2372
15000	-45.9	93.9	1	237	26	2387
15100	-46.6	92.5	1	242	24	2402
15200	-46.9	91.1	1	249	26	2418
15300	-46.9	89.8	1	247	28	2433
15400	-46.9	88.4	1	248	28	2448
15500	-47.1	87.1	1	255	31	2463
15600	-46.7	85.8	1	253	33	2479
15700	-46.4	84.5	1	244	29	2494
15800	-46.5	83.3	1	242	26	2509
15900	-46.5	82.0	1	249	25	2524
16000	-46.0	80.8	1	259	28	2540
16100	-45.9	79.6	1	255	32	2555
16200	-45.5	78.4	1	250	32	2570
16300	-45.3	77.2	1	251	29	2586
16400	-45.3	76.1	1	257	32	2601
16500	-45.1	75.0	1	250	35	2616
16600	-44.5	73.9	1	247	33	2631
16700	-44.4	72.8	1	241	32	2647
16800	-43.8	71.7	1	242	26	2662
16900	-44.0	70.6	1	250	26	2677
17000	-44.2	69.6	1	253	28	2693
17100	-44.0	68.6	1	248	30	2708
17200	-43.3	67.6	1	239	27	2723
17300	-42.6	66.6	1	235	28	2739
17400	-43.0	65.6	1	229	25	2754
17500	-43.4	64.6	1	222	28	2769
17600	-43.6	63.7	1	224	27	2785
17700	-44.0	62.7	1	230	25	2800
17800	-44.2	61.8	1	234	24	2816
17900	-44.3	60.9	1	231	23	2831
18000	-44.7	60.0	1	231	24	2846
18100	-44.4	59.1	1	234	25	2862
18200	-44.1	58.2	1	233	27	2877
18300	-43.8	57.4	1	231	27	2893

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
18400	-43.7	56.5	1	222	23	2908
18500	-43.2	55.7	1	226	21	2923
18600	-43.2	54.9	1	237	20	2939
18700	-43.2	54.1	1	235	17	2954
18800	-43.3	53.3	1	226	20	2970
18900	-43.3	52.5	1	219	19	2985
19000	-43.3	51.7	1	234	16	3001
19100	-43.3	51.0	1	250	12	3016
19200	-43.1	50.2	1	253	15	3031
19300	-43.1	49.5	1	245	16	3047
19400	-42.9	48.8	1	228	17	3062
19500	-42.6	48.0	1	220	17	3078
19600	-42.8	47.3	1	232	12	3093
19700	-43.2	46.6	1	248	12	3109
19800	-43.8	46.0	1	263	16	3124
19900	-44.1	45.3	1	260	21	3140
20000	-44.0	44.6	1	258	21	3155
20100	-44.0	44.0	1	250	16	3171
20200	-44.0	43.3	1	249	16	3186
20300	-44.1	42.7	1	241	19	3202
20400	-44.2	42.0	1	244	23	3217
20500	-43.8	41.4	1	242	21	3233
20600	-43.7	40.8	1	243	23	3248
20700	-43.9	40.2	1	230	21	3264
20800	-43.8	39.6	1	228	23	3279
20900	-42.9	39.0	1	228	25	3295
21000	-41.5	38.5	1	210	21	3310
21100	-41.4	37.9	1	193	17	3325
21200	-41.0	37.4	1	190	12	3341
21300	-41.2	36.8	1	198	9	3357
21400	-41.6	36.3	1	218	8	3372
21500	-41.5	35.7	1	221	12	3388
21600	-41.7	35.2	1	221	17	3403
21700	-42.1	34.7	1	222	18	3419
21800	-42.2	34.2	1	208	14	3434
21900	-42.2	33.7	1	209	8	3450
22000	-41.8	33.2	1	263	7	3465
22100	-41.5	32.7	1	277	15	3481
22200	-41.5	32.2	1	274	19	3496
22300	-41.2	31.8	1	251	13	3512
22400	-41.2	31.3	1	222	12	3527
22500	-41.1	30.9	1	222	13	3543
22600	-40.9	30.4	1	235	16	3558
22700	-41.2	30.0	1	239	15	3574
22800	-41.2	29.5	1	228	17	3590

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
22900	-41.5	29.1	1	215	16	3605
23000	-41.4	28.7	1	200	16	3621
23100	-41.5	28.3	1	195	21	3636
23200	-41.4	27.9	1	192	19	3652
23300	-41.7	27.4	1	189	16	3667
23400	-42.0	27.0	1	170	12	3683
23500	-41.9	26.7	1	176	6	3699
23600	-42.3	26.3	1	246	6	3714
23700	-42.7	25.9	1	241	9	3730
23800	-42.0	25.5	1	234	10	3745
23900	-41.4	25.1	1	218	11	3761
24000	-41.2	24.8	1	234	10	3776
24100	-41.1	24.4	1	237	13	3792
24200	-40.8	24.0	1	225	16	3808
24300	-40.7	23.7	1	218	14	3823
24400	-40.3	23.4	1	210	12	3839
24500	-39.8	23.0	1	197	5	3854
24600	-39.9	22.7	1	249	2	3870
24700	-40.3	22.4	1	298	2	3885
24800	-40.5	22.0	1	275	6	3901
24900	-40.7	21.7	1	273	9	3917
25000	-41.4	21.4	1	253	14	3932
25100	-41.0	21.1	1	224	18	3948
25200	-41.0	20.8	1	198	17	3963
25300	-41.1	20.5	1	183	14	3979
25400	-41.0	20.2	1	170	11	3995
25500	-41.2	19.9	1	159	7	4010
25600	-40.8	19.6	1	178	4	4026
25700	-41.0	19.3	1	234	2	4041
25800	-40.7	19.0	1	267	6	4057
25900	-40.1	18.8	1	252	8	4073
26000	-40.2	18.5	1	227	10	4088
26100	-40.0	18.2	1	224	9	4104
26200	-40.4	18.0	1	205	8	4119
26300	-41.0	17.7	1	185	7	4135
26400	-41.7	17.4	1	182	7	4151
26500	-42.3	17.2	1	146	4	4166
26600	-42.0	16.9	1	079	1	4182
26700	-41.6	16.7	1	266	8	4198
26800	-41.4	16.4	1	254	11	4213
26900	-41.4	16.2	1	231	10	4229
27000	-40.4	16.0	1	220	11	4244
27100	-39.9	15.7	1	209	10	4260
27200	-39.7	15.5	1	237	8	4276
27300	-39.5	15.3	1	226	8	4291

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
27400	-39.3	15.1	1	216	11	4307
27500	-38.8	14.9	1	229	14	4323
27600	-38.4	14.6	1	223	17	4338
27700	-38.2	14.4	1	209	21	4354
27800	-37.7	14.2	1	209	21	4369
27900	-37.7	14.0	1	210	14	4385
28000	-37.4	13.8	1	208	14	4401
28100	-37.0	13.6	1	194	20	4416
28200	-36.3	13.4	1	189	16	4432
28300	-36.2	13.2	1	185	9	4448
28400	-36.7	13.0	1	178	3	4463
28500	-37.2	12.9	1	186	6	4479
28600	-36.8	12.7	1	207	6	4494
28700	-36.2	12.5	1	213	9	4510
28800	-36.1	12.3	1	206	14	4526
28900	-34.8	12.1	1	206	14	4541
29000	-33.8	12.0	1	216	12	4557
29100	-33.7	11.8	1	211	11	4573
29200	-33.6	11.6	1	189	14	4588
29300	-33.2	11.5	1	195	12	4604
29400	-33.0	11.3	1	184	15	4620
29500	-32.5	11.2	1	174	11	4635
29600	-32.5	11.0	1	180	15	4651
29700	-32.5	10.8	1	183	17	4666
29800	-32.6	10.7	1	183	10	4682
29900	-32.0	10.5	1	206	4	4698
30000	-32.4	10.4	1	189	6	4713
30100	-31.9	10.3	1	171	10	4729
30200	-31.3	10.1	1	190	8	4745
30300	-31.0	10.0	1	198	11	4760
30400	-31.0	9.8	2	241	8	4776
30500	-30.9	9.7	1	247	9	4792
30600	-30.4	9.6	1	232	11	4807
30700	-29.7	9.4	1	216	9	4823
30800	-29.2	9.3	1	213	6	4839
30900	-28.4	9.2	1	238	8	4854
31000	-28.2	9.0	1	243	9	4870
31100	-28.3	8.9	1	219	4	4886
31200	-28.4	8.8	1	198	4	4901
31300	-28.7	8.7	1	217	5	4917
31400	-28.8	8.6	1	251	9	4933
31500	-28.4	8.4	1	239	10	4948
31600	-27.9	8.3	1	230	8	4964
31700	-27.8	8.2	1	199	9	4980
31800	-27.9	8.1	1	190	10	4995

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
31900	-27.4	8.0	1	184	9	5011
32000	-27.0	7.9	1	177	8	5027
32100	-27.2	7.8	1	168	10	5042
32200	-26.8	7.7	1	162	14	5058
32300	-27.2	7.6	1	187	15	5074
32400	-26.9	7.5	1	202	14	5089
32500	-26.1	7.3	1	201	12	5105