

Altitude Report:

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
1	-14.1	821.0	37	075	6	248
2	-14.1	820.9	37	076	6	248
3	-14.1	820.8	37	078	6	248
4	-14.1	820.7	37	079	7	249
5	-14.1	820.6	37	079	7	249
6	-14.1	820.4	36	080	7	249
7	-14.1	820.3	36	081	7	249
8	-14.1	820.2	36	082	8	249
9	-14.1	820.1	36	083	8	249
10	-14.1	820.0	36	083	8	249
11	-14.1	819.9	36	084	8	249
12	-14.1	819.8	36	085	9	249
13	-14.1	819.7	36	085	9	250
14	-14.1	819.6	36	086	9	250
15	-14.1	819.5	36	086	9	250
16	-14.1	819.4	36	087	10	250
17	-14.1	819.3	36	087	10	250
18	-14.2	819.1	35	088	10	250
19	-14.2	819.0	35	088	10	250
20	-14.2	818.9	35	088	11	250
21	-14.2	818.8	35	089	11	251
22	-14.2	818.7	35	089	11	251
23	-14.2	818.6	35	089	11	251
24	-14.2	818.5	35	090	12	251
25	-14.2	818.4	35	090	12	251
26	-14.2	818.3	35	090	12	251
27	-14.2	818.2	35	091	12	251
28	-14.2	818.1	35	091	13	251
29	-14.2	818.0	34	091	13	252
30	-14.2	817.9	34	091	13	252
31	-14.2	817.7	34	092	13	252
32	-14.2	817.6	34	092	14	252
33	-14.2	817.5	34	092	14	252
34	-14.2	817.4	34	092	14	252
35	-14.2	817.3	34	092	14	252
36	-14.2	817.2	34	093	15	252
37	-14.2	817.1	34	093	15	253
38	-14.2	817.0	34	093	15	253
39	-14.2	816.9	34	093	15	253
40	-14.3	816.8	34	093	15	253
41	-14.3	816.7	34	094	15	253
42	-14.3	816.6	34	094	15	253
43	-14.3	816.4	34	094	15	253

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
44	-14.3	816.3	34	094	15	253
45	-14.3	816.2	34	094	15	254
46	-14.3	816.1	34	094	15	254
47	-14.3	816.0	33	094	15	254
48	-14.3	815.9	33	095	15	254
49	-14.3	815.8	33	095	15	254
50	-14.3	815.7	33	095	15	254
55	-14.4	815.1	33	096	15	255
60	-14.4	814.6	33	096	15	256
65	-14.4	814.1	32	097	15	256
70	-14.4	813.5	32	098	15	257
75	-14.5	813.0	32	098	15	257
80	-14.5	812.5	32	099	15	258
85	-14.5	811.9	31	100	15	259
90	-14.6	811.4	31	101	15	259
95	-14.6	810.8	31	101	15	260
100	-14.6	810.3	31	102	15	261
105	-14.6	809.8	30	103	15	261
110	-14.6	809.2	30	104	15	262
115	-14.6	808.7	30	104	15	262
120	-14.6	808.2	30	105	15	263
125	-14.6	807.6	29	105	15	264
130	-14.6	807.1	29	106	15	264
135	-14.6	806.6	29	107	15	265
140	-14.6	806.0	28	107	14	265
145	-14.6	805.5	28	108	14	266
150	-14.6	805.0	28	108	14	267
155	-14.6	804.4	28	109	14	267
160	-14.6	803.9	27	110	13	268
165	-14.7	803.4	27	110	13	269
170	-14.7	802.8	27	111	13	269
175	-14.7	802.2	27	112	13	270
180	-14.7	801.7	27	113	13	270
185	-14.7	801.2	26	113	12	271
190	-14.7	800.7	26	114	12	272
195	-14.8	800.2	26	115	12	272
200	-14.8	799.7	26	116	12	273
205	-14.8	799.1	26	116	12	274
210	-14.8	798.6	25	116	11	274
215	-14.8	798.1	25	116	11	275
220	-14.9	797.5	25	115	11	276
225	-14.9	797.0	25	115	10	276
230	-14.9	796.5	25	114	10	277
235	-15.0	796.0	25	114	10	278
240	-15.0	795.4	24	113	9	278

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
245	-15.1	794.9	24	113	9	279
250	-15.1	794.4	24	112	9	280
255	-15.2	793.8	24	112	8	280
260	-15.2	793.3	24	111	8	281
265	-15.3	792.8	24	111	8	282
270	-15.3	792.3	24	110	7	282
275	-15.4	791.7	24	109	7	283
280	-15.4	791.2	24	108	7	284
285	-15.4	790.7	24	107	7	284
290	-15.5	790.2	24	106	6	285
295	-15.5	789.6	24	105	6	286
300	-15.6	789.1	24	105	6	286
305	-15.6	788.6	24	106	6	287
310	-15.7	788.1	24	108	6	288
315	-15.7	787.6	24	109	6	288
320	-15.7	787.1	24	110	7	289
325	-15.8	786.5	24	112	7	290
330	-15.8	786.0	24	113	7	290
335	-15.9	785.5	24	114	7	291
340	-15.9	784.9	24	115	8	292
345	-16.0	784.4	24	116	8	292
350	-16.0	783.9	24	117	8	293
355	-16.1	783.4	24	118	9	294
360	-16.1	782.8	24	118	9	294
365	-16.1	782.3	24	119	9	295
370	-16.2	781.8	24	120	9	296
375	-16.2	781.3	24	121	10	296
380	-16.3	780.8	24	121	10	297
385	-16.3	780.2	24	122	10	298
390	-16.4	779.7	24	123	10	298
395	-16.4	779.2	24	124	10	299
400	-16.4	778.7	24	125	10	300
405	-16.5	778.2	24	126	10	300
410	-16.5	777.6	24	128	9	301
415	-16.6	777.1	25	129	9	302
420	-16.6	776.6	25	131	9	302
425	-16.6	776.1	25	132	9	303
430	-16.7	775.6	25	134	9	304
435	-16.7	775.1	25	136	9	304
440	-16.7	774.6	25	137	8	305
445	-16.8	774.1	25	139	8	306
450	-16.8	773.5	25	142	8	306
455	-16.8	773.0	25	144	8	307
460	-16.9	772.5	25	146	8	308
465	-16.9	772.0	25	149	8	308

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
470	-17.0	771.4	25	151	7	309
475	-17.0	770.9	25	150	8	310
480	-17.0	770.4	25	149	8	310
485	-17.1	769.9	25	148	8	311
490	-17.1	769.4	25	147	8	312
495	-17.1	768.9	26	146	8	312
500	-17.2	768.4	26	145	8	313
510	-17.2	767.3	26	143	8	314
520	-17.3	766.3	26	141	8	316
530	-17.4	765.3	26	139	8	317
540	-17.4	764.3	26	138	8	318
550	-17.5	763.3	26	138	8	319
560	-17.6	762.2	26	138	9	321
570	-17.6	761.2	26	139	9	322
580	-17.7	760.2	26	139	9	323
590	-17.8	759.2	26	140	9	325
600	-17.9	758.1	26	141	9	326
610	-18.0	757.1	26	140	10	327
620	-18.1	756.1	26	139	10	329
630	-18.1	755.1	26	139	11	330
640	-18.2	754.1	26	138	11	332
650	-18.3	753.1	26	137	12	333
660	-18.4	752.1	27	137	12	334
670	-18.5	751.0	27	137	12	336
680	-18.5	750.0	27	136	12	337
690	-18.6	749.0	27	136	12	338
700	-18.6	748.0	27	136	12	339
710	-18.6	747.0	27	136	12	341
720	-18.6	746.0	27	134	12	342
730	-18.5	745.0	27	132	13	343
740	-18.5	744.0	26	131	13	344
750	-18.5	743.0	26	129	13	346
760	-18.6	742.0	25	128	14	347
770	-18.6	741.0	25	127	14	348
780	-18.7	740.0	25	126	14	350
790	-18.8	739.0	25	126	14	351
800	-18.9	738.0	25	125	14	352
810	-18.9	737.0	24	125	14	354
820	-19.0	736.1	24	124	14	355
830	-19.1	735.1	24	123	14	356
840	-19.2	734.1	24	122	14	358
850	-19.2	733.1	24	122	14	359
860	-19.3	732.1	24	121	14	360
870	-19.3	731.1	24	120	14	361
880	-19.4	730.1	24	119	14	363

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
890	-19.5	729.1	23	119	13	364
900	-19.6	728.1	23	118	13	365
910	-19.6	727.2	23	118	13	367
920	-19.7	726.2	23	117	13	368
930	-19.8	725.2	23	117	13	369
940	-19.9	724.2	23	116	13	371
950	-20.0	723.3	23	116	13	372
960	-20.1	722.3	23	118	14	374
970	-20.2	721.3	23	120	14	375
980	-20.3	720.3	23	122	14	376
990	-20.3	719.4	23	124	15	378
1000	-20.4	718.4	23	126	15	379
1050	-20.7	713.5	23	129	16	386
1100	-20.9	708.7	23	122	17	392
1150	-21.3	703.9	23	118	19	399
1200	-21.7	699.1	23	115	21	406
1250	-22.1	694.4	23	114	22	412
1300	-22.5	689.7	23	113	23	419
1350	-23.0	685.0	24	114	24	426
1400	-23.5	680.3	24	117	25	433
1450	-24.0	675.7	24	115	26	440
1500	-24.5	671.0	25	107	27	446
1550	-24.8	666.4	25	101	28	453
1600	-25.1	661.8	26	097	28	460
1650	-25.5	657.3	26	093	29	467
1700	-25.8	652.8	26	092	29	473
1750	-26.2	648.3	27	090	28	480
1800	-26.6	643.8	27	090	28	487
1850	-27.1	639.3	28	090	28	494
1900	-27.5	634.9	28	089	29	501
1950	-28.0	630.5	29	088	29	508
2000	-28.4	626.1	29	092	29	514
2050	-28.9	621.8	30	097	28	521
2100	-29.2	617.4	31	097	28	528
2150	-29.6	613.1	31	098	27	535
2200	-29.9	608.8	32	098	26	542
2250	-30.2	604.5	33	099	25	548
2300	-30.6	600.3	33	101	25	555
2350	-31.0	596.0	34	101	24	562
2400	-31.5	591.8	35	098	22	569
2450	-31.7	587.7	36	102	20	576
2500	-31.6	583.5	36	102	16	582
2550	-30.6	579.4	36	096	13	588
2600	-30.8	575.3	35	090	12	595
2650	-31.2	571.3	35	089	11	602

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
2700	-31.6	567.3	34	099	10	608
2750	-31.9	563.3	34	118	10	615
2800	-32.2	559.3	34	115	10	622
2850	-32.6	555.3	34	114	10	629
2900	-33.2	551.4	34	124	11	636
2950	-33.5	547.5	34	130	12	643
3000	-33.5	543.6	34	131	13	649
3050	-33.2	539.7	33	131	13	656
3100	-33.2	535.9	33	129	13	662
3150	-33.2	532.1	32	124	12	669
3200	-33.4	528.3	31	122	13	675
3250	-33.7	524.5	30	123	13	682
3300	-34.1	520.8	29	124	13	689
3350	-34.5	517.1	29	121	12	696
3400	-34.8	513.4	29	120	12	703
3450	-35.0	509.7	28	126	12	710
3500	-35.4	506.1	28	128	11	717
3550	-35.8	502.4	28	130	11	723
3600	-36.2	498.8	28	132	12	730
3650	-36.6	495.2	28	130	12	737
3700	-37.0	491.7	28	130	12	744
3750	-37.3	488.1	28	125	13	751
3800	-37.7	484.6	28	121	13	758
3850	-38.1	481.1	28	120	14	765
3900	-38.4	477.6	28	127	13	772
3950	-38.8	474.1	28	128	14	779
4000	-39.1	470.7	28	127	15	786
4050	-39.5	467.3	29	126	15	793
4100	-40.1	463.8	29	126	15	800
4150	-40.5	460.5	29	127	15	807
4200	-41.0	457.1	30	127	16	814
4250	-41.5	453.7	30	118	17	821
4300	-41.9	450.4	31	123	17	828
4350	-42.2	447.1	31	127	17	835
4400	-42.5	443.8	31	129	17	842
4450	-42.9	440.5	32	130	17	849
4500	-43.2	437.2	32	130	18	856
4550	-43.4	434.0	32	128	19	863
4600	-43.6	430.8	32	125	20	870
4650	-44.0	427.6	32	123	21	877
4700	-44.4	424.4	32	121	21	884
4750	-44.8	421.2	33	119	21	891
4800	-45.1	418.1	33	115	20	898
4850	-45.5	415.0	33	110	20	905
4900	-45.7	411.9	33	109	22	912

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
4950	-45.9	408.8	33	108	23	919
5000	-45.8	405.7	33	109	26	926
5100	-45.4	399.7	31	115	25	939
5200	-45.0	393.7	30	134	20	952
5300	-45.6	387.9	29	142	16	966
5400	-46.2	382.1	29	144	14	981
5500	-47.1	376.3	28	147	14	995
5600	-47.9	370.7	27	145	13	1009
5700	-48.5	365.1	26	137	14	1023
5800	-49.1	359.6	26	122	13	1037
5900	-49.8	354.1	25	110	13	1051
6000	-50.3	348.7	25	114	14	1065
6100	-49.4	343.4	24	134	13	1079
6200	-49.0	338.2	23	133	13	1092
6300	-48.3	333.1	22	155	16	1106
6400	-47.6	328.1	21	152	22	1119
6500	-45.7	323.2	20	153	21	1132
6600	-45.5	318.4	19	158	16	1146
6700	-45.4	313.6	17	177	15	1160
6800	-44.9	309.0	16	178	13	1174
6900	-44.9	304.4	15	180	10	1188
7000	-44.7	299.9	14	171	11	1202
7100	-44.8	295.4	12	174	14	1216
7200	-43.5	291.0	11	178	14	1230
7300	-43.5	286.7	11	194	12	1244
7400	-44.2	282.5	10	195	11	1258
7500	-44.5	278.3	9	191	11	1273
7600	-44.6	274.2	8	191	13	1287
7700	-44.2	270.1	7	186	15	1301
7800	-43.4	266.1	7	197	12	1315
7900	-43.9	262.2	6	194	15	1329
8000	-43.8	258.3	6	187	15	1344
8100	-43.7	254.5	5	188	17	1358
8200	-43.1	250.8	5	191	19	1372
8300	-42.8	247.1	4	197	18	1387
8400	-42.6	243.4	4	193	17	1401
8500	-42.2	239.9	4	194	18	1415
8600	-42.1	236.3	3	189	18	1430
8700	-42.2	232.9	3	186	18	1444
8800	-42.1	229.5	3	190	17	1459
8900	-42.3	226.1	3	190	19	1473
9000	-41.8	222.8	2	194	15	1488
9100	-42.1	219.5	2	209	15	1503
9200	-42.5	216.3	2	215	17	1517
9300	-42.9	213.1	2	210	18	1532

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
9400	-42.7	210.0	2	210	21	1547
9500	-42.5	206.9	1	210	21	1561
9600	-42.4	203.8	1	213	22	1576
9700	-42.5	200.9	1	210	22	1591
9800	-42.5	197.9	1	207	22	1605
9900	-42.6	195.0	1	207	25	1620
10000	-41.8	192.1	1	203	24	1635
10100	-41.5	189.3	1	196	23	1649
10200	-41.0	186.6	1	205	21	1664
10300	-41.0	183.8	1	213	18	1679
10400	-41.1	181.2	1	219	16	1693
10500	-41.4	178.5	1	217	17	1708
10600	-41.5	175.9	1	232	15	1723
10700	-41.9	173.3	1	235	16	1738
10800	-42.5	170.8	1	235	17	1753
10900	-42.7	168.3	1	229	19	1768
11000	-42.8	165.8	1	232	20	1783
11100	-43.3	163.3	1	226	19	1798
11200	-43.0	160.9	1	221	23	1813
11300	-42.8	158.6	1	218	22	1828
11400	-42.5	156.3	1	215	22	1842
11500	-42.3	154.0	1	213	22	1857
11600	-42.7	151.7	1	218	22	1872
11700	-42.9	149.5	1	215	25	1887
11800	-43.2	147.3	1	209	26	1902
11900	-43.4	145.1	1	210	27	1917
12000	-43.5	143.0	1	211	26	1932
12100	-43.2	140.9	1	215	23	1947
12200	-43.4	138.8	1	223	22	1962
12300	-43.3	136.7	1	223	22	1977
12400	-43.2	134.7	1	233	21	1992
12500	-43.2	132.7	1	232	23	2007
12600	-42.3	130.8	1	219	22	2022
12700	-42.0	128.9	1	214	20	2037
12800	-41.6	127.0	1	216	14	2052
12900	-42.1	125.1	1	217	15	2067
13000	-42.5	123.3	1	229	14	2083
13100	-43.0	121.5	1	237	14	2098
13200	-43.7	119.7	1	234	14	2113
13300	-44.3	117.9	1	222	15	2128
13400	-44.5	116.2	1	222	17	2143
13500	-44.7	114.5	1	222	18	2158
13600	-44.4	112.8	1	220	16	2174
13700	-44.3	111.1	1	222	17	2189
13800	-43.7	109.5	1	222	16	2204

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
13900	-43.6	107.8	1	229	16	2219
14000	-43.3	106.3	1	230	11	2234
14100	-43.3	104.7	1	250	12	2249
14200	-43.4	103.2	1	251	14	2264
14300	-43.1	101.6	1	240	15	2279
14400	-43.0	100.1	1	241	18	2295
14500	-43.2	98.7	1	251	20	2310
14600	-44.1	97.2	1	253	23	2325
14700	-44.9	95.8	1	254	26	2341
14800	-45.0	94.4	1	247	28	2356
14900	-45.3	93.0	1	240	25	2371
15000	-45.8	91.6	1	230	24	2386
15100	-45.5	90.2	1	213	25	2402
15200	-44.2	88.9	1	212	20	2417
15300	-42.9	87.6	1	219	17	2432
15400	-42.6	86.3	1	236	20	2447
15500	-42.5	85.0	1	238	22	2462
15600	-42.5	83.8	1	235	23	2477
15700	-42.7	82.5	1	238	23	2493
15800	-42.1	81.3	1	233	25	2508
15900	-42.1	80.1	1	223	23	2523
16000	-42.4	79.0	1	218	23	2539
16100	-42.2	77.8	1	214	18	2554
16200	-42.3	76.7	1	220	12	2569
16300	-42.2	75.6	1	261	8	2585
16400	-42.8	74.4	1	282	10	2600
16500	-43.7	73.3	1	289	12	2615
16600	-44.4	72.3	1	290	15	2631
16700	-44.7	71.2	1	271	18	2646
16800	-44.9	70.1	1	263	20	2662
16900	-44.6	69.1	1	250	24	2677
17000	-44.7	68.1	1	241	26	2692
17100	-44.6	67.1	1	234	25	2708
17200	-44.0	66.1	1	229	26	2723
17300	-43.5	65.1	1	226	24	2738
17400	-43.1	64.2	1	230	23	2754
17500	-42.7	63.2	1	237	25	2769
17600	-42.8	62.3	1	244	26	2784
17700	-42.6	61.4	1	239	27	2800
17800	-42.8	60.5	1	236	29	2815
17900	-42.5	59.6	1	236	28	2830
18000	-42.0	58.7	1	234	26	2846
18100	-41.3	57.9	1	230	24	2861
18200	-41.2	57.0	1	220	24	2877
18300	-41.5	56.2	1	219	20	2892

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
18400	-41.7	55.4	1	219	16	2907
18500	-41.7	54.6	1	219	15	2923
18600	-41.6	53.8	1	213	14	2938
18700	-41.3	53.0	1	225	11	2954
18800	-41.6	52.2	1	245	10	2969
18900	-41.8	51.4	1	237	13	2985
19000	-41.7	50.7	1	234	10	3000
19100	-42.1	49.9	1	224	8	3016
19200	-42.3	49.2	1	242	7	3031
19300	-42.5	48.5	1	292	7	3047
19400	-43.0	47.8	1	288	9	3062
19500	-43.4	47.1	1	276	15	3077
19600	-43.6	46.4	1	267	17	3093
19700	-43.8	45.7	1	254	16	3108
19800	-44.0	45.0	1	242	14	3124
19900	-43.8	44.4	1	240	16	3139
20000	-44.0	43.7	1	233	19	3155
20100	-43.4	43.1	1	230	20	3170
20200	-43.1	42.4	1	222	19	3186
20300	-43.3	41.8	1	222	17	3201
20400	-42.9	41.2	1	226	20	3217
20500	-42.6	40.6	1	220	22	3232
20600	-42.4	40.0	1	214	20	3248
20700	-42.2	39.4	1	198	15	3263
20800	-41.8	38.8	1	180	8	3279
20900	-41.4	38.3	1	206	6	3294
21000	-41.5	37.7	1	251	9	3310
21100	-41.5	37.2	1	227	10	3325
21200	-41.3	36.6	1	219	6	3341
21300	-41.2	36.1	1	247	5	3356
21400	-41.3	35.6	1	283	5	3372
21500	-41.8	35.1	1	260	5	3387
21600	-41.8	34.5	1	235	7	3403
21700	-41.5	34.0	1	238	10	3418
21800	-40.8	33.5	1	250	14	3434
21900	-40.5	33.1	1	234	15	3449
22000	-40.3	32.6	1	214	15	3465
22100	-40.4	32.1	1	205	16	3480
22200	-40.9	31.6	1	207	13	3496
22300	-41.4	31.2	1	205	9	3512
22400	-41.8	30.7	1	209	6	3527
22500	-41.8	30.3	1	232	7	3543
22600	-41.5	29.8	1	256	10	3558
22700	-41.3	29.4	1	245	12	3574
22800	-40.9	29.0	1	232	11	3589

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
22900	-40.8	28.6	1	229	11	3605
23000	-40.8	28.1	1	258	10	3620
23100	-40.5	27.7	1	261	14	3636
23200	-40.4	27.3	1	255	17	3652
23300	-40.4	26.9	1	247	16	3667
23400	-40.4	26.5	1	240	14	3683
23500	-40.9	26.2	1	223	9	3698
23600	-41.2	25.8	1	179	4	3714
23700	-41.8	25.4	1	147	2	3730
23800	-42.1	25.0	1	292	3	3745
23900	-41.6	24.7	1	274	8	3761
24000	-41.1	24.3	1	276	12	3776
24100	-41.4	24.0	1	269	14	3792
24200	-41.3	23.6	1	245	13	3807
24300	-41.6	23.3	1	216	12	3823
24400	-41.5	22.9	1	190	10	3839
24500	-41.6	22.6	1	167	6	3854
24600	-41.7	22.3	1	171	3	3870
24700	-41.9	21.9	1	235	3	3885
24800	-42.0	21.6	1	229	8	3901
24900	-41.6	21.3	1	209	12	3917
25000	-41.3	21.0	1	189	14	3932
25100	-41.3	20.7	1	174	15	3948
25200	-41.5	20.4	1	155	11	3963
25300	-41.7	20.1	1	131	7	3979
25400	-41.5	19.8	1	082	4	3995
25500	-41.2	19.5	1	347	3	4010
25600	-40.9	19.2	1	250	2	4026
25700	-40.4	18.9	1	199	5	4041
25800	-40.3	18.7	1	165	9	4057
25900	-40.3	18.4	1	172	9	4073
26000	-40.3	18.1	1	190	7	4088
26100	-40.4	17.9	1	235	6	4104
26200	-40.7	17.6	1	188	3	4119
26300	-40.3	17.4	1	217	4	4135
26400	-40.4	17.1	1	218	9	4151
26500	-40.2	16.9	1	227	9	4166
26600	-40.3	16.6	1	220	7	4182
26700	-39.8	16.4	1	192	9	4197
26800	-39.2	16.1	1	171	8	4213
26900	-38.8	15.9	1	142	6	4229
27000	-38.4	15.7	1	085	5	4244
27100	-38.3	15.4	1	020	2	4260
27200	-38.6	15.2	1	331	4	4276
27300	-39.0	15.0	1	302	6	4291

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
27400	-38.8	14.8	1	258	6	4307
27500	-38.6	14.6	1	189	5	4322
27600	-38.8	14.4	1	148	7	4338
27700	-38.8	14.2	1	128	8	4354
27800	-38.4	14.0	1	089	9	4369
27900	-38.4	13.8	1	052	7	4385
28000	-37.9	13.6	1	197	5	4401
28100	-37.2	13.4	1	191	13	4416
28200	-36.4	13.2	1	166	12	4432
28300	-35.8	13.0	1	141	9	4447
28400	-35.2	12.8	1	139	10	4463
28500	-34.7	12.6	1	129	12	4479
28600	-34.5	12.4	1	119	10	4494
28700	-34.1	12.3	1	092	9	4510
28800	-33.8	12.1	1	062	10	4526
28900	-33.3	11.9	1	032	5	4541
29000	-33.2	11.8	1	289	4	4557
29100	-33.1	11.6	1	243	4	4573
29200	-32.7	11.4	1	174	5	4588
29300	-32.3	11.3	1	121	7	4604
29400	-32.5	11.1	1	085	12	4619
29500	-32.4	11.0	1	070	12	4635
29600	-32.7	10.8	1	042	11	4651
29700	-32.9	10.7	1	029	11	4666
29800	-32.5	10.5	1	018	11	4682