

Altitude Report:

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
1	-5.9	836.6	43	063	7	245
2	-6.0	836.5	43	063	7	246
3	-6.0	836.4	43	064	7	246
4	-6.0	836.3	43	065	7	246
5	-6.1	836.2	43	065	7	246
6	-6.1	836.1	42	066	7	246
7	-6.2	835.9	42	066	7	246
8	-6.2	835.8	42	067	7	246
9	-6.2	835.7	42	068	7	247
10	-6.3	835.6	42	068	7	247
11	-6.3	835.5	42	069	7	247
12	-6.3	835.4	42	069	7	247
13	-6.4	835.3	42	070	7	247
14	-6.4	835.2	42	070	7	247
15	-6.4	835.1	42	071	8	248
16	-6.5	835.0	41	072	8	248
17	-6.5	834.9	41	072	8	248
18	-6.5	834.8	41	073	8	248
19	-6.6	834.7	41	073	8	248
20	-6.6	834.6	41	074	8	248
21	-6.7	834.4	41	074	8	248
22	-6.7	834.3	41	075	8	249
23	-6.7	834.2	41	075	8	249
24	-6.8	834.1	41	076	8	249
25	-6.8	834.0	41	076	8	249
26	-6.8	833.9	40	077	8	249
27	-6.9	833.8	40	077	8	249
28	-6.9	833.7	40	077	8	250
29	-6.9	833.6	40	078	8	250
30	-7.0	833.5	40	078	8	250
31	-7.0	833.4	40	079	8	250
32	-7.0	833.3	40	079	9	250
33	-7.0	833.2	40	080	9	250
34	-7.0	833.1	40	080	9	250
35	-7.1	833.0	40	080	9	250
36	-7.1	832.8	40	081	9	251
37	-7.1	832.7	40	081	9	251
38	-7.1	832.6	40	082	9	251
39	-7.1	832.5	40	082	9	251
40	-7.1	832.4	40	082	9	251
41	-7.1	832.3	40	083	9	251
42	-7.1	832.2	40	083	9	251
43	-7.1	832.1	40	084	9	252

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
44	-7.1	832.0	40	083	9	252
45	-7.1	831.9	40	083	9	252
46	-7.2	831.8	40	082	9	252
47	-7.2	831.7	40	082	9	252
48	-7.2	831.6	40	082	9	252
49	-7.2	831.5	40	081	9	252
50	-7.2	831.3	40	081	9	253
55	-7.2	830.9	40	078	9	253
60	-7.3	830.4	40	076	9	254
65	-7.3	829.9	40	074	10	255
70	-7.4	829.2	39	071	10	255
75	-7.5	828.7	39	069	10	256
80	-7.5	828.1	39	066	10	257
85	-7.6	827.6	39	064	10	257
90	-7.6	827.1	39	062	10	258
95	-7.7	826.5	39	060	10	259
100	-7.7	826.0	39	057	11	259
105	-7.8	825.5	39	055	11	260
110	-7.8	824.9	39	053	11	261
115	-7.8	824.4	38	052	11	261
120	-7.9	823.9	38	052	12	262
125	-7.9	823.4	38	054	12	263
130	-8.0	822.8	38	055	12	263
135	-8.0	822.3	38	057	12	264
140	-8.1	821.8	38	059	12	265
145	-8.1	821.2	37	060	12	265
150	-8.1	820.7	37	062	12	266
155	-8.2	820.2	37	064	12	266
160	-8.2	819.6	37	065	12	267
165	-8.2	819.1	37	067	12	268
170	-8.3	818.6	36	068	12	268
175	-8.3	818.1	36	070	12	269
180	-8.3	817.5	36	071	12	270
185	-8.4	817.0	36	073	12	270
190	-8.4	816.5	36	073	12	271
195	-8.4	815.9	35	072	12	272
200	-8.5	815.4	35	071	12	272
205	-8.5	814.9	35	070	12	273
210	-8.5	814.4	34	069	11	274
215	-8.5	813.8	34	068	11	274
220	-8.5	813.3	33	067	11	275
225	-8.5	812.8	33	066	11	275
230	-8.5	812.3	32	065	10	276
235	-8.5	811.7	32	064	10	277
240	-8.5	811.2	31	063	10	277

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
245	-8.5	810.7	31	061	10	278
250	-8.6	810.2	30	060	10	278
255	-8.6	809.6	30	058	9	279
260	-8.7	809.1	30	059	9	280
265	-8.7	808.6	30	062	9	280
270	-8.7	808.0	30	064	9	281
275	-8.8	807.5	30	067	9	282
280	-8.8	807.0	30	069	9	282
285	-8.9	806.5	30	072	9	283
290	-8.9	806.0	29	075	9	284
295	-8.9	805.5	29	077	9	284
300	-9.0	804.9	29	080	9	285
305	-9.0	804.4	29	082	9	286
310	-9.1	803.9	29	085	9	286
315	-9.1	803.4	29	088	9	287
320	-9.1	802.9	29	090	9	288
325	-9.2	802.3	29	093	9	288
330	-9.2	801.8	29	095	9	289
335	-9.3	801.3	29	094	9	290
340	-9.3	800.8	30	094	8	290
345	-9.4	800.3	30	093	8	291
350	-9.4	799.7	30	092	8	292
355	-9.4	799.2	30	091	8	293
360	-9.5	798.7	30	090	7	293
365	-9.5	798.2	30	089	7	294
370	-9.6	797.7	30	088	7	295
375	-9.6	797.2	30	086	7	295
380	-9.7	796.6	30	085	6	296
385	-9.8	796.1	30	083	6	297
390	-9.8	795.6	31	081	6	297
395	-9.9	795.1	31	079	6	298
400	-9.9	794.6	31	077	5	299
405	-10.0	794.0	31	078	5	299
410	-10.0	793.5	31	078	5	300
415	-10.1	793.0	31	078	6	301
420	-10.1	792.5	31	079	6	301
425	-10.1	792.0	32	079	6	302
430	-10.2	791.5	32	079	6	303
435	-10.2	790.9	32	080	6	303
440	-10.2	790.4	32	080	6	304
445	-10.3	789.9	32	080	6	305
450	-10.3	789.4	32	081	6	305
455	-10.4	788.9	32	081	6	306
460	-10.4	788.4	32	081	6	307
465	-10.4	787.9	32	082	6	307

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
470	-10.5	787.3	32	083	6	308
475	-10.5	786.8	32	084	7	309
480	-10.6	786.3	32	085	7	309
485	-10.6	785.8	32	086	7	310
490	-10.6	785.3	32	087	8	311
495	-10.7	784.8	32	088	8	311
500	-10.7	784.3	32	088	8	312
510	-10.8	783.3	32	090	9	313
520	-10.9	782.2	32	091	9	315
530	-10.9	781.2	32	092	10	316
540	-11.0	780.2	32	092	10	317
550	-11.1	779.2	32	092	10	319
560	-11.1	778.2	32	091	10	320
570	-11.1	777.2	32	091	10	321
580	-11.2	776.1	31	091	11	323
590	-11.2	775.1	31	091	11	324
600	-11.3	774.1	31	091	11	325
610	-11.3	773.1	31	092	11	327
620	-11.3	772.1	30	093	11	328
630	-11.4	771.1	30	094	11	329
640	-11.4	770.1	30	096	11	330
650	-11.4	769.1	29	097	11	332
660	-11.4	768.1	29	098	11	333
670	-11.4	767.1	28	100	11	334
680	-11.5	766.1	28	102	11	335
690	-11.5	765.1	28	104	11	337
700	-11.5	764.1	28	106	11	338
710	-11.6	763.1	28	108	11	339
720	-11.7	762.1	28	110	11	341
730	-11.9	761.1	28	112	11	342
740	-12.0	760.1	28	115	10	344
750	-12.1	759.1	28	118	10	345
760	-12.2	758.1	28	121	10	346
770	-12.3	757.1	29	125	9	348
780	-12.4	756.1	29	129	9	349
790	-12.5	755.1	29	132	9	350
800	-12.6	754.1	29	132	9	352
810	-12.7	753.1	30	132	9	353
820	-12.8	752.1	30	133	9	355
830	-12.9	751.1	30	133	9	356
840	-12.9	750.2	30	134	9	357
850	-13.0	749.2	30	134	9	359
860	-13.0	748.2	30	133	9	360
870	-13.1	747.2	30	132	9	361
880	-13.1	746.2	30	131	9	363

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
890	-13.2	745.2	30	130	9	364
900	-13.3	744.3	30	129	9	365
910	-13.3	743.3	30	128	9	367
920	-13.4	742.3	30	126	9	368
930	-13.5	741.3	30	125	9	369
940	-13.5	740.3	30	124	10	371
950	-13.6	739.4	31	123	10	372
960	-13.7	738.4	31	122	10	373
970	-13.7	737.4	31	123	10	375
980	-13.8	736.4	31	124	11	376
990	-13.8	735.5	31	124	11	377
1000	-13.8	734.5	31	125	11	379
1050	-14.2	729.7	31	124	9	385
1100	-14.6	724.9	29	124	6	392
1150	-14.7	720.1	26	119	4	398
1200	-14.8	715.4	22	094	4	405
1250	-15.1	710.6	19	076	5	411
1300	-15.4	705.9	16	070	4	418
1350	-15.8	701.2	14	068	4	424
1400	-16.3	696.6	14	053	4	431
1450	-16.8	692.0	14	048	6	438
1500	-17.2	687.3	14	044	8	445
1550	-17.5	682.8	12	042	8	451
1600	-17.8	678.2	11	047	7	458
1650	-18.2	673.7	11	043	5	465
1700	-18.6	669.2	11	054	4	472
1750	-18.5	664.7	10	094	3	478
1800	-18.7	660.2	9	126	3	484
1850	-18.9	655.8	10	131	4	491
1900	-19.1	651.4	10	109	3	498
1950	-19.4	647.0	10	083	4	505
2000	-19.6	642.7	10	088	5	511
2050	-19.4	638.4	10	102	5	518
2100	-18.6	634.1	11	114	4	524
2150	-18.8	629.8	11	109	3	530
2200	-19.2	625.6	11	086	4	537
2250	-19.2	621.4	11	092	4	544
2300	-19.4	617.2	12	121	4	551
2350	-19.7	613.1	12	134	5	557
2400	-19.7	609.0	11	130	5	564
2450	-19.5	604.9	11	137	5	570
2500	-19.7	600.8	10	148	5	577
2550	-20.1	596.8	11	157	5	584
2600	-20.6	592.7	11	164	4	591
2650	-21.0	588.8	12	164	3	598

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
2700	-21.4	584.8	13	161	3	605
2750	-21.7	580.8	15	156	4	612
2800	-21.9	576.9	15	152	5	619
2850	-22.3	572.9	15	151	5	626
2900	-22.6	569.0	16	150	4	632
2950	-22.9	565.2	18	144	3	639
3000	-22.9	561.3	20	111	1	646
3050	-22.9	557.5	23	080	2	653
3100	-23.0	553.7	23	035	1	660
3150	-23.4	549.9	23	276	0	667
3200	-23.8	546.2	23	220	1	674
3250	-24.2	542.4	24	231	2	681
3300	-24.5	538.7	23	243	3	688
3350	-25.0	535.0	23	246	4	695
3400	-25.3	531.3	22	239	4	702
3450	-25.8	527.7	22	250	4	709
3500	-26.3	524.1	22	278	4	716
3550	-26.6	520.4	22	300	4	723
3600	-26.8	516.8	21	319	5	729
3650	-27.2	513.3	21	337	4	736
3700	-27.6	509.7	21	344	5	743
3750	-27.9	506.2	20	336	6	750
3800	-28.2	502.6	20	321	7	757
3850	-28.5	499.1	19	306	8	764
3900	-28.8	495.7	17	290	6	771
3950	-29.1	492.2	15	276	6	778
4000	-29.4	488.8	13	264	4	784
4050	-29.9	485.3	12	258	4	791
4100	-30.1	481.9	12	267	4	798
4150	-30.2	478.6	11	276	4	805
4200	-30.5	475.2	10	286	4	812
4250	-30.9	471.9	11	297	4	819
4300	-31.2	468.6	11	314	4	826
4350	-31.5	465.3	12	308	4	833
4400	-31.8	462.0	13	304	4	840
4450	-32.2	458.7	13	312	3	847
4500	-32.6	455.5	13	309	3	854
4550	-32.9	452.2	13	322	3	861
4600	-33.1	449.0	13	306	3	868
4650	-33.4	445.8	13	312	5	875
4700	-33.8	442.7	14	317	5	882
4750	-34.2	439.5	15	321	5	890
4800	-34.7	436.4	16	324	7	897
4850	-35.1	433.3	17	319	7	904
4900	-35.3	430.2	16	310	7	911

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
4950	-35.3	427.1	13	301	8	917
5000	-35.5	424.0	13	290	8	924
5100	-36.1	418.0	10	294	7	938
5200	-36.6	412.0	9	297	7	952
5300	-37.4	406.0	8	289	6	966
5400	-38.2	400.2	8	283	6	981
5500	-39.1	394.4	8	280	7	995
5600	-39.9	388.7	8	281	6	1009
5700	-40.7	383.0	8	273	5	1023
5800	-41.6	377.4	8	275	5	1038
5900	-42.4	371.9	9	288	6	1052
6000	-43.1	366.4	9	292	7	1066
6100	-44.0	361.0	9	287	7	1081
6200	-44.8	355.6	9	281	7	1095
6300	-45.6	350.3	9	283	6	1109
6400	-46.4	345.1	9	289	6	1124
6500	-47.2	339.9	9	259	4	1138
6600	-47.8	334.8	10	248	2	1152
6700	-48.7	329.8	10	272	4	1167
6800	-49.5	324.8	10	279	4	1181
6900	-50.3	319.9	11	294	4	1195
7000	-51.1	315.0	11	291	5	1210
7100	-51.9	310.2	11	308	5	1224
7200	-52.9	305.4	12	303	5	1239
7300	-53.8	300.7	13	316	5	1253
7400	-54.5	296.0	13	319	5	1268
7500	-55.1	291.4	13	306	4	1282
7600	-55.8	286.9	14	321	5	1297
7700	-56.6	282.4	14	301	6	1311
7800	-57.0	278.0	14	304	7	1326
7900	-57.6	273.6	14	304	9	1340
8000	-58.2	269.3	15	305	7	1354
8100	-58.4	265.1	15	303	6	1369
8200	-59.0	260.9	15	336	5	1383
8300	-59.5	256.8	15	016	5	1398
8400	-60.0	252.7	16	356	4	1412
8500	-60.8	248.7	16	336	5	1427
8600	-61.4	244.7	17	067	3	1441
8700	-61.7	240.8	17	068	3	1456
8800	-61.7	236.9	18	058	3	1470
8900	-62.1	233.1	18	076	3	1485
9000	-62.2	229.4	18	119	5	1499
9100	-62.3	225.7	17	075	4	1513
9200	-62.3	222.1	16	351	4	1528
9300	-61.8	218.5	16	273	3	1542

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
9400	-61.3	215.0	16	072	0	1556
9500	-60.2	211.6	15	331	3	1570
9600	-60.0	208.2	15	288	4	1584
9700	-59.3	204.9	14	313	3	1598
9800	-58.8	201.7	13	257	4	1613
9900	-58.4	198.5	12	250	4	1627
10000	-58.0	195.4	11	250	2	1641
10100	-57.6	192.3	10	327	4	1656
10200	-57.3	189.3	10	296	1	1670
10300	-56.9	186.3	9	154	4	1685
10400	-56.9	183.4	8	020	4	1699
10500	-56.5	180.5	8	306	4	1714
10600	-56.3	177.7	7	307	2	1728
10700	-56.4	174.9	7	347	4	1743
10800	-56.6	172.2	6	307	6	1758
10900	-56.5	169.5	6	279	7	1773
11000	-56.4	166.9	6	258	6	1787
11100	-55.7	164.3	5	257	4	1802
11200	-54.8	161.7	5	279	4	1816
11300	-54.7	159.2	4	302	4	1831
11400	-55.0	156.7	4	278	6	1846
11500	-55.1	154.3	4	256	5	1861
11600	-55.2	151.9	3	242	8	1876
11700	-55.4	149.5	3	222	9	1890
11800	-54.9	147.2	3	186	10	1905
11900	-54.7	144.9	3	153	5	1920
12000	-54.3	142.7	2	008	2	1935
12100	-53.6	140.5	2	329	6	1950
12200	-53.4	138.3	2	306	6	1964
12300	-52.8	136.2	2	272	5	1979
12400	-52.6	134.1	2	270	3	1994
12500	-52.7	132.0	1	295	5	2009
12600	-52.3	130.0	1	286	8	2024
12700	-52.3	128.0	1	270	8	2039
12800	-51.9	126.1	1	262	6	2054
12900	-51.1	124.1	1	256	8	2069
13000	-50.8	122.3	1	255	8	2084
13100	-50.4	120.4	1	268	9	2099
13200	-50.7	118.6	1	270	7	2114
13300	-50.9	116.8	1	298	6	2129
13400	-50.3	115.0	1	273	9	2144
13500	-50.4	113.2	1	251	10	2159
13600	-50.0	111.5	1	262	6	2174
13700	-49.4	109.8	1	283	5	2189
13800	-49.4	108.2	1	287	7	2204

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
13900	-49.6	106.5	1	268	5	2219
14000	-49.8	104.9	1	267	5	2235
14100	-49.0	103.3	1	286	6	2250
14200	-48.5	101.8	1	298	8	2265
14300	-48.1	100.3	1	291	4	2280
14400	-47.8	98.7	1	261	5	2295
14500	-47.2	97.3	1	274	9	2310
14600	-47.1	95.8	1	266	9	2325
14700	-46.6	94.4	1	261	6	2340
14800	-45.7	93.0	1	274	7	2355
14900	-45.1	91.6	1	285	8	2371
15000	-44.4	90.2	1	280	9	2386
15100	-43.6	88.9	1	264	13	2401
15200	-42.9	87.6	1	271	15	2416
15300	-42.7	86.3	1	278	13	2431
15400	-43.0	85.0	1	285	13	2447
15500	-42.7	83.8	1	256	11	2462
15600	-42.3	82.6	1	254	12	2477
15700	-42.5	81.4	1	268	14	2492
15800	-42.3	80.2	1	270	16	2508
15900	-42.2	79.0	1	255	13	2523
16000	-42.3	77.8	1	254	11	2538
16100	-42.0	76.7	1	258	9	2554
16200	-41.3	75.6	1	267	9	2569
16300	-40.6	74.5	1	287	8	2584
16400	-40.4	73.4	1	295	8	2599
16500	-40.0	72.3	1	270	10	2615
16600	-40.3	71.3	1	269	12	2630
16700	-40.4	70.2	1	266	18	2645
16800	-40.3	69.2	1	253	16	2661
16900	-40.4	68.2	1	242	14	2676
17000	-40.2	67.2	1	236	9	2691
17100	-39.6	66.2	1	229	5	2707
17200	-38.8	65.3	1	247	5	2722
17300	-38.4	64.4	1	263	7	2737
17400	-38.3	63.4	1	259	8	2753
17500	-38.4	62.5	1	264	9	2768
17600	-38.3	61.6	1	287	9	2784
17700	-38.2	60.7	1	269	10	2799
17800	-37.7	59.9	1	264	9	2814
17900	-37.9	59.0	1	247	9	2830
18000	-37.6	58.1	1	240	11	2845
18100	-37.4	57.3	1	234	8	2861
18200	-37.5	56.5	1	248	6	2876
18300	-37.3	55.7	1	245	6	2892

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
18400	-37.1	54.9	1	246	8	2907
18500	-36.9	54.1	1	208	7	2922
18600	-36.6	53.3	1	195	5	2938
18700	-35.9	52.6	1	165	3	2953
18800	-35.7	51.8	1	189	3	2969
18900	-35.6	51.1	1	205	2	2984
19000	-35.6	50.4	1	175	3	3000
19100	-35.7	49.6	1	172	2	3015
19200	-34.8	48.9	1	185	5	3030
19300	-34.9	48.2	1	156	5	3046
19400	-34.4	47.6	1	155	3	3061
19500	-34.3	46.9	1	146	3	3077
19600	-34.2	46.2	1	112	5	3092
19700	-33.8	45.6	1	092	2	3108
19800	-33.7	44.9	1	125	5	3123
19900	-33.4	44.3	1	118	6	3139
20000	-33.5	43.7	1	114	6	3154
20100	-33.4	43.0	1	107	6	3170
20200	-33.5	42.4	1	081	9	3185
20300	-33.3	41.8	1	094	7	3201
20400	-33.3	41.3	1	079	7	3216
20500	-33.3	40.7	1	106	3	3232
20600	-33.3	40.1	1	123	3	3247
20700	-32.5	39.5	1	132	4	3263
20800	-32.8	39.0	1	121	5	3278
20900	-32.3	38.4	1	122	6	3294
21000	-31.7	37.9	1	119	9	3309
21100	-31.6	37.4	1	106	9	3325
21200	-31.5	36.8	1	101	11	3340
21300	-31.4	36.3	1	089	14	3356
21400	-31.5	35.8	1	091	13	3371
21500	-31.7	35.3	1	070	11	3387
21600	-31.3	34.8	1	065	9	3402
21700	-31.6	34.3	1	056	10	3418
21800	-31.9	33.9	1	039	7	3434
21900	-31.5	33.4	1	030	7	3449
22000	-31.0	32.9	1	076	6	3465
22100	-30.4	32.5	1	087	7	3480
22200	-30.0	32.0	1	083	7	3496
22300	-29.6	31.6	1	093	6	3511
22400	-29.9	31.1	1	101	6	3527
22500	-30.1	30.7	1	103	8	3542
22600	-30.1	30.3	1	105	8	3558
22700	-30.2	29.9	1	109	9	3574
22800	-30.1	29.4	1	089	5	3589

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
22900	-30.7	29.0	1	043	3	3605
23000	-30.5	28.6	1	133	3	3620
23100	-30.6	28.2	1	105	5	3636
23200	-31.0	27.8	1	116	5	3651
23300	-31.0	27.4	1	132	7	3667
23400	-31.0	27.1	1	136	6	3683
23500	-30.8	26.7	1	121	8	3698
23600	-30.8	26.3	1	114	10	3714
23700	-31.1	25.9	1	123	11	3729
23800	-31.0	25.6	1	141	12	3745
23900	-30.9	25.2	1	140	13	3760
24000	-31.0	24.9	1	126	14	3776
24100	-31.2	24.5	1	111	17	3792
24200	-31.1	24.2	1	100	21	3807
24300	-30.8	23.9	1	097	27	3823
24400	-30.4	23.5	1	098	24	3838
24500	-30.2	23.2	1	093	19	3854
24600	-30.0	22.9	1	099	18	3870
24700	-29.8	22.6	1	108	13	3885
24800	-29.6	22.2	1	116	13	3901
24900	-29.4	21.9	1	105	17	3916
25000	-29.4	21.6	1	100	23	3932
25100	-29.6	21.3	1	100	27	3948
25200	-29.3	21.0	1	095	20	3963
25300	-28.9	20.7	1	089	22	3979
25400	-28.4	20.5	1	096	19	3994
25500	-28.1	20.2	1	119	17	4010
25600	-28.1	19.9	1	114	20	4026
25700	-28.4	19.6	1	108	22	4041
25800	-28.3	19.4	1	109	20	4057
25900	-28.2	19.1	1	120	17	4072
26000	-28.2	18.8	1	133	18	4088
26100	-28.1	18.6	1	119	16	4104
26200	-27.7	18.3	1	117	20	4119
26300	-27.7	18.1	1	110	20	4135
26400	-27.4	17.8	1	109	22	4151
26500	-27.6	17.6	1	113	19	4166
26600	-27.5	17.3	1	104	23	4182
26700	-27.2	17.1	1	090	23	4197
26800	-27.1	16.9	1	086	25	4213
26900	-27.1	16.6	1	083	21	4229
27000	-26.2	16.4	1	132	8	4244
27100	-25.8	16.2	1	053	7	4260
27200	-26.6	16.0	1	098	15	4275
27300	-26.2	15.7	1	112	14	4291

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
27400	-26.4	15.5	1	112	19	4307
27500	-26.1	15.3	1	126	19	4322
27600	-26.4	15.1	1	--	--	4338
27700	-26.2	14.9	1	--	--	4354
27800	-26.3	14.7	1	--	--	4369
27900	-26.1	14.5	1	--	--	4385
28000	-26.0	14.3	1	--	--	4401
28100	-25.3	14.1	1	142	13	4416
28200	-25.0	13.9	1	088	13	4432
28300	-24.9	13.7	1	153	11	4447
28400	-24.6	13.5	1	164	12	4463
28500	-24.7	13.3	1	110	7	4479
28600	-25.1	13.2	1	150	14	4494
28700	-24.6	13.0	1	120	11	4510
28800	-25.2	12.8	1	107	13	4526
28900	-25.2	12.6	1	097	16	4541
29000	-25.5	12.5	1	102	24	4557
29100	-25.6	12.3	1	103	18	4573
29200	-25.1	12.1	1	134	12	4588
29300	-24.9	12.0	1	123	16	4604
29400	-25.0	11.8	1	121	19	4620
29500	-24.7	11.6	1	094	17	4635
29600	-25.0	11.5	1	099	20	4651
29700	-24.8	11.3	1	103	20	4667
29800	-24.6	11.2	1	129	15	4682