

**Altitude Report:**

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
1	-6.8	825.4	42	291	4	243
2	-6.9	825.3	42	291	4	243
3	-6.9	825.2	42	291	4	243
4	-7.0	825.1	42	291	4	243
5	-7.0	825.0	42	291	4	244
6	-7.1	824.9	42	291	4	244
7	-7.1	824.8	41	291	4	244
8	-7.2	824.7	41	291	4	244
9	-7.2	824.5	41	291	4	244
10	-7.3	824.4	41	291	4	244
11	-7.3	824.3	41	291	4	245
12	-7.3	824.2	41	291	4	245
13	-7.4	824.1	41	291	4	245
14	-7.4	824.0	41	291	4	245
15	-7.5	823.9	41	291	4	245
16	-7.5	823.8	41	291	4	245
17	-7.6	823.7	41	291	4	245
18	-7.6	823.6	41	291	4	246
19	-7.7	823.5	40	291	4	246
20	-7.7	823.4	40	291	4	246
21	-7.7	823.3	40	291	4	246
22	-7.8	823.2	40	291	4	246
23	-7.8	823.1	40	291	4	246
24	-7.9	823.0	40	291	4	247
25	-7.9	822.8	40	291	4	247
26	-8.0	822.7	40	291	4	247
27	-8.0	822.6	40	291	4	247
28	-8.0	822.5	40	291	4	247
29	-8.0	822.4	40	291	4	247
30	-8.1	822.3	40	291	4	248
31	-8.1	822.2	40	291	4	248
32	-8.1	822.1	40	291	4	248
33	-8.1	822.0	40	291	4	248
34	-8.1	821.9	40	291	4	248
35	-8.1	821.8	40	291	4	248
36	-8.1	821.7	40	291	4	248
37	-8.1	821.6	40	291	4	248
38	-8.1	821.5	40	291	4	249
39	-8.1	821.4	40	291	4	249
40	-8.2	821.3	40	291	4	249
41	-8.2	821.1	40	291	4	249
42	-8.2	821.0	40	291	4	249
43	-8.2	820.9	40	291	3	249

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
44	-8.2	820.8	40	292	3	249
45	-8.2	820.7	40	292	3	250
46	-8.2	820.6	40	292	3	250
47	-8.2	820.5	40	292	3	250
48	-8.2	820.4	40	292	3	250
49	-8.2	820.3	40	292	3	250
50	-8.3	820.2	40	292	3	250
55	-8.3	819.7	40	293	3	251
60	-8.4	819.2	41	294	3	252
65	-8.4	818.6	41	295	3	252
70	-8.5	818.1	41	296	3	253
75	-8.5	817.6	41	297	3	254
80	-8.6	817.0	41	298	3	254
85	-8.6	816.5	41	299	3	255
90	-8.7	816.0	41	300	3	256
95	-8.7	815.4	42	301	3	256
100	-8.8	814.9	42	302	3	257
105	-8.8	814.4	42	303	3	258
110	-8.9	813.9	42	305	3	258
115	-8.9	813.3	42	308	3	259
120	-9.0	812.8	42	311	3	260
125	-9.0	812.3	42	315	3	261
130	-9.1	811.8	42	318	3	261
135	-9.1	811.2	43	322	3	262
140	-9.2	810.7	43	325	3	263
145	-9.2	810.2	43	329	3	263
150	-9.3	809.6	43	332	3	264
155	-9.3	809.1	43	336	3	265
160	-9.4	808.6	43	339	3	265
165	-9.4	808.0	44	342	3	266
170	-9.5	807.5	44	345	3	267
175	-9.5	807.0	44	348	3	267
180	-9.6	806.5	44	351	3	268
185	-9.6	806.0	44	356	3	269
190	-9.6	805.5	44	360	3	269
195	-9.7	804.9	45	004	4	270
200	-9.7	804.4	45	008	4	271
205	-9.8	803.9	45	010	4	271
210	-9.8	803.4	45	013	5	272
215	-9.9	802.8	45	015	5	273
220	-9.9	802.3	45	017	5	274
225	-10.0	801.8	46	018	6	274
230	-10.0	801.3	46	020	6	275
235	-10.0	800.8	46	021	6	276
240	-10.1	800.2	46	022	7	276

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
245	-10.1	799.7	46	023	7	277
250	-10.2	799.2	47	024	7	278
255	-10.2	798.7	47	025	8	278
260	-10.3	798.2	47	026	8	279
265	-10.3	797.7	47	028	8	280
270	-10.3	797.1	47	030	8	280
275	-10.4	796.6	47	032	8	281
280	-10.4	796.1	47	034	8	282
285	-10.5	795.6	47	036	8	282
290	-10.5	795.1	48	038	8	283
295	-10.5	794.5	48	040	8	284
300	-10.6	794.0	48	043	9	284
305	-10.6	793.5	48	044	9	285
310	-10.7	793.0	48	046	9	286
315	-10.7	792.5	48	048	9	286
320	-10.7	791.9	48	050	9	287
325	-10.8	791.4	48	052	9	288
330	-10.8	790.9	48	054	9	288
335	-10.9	790.4	48	054	9	289
340	-10.9	789.9	48	054	10	290
345	-10.9	789.4	48	054	10	290
350	-11.0	788.9	48	054	10	291
355	-11.0	788.3	48	054	10	292
360	-11.0	787.8	47	054	10	292
365	-11.0	787.3	47	054	10	293
370	-11.0	786.8	47	054	10	294
375	-11.0	786.3	47	054	10	294
380	-11.1	785.8	47	054	11	295
385	-11.1	785.3	47	054	11	295
390	-11.1	784.7	46	054	11	296
395	-11.1	784.2	46	054	11	297
400	-11.1	783.7	45	053	11	297
405	-11.1	783.2	45	053	11	298
410	-11.1	782.7	44	053	10	299
415	-11.1	782.2	44	052	10	299
420	-11.1	781.7	44	052	9	300
425	-11.2	781.2	43	051	9	300
430	-11.2	780.7	43	051	9	301
435	-11.2	780.2	43	050	8	302
440	-11.2	779.6	43	050	8	302
445	-11.3	779.1	43	049	7	303
450	-11.3	778.6	42	048	7	304
455	-11.3	778.1	42	047	6	304
460	-11.4	777.6	42	046	6	305
465	-11.4	777.1	42	046	6	306

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
470	-11.4	776.6	42	050	6	306
475	-11.5	776.1	42	054	5	307
480	-11.5	775.6	42	058	5	308
485	-11.6	775.1	42	062	5	308
490	-11.6	774.6	42	066	5	309
495	-11.6	774.1	42	070	5	310
500	-11.7	773.5	42	074	5	310
510	-11.7	772.5	42	082	5	312
520	-11.8	771.5	42	090	5	313
530	-11.9	770.5	42	098	5	314
540	-12.0	769.5	42	098	5	316
550	-12.1	768.5	42	099	5	317
560	-12.1	767.5	42	099	5	318
570	-12.2	766.5	42	100	5	320
580	-12.3	765.5	42	100	5	321
590	-12.3	764.5	42	101	4	322
600	-12.4	763.5	41	100	4	324
610	-12.5	762.5	41	098	5	325
620	-12.5	761.5	41	097	5	326
630	-12.6	760.5	41	095	5	328
640	-12.6	759.5	40	094	5	329
650	-12.7	758.5	40	095	6	330
660	-12.7	757.5	39	098	6	332
670	-12.8	756.5	39	100	7	333
680	-12.8	755.5	39	102	8	334
690	-12.9	754.5	38	103	9	335
700	-12.9	753.5	38	104	9	337
710	-12.9	752.5	38	104	10	338
720	-13.0	751.5	37	103	10	339
730	-13.0	750.6	37	103	10	341
740	-13.0	749.6	37	102	10	342
750	-13.0	748.6	36	102	11	343
760	-13.0	747.6	36	102	11	344
770	-13.1	746.6	36	102	11	346
780	-13.1	745.6	36	102	11	347
790	-13.2	744.6	36	102	11	348
800	-13.3	743.7	36	103	11	350
810	-13.4	742.7	36	105	10	351
820	-13.5	741.7	36	107	10	352
830	-13.6	740.7	37	110	10	354
840	-13.7	739.8	38	112	10	355
850	-13.8	738.8	38	114	9	357
860	-13.8	737.8	38	116	9	358
870	-13.9	736.8	38	118	9	359
880	-14.0	735.9	38	120	9	361

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
890	-14.1	734.9	39	121	9	362
900	-14.2	733.9	39	122	9	363
910	-14.3	733.0	39	122	9	365
920	-14.4	732.0	39	123	9	366
930	-14.5	731.0	39	123	9	368
940	-14.6	730.0	39	123	9	369
950	-14.7	729.1	40	124	9	370
960	-14.8	728.1	40	124	9	372
970	-14.9	727.2	40	125	9	373
980	-15.0	726.2	40	125	9	374
990	-15.1	725.2	41	125	9	376
1000	-15.2	724.3	41	124	9	377
1050	-15.6	719.5	42	121	10	384
1100	-16.0	714.7	43	118	10	391
1150	-16.4	710.0	45	116	11	398
1200	-16.7	705.3	45	109	11	404
1250	-16.9	700.6	44	099	11	411
1300	-17.0	695.9	40	091	10	417
1350	-17.3	691.3	35	082	8	424
1400	-17.4	686.7	30	075	8	430
1450	-17.8	682.1	28	078	7	437
1500	-18.2	677.5	27	069	6	443
1550	-18.6	673.0	25	047	6	450
1600	-19.0	668.5	24	049	7	457
1650	-19.4	664.0	23	053	6	463
1700	-19.9	659.5	22	069	6	470
1750	-20.2	655.1	21	083	7	477
1800	-20.1	650.7	20	081	8	483
1850	-20.2	646.3	19	064	9	490
1900	-20.4	641.9	19	059	10	497
1950	-20.3	637.6	17	066	9	503
2000	-20.5	633.3	15	057	10	509
2050	-20.5	629.0	16	051	9	516
2100	-20.1	624.8	24	049	5	523
2150	-20.1	620.6	30	048	5	530
2200	-20.3	616.4	30	056	5	536
2250	-20.4	612.2	29	063	4	543
2300	-20.7	608.1	28	062	4	550
2350	-20.8	604.0	26	061	5	556
2400	-21.1	599.9	25	072	4	563
2450	-21.3	595.9	25	073	3	570
2500	-21.6	591.8	25	061	4	576
2550	-21.8	587.8	24	052	5	583
2600	-22.2	583.8	25	040	5	590
2650	-22.5	579.8	26	029	5	597

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
2700	-22.8	575.9	26	009	5	604
2750	-23.0	572.0	26	008	5	611
2800	-23.3	568.1	27	009	5	618
2850	-23.7	564.2	27	017	5	625
2900	-24.0	560.3	23	001	4	631
2950	-24.3	556.5	20	353	3	638
3000	-24.5	552.7	18	008	4	645
3050	-24.8	548.9	17	358	5	651
3100	-25.1	545.1	16	342	5	658
3150	-25.3	541.4	14	339	6	665
3200	-25.3	537.7	10	348	6	671
3250	-25.4	534.0	10	347	6	678
3300	-25.8	530.3	11	338	7	685
3350	-26.1	526.6	11	344	7	692
3400	-26.4	523.0	11	350	6	699
3450	-26.8	519.4	13	348	6	706
3500	-27.2	515.8	16	345	7	713
3550	-27.6	512.2	18	342	7	720
3600	-27.9	508.7	20	342	7	727
3650	-28.3	505.1	20	332	7	734
3700	-28.7	501.6	20	328	8	741
3750	-29.3	498.1	21	323	8	749
3800	-29.5	494.6	24	323	9	756
3850	-29.9	491.2	25	320	8	763
3900	-30.3	487.7	26	316	8	770
3950	-30.7	484.3	27	313	9	777
4000	-31.0	480.9	25	306	10	784
4050	-31.3	477.5	25	306	10	791
4100	-31.7	474.1	24	308	10	798
4150	-32.0	470.8	22	304	10	804
4200	-32.2	467.5	20	303	11	811
4250	-32.5	464.2	18	302	12	818
4300	-32.7	460.9	15	303	11	825
4350	-33.2	457.6	15	303	12	832
4400	-33.5	454.4	14	300	14	839
4450	-33.7	451.1	15	297	14	846
4500	-34.1	447.9	16	298	14	853
4550	-34.4	444.7	16	300	13	860
4600	-34.7	441.5	14	300	13	867
4650	-35.1	438.4	13	298	12	874
4700	-35.5	435.3	12	297	13	881
4750	-35.9	432.1	12	295	14	888
4800	-36.1	429.0	13	298	14	895
4850	-36.4	425.9	14	298	14	902
4900	-36.7	422.9	14	299	15	909

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
4950	-37.1	419.8	13	300	14	916
5000	-37.6	416.8	13	303	15	923
5100	-38.2	410.8	13	300	15	937
5200	-39.1	404.8	13	296	16	952
5300	-39.9	399.0	13	295	15	966
5400	-40.6	393.1	13	295	16	980
5500	-41.3	387.4	14	297	16	994
5600	-42.2	381.7	15	305	17	1008
5700	-43.0	376.1	15	311	18	1023
5800	-43.7	370.6	15	312	19	1037
5900	-44.6	365.1	15	313	19	1051
6000	-45.4	359.6	16	313	19	1066
6100	-46.2	354.3	16	314	19	1080
6200	-47.0	349.0	16	316	19	1094
6300	-47.8	343.7	17	311	19	1109
6400	-48.4	338.6	17	312	18	1123
6500	-49.3	333.4	17	312	19	1137
6600	-50.0	328.4	17	316	20	1152
6700	-50.7	323.4	16	315	20	1166
6800	-51.5	318.4	16	318	20	1180
6900	-52.3	313.6	16	318	20	1195
7000	-52.9	308.7	16	315	20	1209
7100	-53.6	304.0	17	313	20	1223
7200	-54.4	299.3	21	314	19	1238
7300	-55.2	294.6	23	319	20	1253
7400	-56.0	290.0	25	319	21	1267
7500	-56.8	285.5	27	325	21	1282
7600	-57.4	281.0	27	322	21	1296
7700	-57.6	276.6	26	314	21	1311
7800	-57.6	272.3	25	308	19	1325
7900	-58.5	268.0	24	311	18	1339
8000	-59.1	263.7	24	313	18	1354
8100	-59.5	259.6	24	316	19	1368
8200	-60.1	255.4	24	313	19	1382
8300	-60.8	251.4	24	316	20	1397
8400	-61.2	247.4	24	318	22	1411
8500	-61.1	243.4	25	309	20	1426
8600	-62.0	239.5	25	311	18	1440
8700	-62.1	235.7	24	316	18	1455
8800	-61.2	231.9	24	326	17	1468
8900	-60.8	228.2	23	324	19	1483
9000	-60.2	224.6	22	312	18	1497
9100	-59.8	221.0	20	296	13	1511
9200	-59.6	217.5	18	304	13	1525
9300	-58.7	214.0	18	323	15	1539

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
9400	-58.1	210.7	17	316	12	1553
9500	-57.5	207.4	15	314	9	1567
9600	-56.9	204.1	14	311	8	1582
9700	-57.0	200.9	13	317	11	1596
9800	-56.9	197.8	12	305	10	1610
9900	-56.5	194.7	11	313	12	1625
10000	-55.6	191.6	10	295	10	1639
10100	-55.2	188.7	9	291	8	1654
10200	-55.1	185.7	8	309	6	1668
10300	-54.8	182.8	7	316	7	1683
10400	-54.5	180.0	6	304	7	1697
10500	-54.4	177.2	6	304	5	1712
10600	-54.6	174.5	5	322	8	1727
10700	-54.4	171.8	5	334	7	1741
10800	-53.9	169.1	4	324	6	1756
10900	-53.3	166.5	4	324	5	1770
11000	-53.2	163.9	3	316	3	1785
11100	-53.0	161.4	3	358	5	1800
11200	-53.0	158.9	3	330	7	1815
11300	-52.9	156.5	2	314	8	1829
11400	-52.4	154.1	2	293	6	1844
11500	-52.5	151.7	2	330	4	1859
11600	-52.3	149.4	2	324	5	1874
11700	-52.2	147.1	1	307	4	1889
11800	-51.6	144.9	1	107	2	1903
11900	-51.6	142.7	1	059	5	1918
12000	-51.3	140.5	1	027	8	1933
12100	-51.2	138.3	1	355	6	1948
12200	-50.6	136.2	1	311	2	1963
12300	-50.5	134.2	1	296	5	1978
12400	-50.6	132.1	1	245	3	1993
12500	-50.9	130.1	1	352	2	2008
12600	-50.7	128.1	1	307	4	2023
12700	-49.9	126.2	1	302	5	2038
12800	-49.5	124.3	1	281	3	2053
12900	-49.3	122.4	1	276	2	2068
13000	-49.1	120.5	1	319	1	2083
13100	-48.3	118.7	1	100	3	2098
13200	-48.7	116.9	1	102	1	2113
13300	-48.1	115.2	1	033	1	2128
13400	-47.9	113.4	1	160	1	2143
13500	-47.7	111.7	1	069	1	2158
13600	-47.5	110.1	1	221	1	2173
13700	-46.8	108.4	1	225	1	2188
13800	-46.4	106.8	1	252	3	2203



Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
13900	-45.8	105.2	1	175	3	2218
14000	-46.1	103.6	1	176	4	2234
14100	-45.8	102.1	1	205	3	2249
14200	-45.3	100.6	1	233	2	2264
14300	-44.9	99.1	1	228	4	2279
14400	-44.7	97.6	1	237	2	2294
14500	-44.3	96.2	1	216	5	2309
14600	-44.1	94.8	1	227	4	2324
14700	-43.6	93.4	1	221	5	2340
14800	-43.1	92.0	1	214	5	2355
14900	-42.8	90.6	1	185	5	2370
15000	-42.6	89.3	1	183	6	2385
15100	-42.7	88.0	1	163	5	2400
15200	-42.5	86.7	1	104	3	2416
15300	-42.1	85.4	1	082	1	2431
15400	-41.7	84.2	1	186	3	2446
15500	-41.4	82.9	1	181	5	2461
15600	-40.8	81.7	1	183	6	2477
15700	-40.7	80.6	1	170	8	2492
15800	-40.4	79.4	1	151	6	2507
15900	-40.0	78.2	1	144	6	2522
16000	-39.8	77.1	1	120	4	2538
16100	-39.5	76.0	1	120	4	2553
16200	-39.3	74.9	1	166	3	2568
16300	-39.0	73.8	1	147	4	2584
16400	-38.6	72.7	1	139	3	2599
16500	-38.1	71.7	1	184	3	2614
16600	-37.7	70.7	1	168	7	2630
16700	-37.7	69.6	1	147	6	2645
16800	-37.5	68.6	1	160	7	2660
16900	-37.5	67.7	1	151	8	2676
17000	-37.2	66.7	1	132	9	2691
17100	-36.9	65.7	1	102	8	2706
17200	-36.5	64.8	1	081	7	2722
17300	-36.1	63.9	1	099	4	2737
17400	-35.8	63.0	1	135	5	2752
17500	-35.8	62.1	1	141	4	2768
17600	-35.3	61.2	1	127	5	2783
17700	-35.6	60.3	1	122	8	2799
17800	-36.1	59.4	1	107	7	2814
17900	-36.2	58.6	1	105	7	2830
18000	-35.9	57.8	1	125	6	2845
18100	-35.9	56.9	1	130	8	2860
18200	-35.3	56.1	1	113	9	2876
18300	-34.9	55.3	1	113	8	2891

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
18400	-34.7	54.5	1	108	7	2907
18500	-34.5	53.8	1	128	9	2922
18600	-33.9	53.0	1	124	12	2937
18700	-33.7	52.3	1	120	10	2953
18800	-33.7	51.5	1	136	9	2968
18900	-33.4	50.8	1	143	10	2984
19000	-32.9	50.1	1	122	9	2999
19100	-32.9	49.4	1	130	9	3015
19200	-33.1	48.7	1	133	9	3030
19300	-33.3	48.0	1	097	8	3046
19400	-33.5	47.3	1	111	12	3061
19500	-33.9	46.7	1	115	12	3077
19600	-33.3	46.0	1	111	12	3092
19700	-32.8	45.4	1	108	12	3108
19800	-32.9	44.7	1	122	7	3123
19900	-31.9	44.1	1	139	9	3139
20000	-32.3	43.5	1	143	12	3154
20100	-32.1	42.9	1	135	13	3170
20200	-31.9	42.3	1	133	12	3185
20300	-31.5	41.7	1	127	14	3201
20400	-31.7	41.1	1	116	13	3216
20500	-31.5	40.5	1	110	15	3232
20600	-31.0	39.9	1	102	14	3247
20700	-31.1	39.4	1	110	17	3263
20800	-31.4	38.8	1	111	18	3278
20900	-31.6	38.3	1	113	19	3294
21000	-31.7	37.8	1	114	20	3309
21100	-31.9	37.2	1	110	23	3325
21200	-31.7	36.7	1	102	20	3340
21300	-31.0	36.2	1	099	17	3356
21400	-30.3	35.7	1	109	16	3371
21500	-30.1	35.2	1	112	18	3387
21600	-30.0	34.7	1	101	18	3402
21700	-29.7	34.2	1	098	19	3418
21800	-29.0	33.8	1	087	17	3433
21900	-28.9	33.3	1	065	17	3449
22000	-28.7	32.8	1	058	14	3464
22100	-28.7	32.4	1	056	10	3480
22200	-29.0	31.9	1	094	8	3496
22300	-29.2	31.5	1	100	11	3511
22400	-29.0	31.0	1	097	12	3527
22500	-28.5	30.6	1	108	15	3542
22600	-29.3	30.2	1	118	19	3558
22700	-29.5	29.8	1	121	23	3573