

Altitude Report:

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
1	-8.6	822.0	42	298	7	244
2	-8.6	821.9	42	298	7	244
3	-8.6	821.8	42	297	7	244
4	-8.7	821.7	41	297	7	244
5	-8.7	821.6	41	296	7	244
6	-8.7	821.5	41	295	7	244
7	-8.7	821.4	41	295	7	244
8	-8.7	821.2	41	294	7	244
9	-8.7	821.1	41	294	7	245
10	-8.7	821.0	40	293	7	245
11	-8.8	820.9	40	293	7	245
12	-8.8	820.8	40	292	7	245
13	-8.8	820.7	40	291	7	245
14	-8.8	820.6	40	291	7	245
15	-8.8	820.5	40	290	7	245
16	-8.8	820.4	39	290	7	245
17	-8.9	820.3	39	289	8	246
18	-8.9	820.2	39	289	8	246
19	-8.9	820.1	39	288	8	246
20	-8.9	820.0	39	288	8	246
21	-8.9	819.9	39	287	8	246
22	-8.9	819.8	39	287	8	246
23	-8.9	819.7	38	286	8	246
24	-9.0	819.6	38	286	8	247
25	-9.0	819.4	38	285	8	247
26	-9.0	819.3	38	285	8	247
27	-9.0	819.2	38	285	8	247
28	-9.0	819.1	38	284	8	247
29	-9.0	819.0	38	284	8	247
30	-9.0	818.9	38	283	8	247
31	-9.0	818.8	37	283	8	247
32	-9.1	818.7	37	282	8	248
33	-9.1	818.6	37	282	8	248
34	-9.1	818.5	37	282	8	248
35	-9.1	818.4	37	281	8	248
36	-9.1	818.3	37	281	9	248
37	-9.1	818.2	37	281	9	248
38	-9.1	818.1	37	281	9	248
39	-9.1	818.0	37	281	9	249
40	-9.1	817.9	37	281	9	249
41	-9.2	817.7	37	281	9	249
42	-9.2	817.6	37	281	9	249
43	-9.2	817.5	37	281	9	249

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
44	-9.2	817.4	37	281	9	249
45	-9.2	817.3	37	281	9	249
46	-9.2	817.2	37	281	9	249
47	-9.2	817.1	37	281	9	250
48	-9.2	817.0	37	281	9	250
49	-9.2	816.9	37	281	9	250
50	-9.2	816.8	37	281	9	250
55	-9.3	816.3	37	280	9	251
60	-9.4	815.7	37	280	9	251
65	-9.4	815.2	36	280	9	252
70	-9.5	814.7	36	280	9	253
75	-9.5	814.1	36	280	9	253
80	-9.6	813.6	36	280	9	254
85	-9.6	813.1	36	280	9	255
90	-9.7	812.6	36	280	9	255
95	-9.7	812.0	36	280	9	256
100	-9.7	811.5	36	280	9	257
105	-9.8	811.0	35	280	9	257
110	-9.8	810.5	35	279	9	258
115	-9.9	809.9	35	279	8	259
120	-9.9	809.4	35	278	8	259
125	-9.9	808.9	35	277	8	260
130	-10.0	808.4	35	276	8	261
135	-10.0	807.8	35	276	8	261
140	-10.1	807.3	35	275	7	262
145	-10.1	806.8	35	274	7	263
150	-10.1	806.3	34	273	7	263
155	-10.2	805.8	34	272	7	264
160	-10.2	805.2	34	271	7	265
165	-10.2	804.7	33	269	6	265
170	-10.3	804.2	33	268	6	266
175	-10.3	803.6	33	267	6	267
180	-10.4	803.1	32	265	6	267
185	-10.4	802.6	32	265	6	268
190	-10.4	802.1	32	264	6	268
195	-10.4	801.5	31	263	5	269
200	-10.4	801.0	31	263	5	270
205	-10.4	800.5	31	262	5	270
210	-10.4	800.0	30	261	5	271
215	-10.4	799.5	30	260	5	271
220	-10.4	798.9	30	259	5	272
225	-10.4	798.4	29	258	5	273
230	-10.4	797.9	29	257	5	273
235	-10.4	797.4	29	256	4	274
240	-10.4	796.9	28	255	4	275

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
245	-10.4	796.3	28	253	4	275
250	-10.5	795.8	28	255	4	276
255	-10.5	795.3	28	257	4	276
260	-10.5	794.8	27	260	4	277
265	-10.5	794.3	27	263	3	278
270	-10.5	793.7	27	266	3	278
275	-10.6	793.2	27	270	3	279
280	-10.6	792.7	27	275	3	280
285	-10.6	792.2	27	280	3	280
290	-10.6	791.7	27	285	2	281
295	-10.7	791.2	26	291	2	282
300	-10.7	790.7	26	298	2	282
305	-10.7	790.1	26	305	2	283
310	-10.7	789.6	26	311	2	284
315	-10.7	789.1	26	312	2	284
320	-10.8	788.6	26	312	2	285
325	-10.8	788.1	26	313	2	286
330	-10.8	787.6	26	313	3	286
335	-10.8	787.1	26	313	3	287
340	-10.9	786.5	26	314	3	288
345	-10.9	786.0	26	314	3	288
350	-10.9	785.5	26	314	3	289
355	-11.0	785.0	26	315	3	289
360	-11.0	784.5	26	315	3	290
365	-11.0	784.0	26	315	3	291
370	-11.0	783.5	26	315	3	291
375	-11.1	783.0	26	316	3	292
380	-11.1	782.4	26	318	3	293
385	-11.1	781.9	26	320	3	293
390	-11.2	781.4	26	323	3	294
395	-11.3	780.9	26	325	3	295
400	-11.3	780.4	26	328	2	296
405	-11.4	779.9	26	331	2	296
410	-11.4	779.4	26	335	2	297
415	-11.5	778.9	26	338	2	298
420	-11.6	778.4	26	342	2	298
425	-11.6	777.9	26	346	2	299
430	-11.7	777.3	27	351	2	300
435	-11.7	776.8	27	356	2	300
440	-11.8	776.3	27	360	2	301
445	-11.8	775.8	27	007	2	302
450	-11.9	775.3	27	014	2	302
455	-11.9	774.8	27	022	2	303
460	-11.9	774.3	27	031	1	304
465	-12.0	773.8	27	040	1	304

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
470	-12.0	773.3	27	049	2	305
475	-12.1	772.8	27	057	2	306
480	-12.1	772.3	28	065	2	306
485	-12.1	771.8	28	071	2	307
490	-12.2	771.3	28	077	2	308
495	-12.2	770.8	28	082	2	308
500	-12.2	770.2	28	087	2	309
510	-12.3	769.2	28	092	2	310
520	-12.4	768.2	28	095	3	312
530	-12.4	767.2	28	097	3	313
540	-12.5	766.2	27	100	3	314
550	-12.6	765.2	27	102	3	316
560	-12.7	764.2	27	104	3	317
570	-12.8	763.2	27	106	3	318
580	-12.8	762.2	27	104	3	320
590	-12.9	761.2	27	100	3	321
600	-12.9	760.2	27	097	4	322
610	-13.0	759.2	27	095	4	324
620	-13.0	758.2	27	093	4	325
630	-13.0	757.2	27	091	5	326
640	-13.1	756.2	27	090	5	328
650	-13.2	755.2	27	091	6	329
660	-13.3	754.2	27	091	7	330
670	-13.4	753.2	28	091	8	332
680	-13.5	752.2	28	091	9	333
690	-13.6	751.2	29	091	10	334
700	-13.6	750.3	29	091	10	336
710	-13.7	749.3	29	092	11	337
720	-13.8	748.3	30	092	11	339
730	-13.9	747.3	31	093	11	340
740	-13.9	746.3	31	093	11	341
750	-14.0	745.3	32	094	11	343
760	-14.0	744.3	33	094	11	344
770	-14.1	743.4	33	095	11	345
780	-14.1	742.4	33	095	11	347
790	-14.2	741.4	33	094	11	348
800	-14.3	740.4	33	094	11	349
810	-14.3	739.4	33	093	12	351
820	-14.4	738.5	33	093	12	352
830	-14.5	737.5	33	093	12	353
840	-14.5	736.5	33	092	13	355
850	-14.6	735.6	32	093	13	356
860	-14.6	734.6	32	095	12	357
870	-14.7	733.6	32	097	12	359
880	-14.7	732.6	32	099	12	360

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
890	-14.8	731.6	32	100	12	361
900	-14.9	730.7	31	102	12	363
910	-15.0	729.7	31	104	12	364
920	-15.1	728.7	31	105	12	365
930	-15.2	727.8	31	105	12	367
940	-15.2	726.8	31	106	11	368
950	-15.3	725.8	31	107	11	369
960	-15.4	724.9	31	108	11	371
970	-15.5	723.9	32	109	11	372
980	-15.6	723.0	32	110	11	373
990	-15.7	722.0	32	112	11	375
1000	-15.8	721.0	32	113	11	376
1050	-16.1	716.3	34	118	11	383
1100	-16.5	711.5	36	118	11	390
1150	-17.0	706.8	37	118	12	397
1200	-17.4	702.1	37	119	14	404
1250	-17.6	697.4	38	119	14	410
1300	-18.2	692.7	38	114	15	417
1350	-18.2	688.1	37	106	16	423
1400	-18.2	683.5	33	102	16	430
1450	-18.5	678.9	30	093	17	436
1500	-18.5	674.4	28	083	18	443
1550	-18.5	669.9	25	074	17	449
1600	-18.4	665.4	23	066	16	455
1650	-18.6	660.9	22	057	14	462
1700	-18.9	656.5	21	058	13	468
1750	-19.3	652.1	20	057	11	475
1800	-19.6	647.7	19	063	9	482
1850	-20.2	643.3	18	073	9	489
1900	-20.4	639.0	17	079	9	495
1950	-20.6	634.7	15	080	10	502
2000	-20.8	630.4	13	079	12	509
2050	-21.0	626.2	13	077	13	515
2100	-21.2	621.9	15	072	16	522
2150	-21.2	617.7	20	067	16	529
2200	-21.3	613.5	24	060	17	536
2250	-21.2	609.4	27	057	16	543
2300	-21.3	605.3	27	057	15	549
2350	-21.8	601.2	27	063	14	556
2400	-21.9	597.1	26	066	14	563
2450	-22.1	593.0	27	063	16	570
2500	-22.4	589.0	28	056	17	576
2550	-22.4	585.0	28	052	17	583
2600	-22.7	581.0	28	053	15	590
2650	-23.1	577.1	28	056	13	597

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
2700	-23.2	573.1	28	059	12	603
2750	-23.4	569.2	27	064	12	610
2800	-23.6	565.3	27	063	12	617
2850	-23.8	561.5	27	066	11	624
2900	-24.2	557.6	27	068	11	631
2950	-24.5	553.8	27	068	10	638
3000	-25.0	550.0	27	065	9	645
3050	-25.2	546.2	27	059	8	651
3100	-25.5	542.5	27	054	8	658
3150	-25.9	538.7	27	051	9	665
3200	-26.4	535.0	27	045	10	672
3250	-26.7	531.3	27	043	11	679
3300	-27.1	527.6	27	049	11	686
3350	-27.5	524.0	28	052	11	693
3400	-27.9	520.3	29	054	10	700
3450	-28.2	516.7	30	054	9	707
3500	-28.6	513.1	31	050	10	714
3550	-29.0	509.6	31	049	10	721
3600	-29.2	506.0	31	047	10	728
3650	-29.7	502.5	30	049	11	735
3700	-30.1	498.9	30	049	12	742
3750	-30.4	495.4	30	056	11	749
3800	-30.7	492.0	30	063	12	756
3850	-31.0	488.5	31	059	12	763
3900	-31.3	485.1	30	055	13	770
3950	-31.6	481.6	30	053	13	777
4000	-32.0	478.3	29	052	13	784
4050	-32.5	474.9	29	053	13	791
4100	-33.0	471.5	30	054	12	798
4150	-33.2	468.2	31	051	12	805
4200	-33.6	464.8	31	048	13	812
4250	-34.0	461.5	32	047	14	819
4300	-34.3	458.2	31	051	13	826
4350	-34.8	455.0	32	049	13	833
4400	-34.9	451.7	32	041	12	840
4450	-35.4	448.5	33	040	12	847
4500	-35.9	445.3	34	040	12	854
4550	-36.2	442.1	34	039	13	861
4600	-36.6	438.9	33	038	14	868
4650	-36.9	435.7	33	038	14	875
4700	-37.4	432.6	33	037	14	883
4750	-37.6	429.4	33	038	14	889
4800	-38.2	426.3	33	041	14	897
4850	-38.5	423.2	33	041	13	904
4900	-38.9	420.2	34	041	12	911

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
4950	-39.4	417.1	34	041	11	918
5000	-39.7	414.1	34	035	12	925
5100	-40.6	408.0	34	034	11	939
5200	-41.4	402.1	35	037	12	953
5300	-42.0	396.2	36	034	11	968
5400	-42.6	390.4	35	035	14	982
5500	-43.6	384.6	34	045	14	996
5600	-44.3	378.9	34	049	16	1010
5700	-45.0	373.3	34	042	15	1024
5800	-45.7	367.7	35	041	15	1039
5900	-46.7	362.2	36	038	14	1053
6000	-47.5	356.8	37	035	15	1067
6100	-48.4	351.4	37	032	14	1082
6200	-48.6	346.1	34	026	14	1096
6300	-49.0	340.9	33	024	16	1110
6400	-49.8	335.7	32	021	15	1124
6500	-50.2	330.6	29	011	15	1138
6600	-50.8	325.6	27	013	14	1152
6700	-51.3	320.6	26	008	13	1166
6800	-52.3	315.7	25	013	14	1180
6900	-52.8	310.9	25	011	15	1195
7000	-53.6	306.1	25	012	15	1209
7100	-54.4	301.3	24	013	14	1223
7200	-54.4	296.7	23	012	16	1237
7300	-55.3	292.1	22	010	14	1252
7400	-55.6	287.5	22	008	15	1266
7500	-55.8	283.0	22	008	17	1280
7600	-56.3	278.6	22	006	16	1295
7700	-56.6	274.3	21	004	17	1309
7800	-57.0	270.0	21	008	16	1323
7900	-57.5	265.7	21	005	15	1338
8000	-57.7	261.6	20	002	14	1352
8100	-57.8	257.4	21	003	15	1366
8200	-58.1	253.4	19	355	13	1380
8300	-57.9	249.4	20	358	11	1395
8400	-58.2	245.5	19	356	13	1409
8500	-58.2	241.6	18	352	9	1423
8600	-57.7	237.8	18	006	8	1437
8700	-57.7	234.1	17	004	10	1452
8800	-57.2	230.4	17	338	7	1466
8900	-56.8	226.8	17	344	4	1480
9000	-56.1	223.2	16	023	8	1494
9100	-54.8	219.8	15	012	6	1508
9200	-54.0	216.4	14	015	4	1522
9300	-54.1	213.0	13	329	4	1537

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
9400	-54.1	209.7	12	315	2	1551
9500	-54.0	206.5	11	298	3	1565
9600	-53.5	203.3	10	200	2	1580
9700	-53.8	200.1	10	116	3	1594
9800	-54.1	197.1	9	358	3	1609
9900	-53.5	194.0	9	296	4	1624
10000	-53.6	191.0	8	281	8	1638
10100	-53.3	188.1	8	245	7	1653
10200	-53.5	185.2	8	234	4	1667
10300	-53.2	182.3	7	197	4	1682
10400	-53.0	179.5	7	169	3	1697
10500	-52.5	176.8	6	186	5	1711
10600	-52.7	174.0	6	173	3	1726
10700	-52.3	171.4	6	205	2	1741
10800	-52.0	168.7	5	207	4	1755
10900	-51.9	166.2	5	175	6	1770
11000	-51.6	163.6	4	130	4	1785
11100	-51.8	161.1	4	131	4	1800
11200	-51.4	158.7	4	183	5	1814
11300	-51.2	156.2	4	190	8	1829
11400	-50.9	153.9	3	169	8	1844
11500	-50.5	151.5	3	177	8	1859
11600	-50.1	149.2	3	165	10	1873
11700	-49.7	147.0	3	177	8	1888
11800	-49.4	144.7	2	183	9	1903
11900	-48.8	142.5	2	187	8	1918
12000	-48.7	140.4	2	178	9	1933
12100	-48.9	138.3	2	161	7	1948
12200	-48.7	136.2	2	194	8	1963
12300	-48.8	134.1	1	198	14	1978
12400	-48.8	132.1	1	181	11	1993
12500	-48.5	130.1	1	171	11	2008
12600	-48.4	128.2	1	174	10	2023
12700	-48.7	126.2	1	172	10	2038
12800	-48.1	124.3	1	185	13	2053
12900	-48.1	122.5	1	190	12	2068
13000	-47.4	120.6	1	185	14	2083
13100	-47.5	118.8	1	173	15	2098
13200	-47.2	117.0	1	166	16	2113
13300	-46.4	115.3	1	160	13	2128
13400	-45.4	113.6	1	174	14	2143
13500	-45.2	111.9	1	172	13	2158
13600	-45.2	110.2	1	174	16	2173
13700	-45.2	108.6	1	173	16	2188
13800	-45.1	107.0	1	173	16	2203

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
13900	-44.4	105.4	1	180	16	2218
14000	-43.9	103.8	1	174	19	2233
14100	-44.4	102.3	1	174	21	2248
14200	-44.1	100.8	1	174	20	2264
14300	-43.9	99.3	1	178	20	2279
14400	-43.6	97.8	1	171	21	2294
14500	-43.3	96.4	1	169	22	2309
14600	-43.0	95.0	1	168	21	2324
14700	-42.8	93.6	1	162	23	2340
14800	-41.8	92.2	1	163	23	2355
14900	-41.7	90.9	1	162	24	2370
15000	-41.5	89.5	1	164	24	2385
15100	-41.8	88.2	1	163	22	2400
15200	-41.7	86.9	1	164	25	2416
15300	-40.3	85.7	1	168	25	2431
15400	-39.9	84.4	1	167	26	2446
15500	-39.8	83.2	1	164	25	2461
15600	-39.6	82.0	1	164	24	2477
15700	-39.4	80.8	1	165	22	2492
15800	-38.4	79.6	1	160	24	2507
15900	-37.8	78.5	1	158	23	2522
16000	-38.4	77.4	1	165	22	2538
16100	-37.7	76.3	1	165	20	2553
16200	-38.2	75.2	1	169	22	2568
16300	-38.5	74.1	1	168	22	2584
16400	-38.0	73.0	1	170	23	2599
16500	-38.3	72.0	1	170	22	2614
16600	-38.5	70.9	1	164	22	2630
16700	-37.9	69.9	1	162	23	2645
16800	-37.1	68.9	1	163	24	2660
16900	-37.0	67.9	1	162	20	2676
17000	-37.1	66.9	1	161	21	2691
17100	-36.6	66.0	1	165	22	2706
17200	-36.6	65.0	1	162	22	2722
17300	-36.3	64.1	1	164	24	2737
17400	-36.0	63.2	1	166	24	2753
17500	-36.3	62.3	1	161	26	2768
17600	-35.8	61.4	1	161	22	2783
17700	-35.7	60.5	1	164	19	2799
17800	-35.6	59.7	1	163	21	2814
17900	-35.2	58.8	1	163	23	2830
18000	-34.4	58.0	1	156	24	2845
18100	-33.8	57.2	1	152	23	2860
18200	-34.1	56.4	1	147	24	2876
18300	-34.1	55.6	1	141	21	2891

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
18400	-34.7	54.8	1	155	17	2907
18500	-35.1	54.0	1	156	19	2922
18600	-34.7	53.2	1	154	19	2938
18700	-34.5	52.5	1	154	20	2953
18800	-34.3	51.7	1	161	21	2968
18900	-34.0	51.0	1	153	22	2984
19000	-33.8	50.3	1	147	23	2999
19100	-33.6	49.6	1	149	18	3015
19200	-33.8	48.9	1	144	19	3030
19300	-33.6	48.2	1	165	14	3046
19400	-33.1	47.5	1	168	23	3061
19500	-33.0	46.8	1	163	27	3077
19600	-32.7	46.2	1	147	26	3092
19700	-32.0	45.5	1	150	25	3108
19800	-31.8	44.9	1	144	24	3123
19900	-31.8	44.3	1	145	22	3139
20000	-31.2	43.6	1	144	22	3154
20100	-30.7	43.0	1	133	21	3170
20200	-30.9	42.4	1	137	20	3185
20300	-30.8	41.8	1	144	23	3201
20400	-30.7	41.3	1	139	19	3216
20500	-30.4	40.7	1	143	16	3232
20600	-30.0	40.1	1	144	14	3247
20700	-30.5	39.6	1	141	16	3263
20800	-31.3	39.0	1	136	18	3278
20900	-31.6	38.5	1	137	21	3294
21000	-30.8	37.9	1	151	22	3309
21100	-30.1	37.4	1	151	22	3325
21200	-30.7	36.9	1	146	23	3340
21300	-30.0	36.4	1	145	23	3356
21400	-30.6	35.9	1	138	23	3371
21500	-31.1	35.4	1	133	22	3387
21600	-31.3	34.9	1	125	20	3402
21700	-30.9	34.4	1	123	18	3418
21800	-31.0	33.9	1	124	19	3434
21900	-30.3	33.4	1	119	15	3449
22000	-30.1	33.0	1	122	13	3465
22100	-29.5	32.5	1	139	14	3480
22200	-30.2	32.1	1	139	16	3496
22300	-30.0	31.6	1	140	20	3511
22400	-30.5	31.2	1	145	17	3527
22500	-29.9	30.7	1	129	16	3542
22600	-29.1	30.3	1	112	15	3558
22700	-29.6	29.9	1	122	16	3574
22800	-29.8	29.5	1	141	16	3589

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
22900	-29.6	29.1	1	138	18	3605
23000	-29.5	28.7	1	131	21	3620
23100	-29.9	28.3	1	127	21	3636
23200	-29.2	27.9	1	122	17	3651
23300	-28.8	27.5	1	127	17	3667
23400	-29.1	27.1	1	136	17	3682
23500	-28.6	26.7	1	146	15	3698
23600	-27.8	26.4	1	147	18	3714
23700	-28.7	26.0	1	138	24	3729
23800	-28.6	25.7	1	135	26	3745
23900	-28.3	25.3	1	127	29	3760