

Altitude Report:

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
1	-8.1	828.7	35	253	6	245
2	-8.1	828.6	35	254	6	245
3	-8.2	828.5	35	254	6	245
4	-8.2	828.4	34	254	6	245
5	-8.2	828.3	34	254	6	245
6	-8.2	828.2	34	255	6	245
7	-8.3	828.1	34	255	6	245
8	-8.3	827.9	34	255	6	246
9	-8.3	827.8	34	256	6	246
10	-8.3	827.7	33	256	5	246
11	-8.3	827.6	33	256	5	246
12	-8.4	827.5	33	257	5	246
13	-8.4	827.4	33	257	5	246
14	-8.4	827.3	33	257	5	246
15	-8.4	827.2	33	258	5	247
16	-8.5	827.1	33	258	5	247
17	-8.5	827.0	32	259	5	247
18	-8.5	826.9	32	259	5	247
19	-8.5	826.8	32	260	5	247
20	-8.5	826.7	32	260	5	247
21	-8.6	826.6	32	261	5	247
22	-8.6	826.4	32	261	4	248
23	-8.6	826.3	31	262	4	248
24	-8.6	826.2	31	262	4	248
25	-8.7	826.1	31	263	4	248
26	-8.7	826.0	31	263	4	248
27	-8.7	825.9	31	264	4	248
28	-8.7	825.8	31	265	4	248
29	-8.7	825.7	31	265	4	249
30	-8.8	825.6	31	266	4	249
31	-8.8	825.5	30	267	4	249
32	-8.8	825.4	30	268	4	249
33	-8.8	825.3	30	269	3	249
34	-8.8	825.2	30	269	3	249
35	-8.8	825.1	30	270	3	249
36	-8.8	825.0	30	271	3	249
37	-8.9	824.8	30	272	3	250
38	-8.9	824.7	30	273	3	250
39	-8.9	824.6	30	275	3	250
40	-8.9	824.5	30	275	3	250
41	-8.9	824.4	30	276	3	250
42	-8.9	824.3	30	276	3	250
43	-8.9	824.2	30	277	3	250

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
44	-9.0	824.1	30	278	3	251
45	-9.0	824.0	30	278	3	251
46	-9.0	823.9	30	279	3	251
47	-9.0	823.8	30	279	3	251
48	-9.0	823.7	30	280	3	251
49	-9.0	823.6	30	280	3	251
50	-9.0	823.4	30	281	3	251
55	-9.1	822.9	29	283	3	252
60	-9.2	822.4	29	285	3	253
65	-9.3	821.9	29	288	3	253
70	-9.3	821.3	29	289	4	254
75	-9.4	820.8	29	291	4	255
80	-9.5	820.3	28	293	4	255
85	-9.5	819.7	28	295	4	256
90	-9.6	819.2	28	296	4	257
95	-9.6	818.7	28	298	4	258
100	-9.7	818.1	28	299	4	258
105	-9.7	817.6	28	300	4	259
110	-9.8	817.1	28	302	4	260
115	-9.8	816.5	28	303	4	260
120	-9.9	816.0	28	304	4	261
125	-9.9	815.5	28	304	4	262
130	-10.0	814.9	28	306	4	262
135	-10.0	814.4	28	307	3	263
140	-10.0	813.9	28	308	3	264
145	-10.1	813.4	28	310	3	264
150	-10.1	812.8	28	312	3	265
155	-10.2	812.3	29	314	2	266
160	-10.2	811.8	29	317	2	266
165	-10.2	811.2	29	321	2	267
170	-10.3	810.7	29	325	2	268
175	-10.3	810.2	29	330	2	268
180	-10.4	809.7	29	336	1	269
185	-10.4	809.1	29	344	1	270
190	-10.4	808.6	29	353	1	270
195	-10.5	808.1	29	003	1	271
200	-10.5	807.6	29	008	1	272
205	-10.5	807.0	29	011	1	272
210	-10.6	806.5	29	014	2	273
215	-10.6	806.0	29	016	2	274
220	-10.7	805.5	29	018	2	274
225	-10.7	804.9	29	019	2	275
230	-10.8	804.4	29	021	2	276
235	-10.8	803.9	29	022	2	276
240	-10.8	803.4	29	023	3	277

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
245	-10.9	802.8	29	024	3	278
250	-10.9	802.3	29	024	3	278
255	-11.0	801.8	29	025	3	279
260	-11.0	801.3	29	026	3	280
265	-11.1	800.7	29	026	3	280
270	-11.1	800.2	29	027	4	281
275	-11.1	799.7	29	027	4	282
280	-11.2	799.2	29	028	4	282
285	-11.2	798.7	29	029	4	283
290	-11.3	798.1	29	030	4	284
295	-11.3	797.6	30	031	4	284
300	-11.3	797.1	30	032	4	285
305	-11.4	796.6	30	033	4	286
310	-11.4	796.0	30	034	5	286
315	-11.5	795.5	30	035	5	287
320	-11.5	795.0	30	035	5	288
325	-11.5	794.5	30	036	5	288
330	-11.6	794.0	30	037	5	289
335	-11.6	793.4	30	038	5	290
340	-11.6	792.9	30	038	5	290
345	-11.7	792.4	30	039	5	291
350	-11.7	791.9	30	040	5	292
355	-11.8	791.4	29	040	6	292
360	-11.8	790.9	29	042	6	293
365	-11.8	790.3	29	044	6	294
370	-11.9	789.8	29	047	6	294
375	-11.9	789.3	29	049	6	295
380	-11.9	788.8	29	051	6	296
385	-12.0	788.3	29	053	6	296
390	-12.0	787.8	29	056	6	297
395	-12.0	787.2	29	058	6	298
400	-12.1	786.7	29	059	6	298
405	-12.1	786.2	28	061	6	299
410	-12.1	785.7	28	063	7	299
415	-12.1	785.2	28	065	7	300
420	-12.2	784.7	28	067	7	301
425	-12.2	784.1	28	068	7	301
430	-12.2	783.6	28	070	7	302
435	-12.3	783.1	28	071	7	303
440	-12.3	782.6	27	071	7	303
445	-12.3	782.1	27	071	7	304
450	-12.4	781.6	27	071	7	305
455	-12.4	781.1	27	071	6	305
460	-12.5	780.6	27	072	6	306
465	-12.5	780.0	27	072	6	307

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
470	-12.5	779.5	26	072	6	307
475	-12.6	779.0	26	072	5	308
480	-12.6	778.5	26	072	5	309
485	-12.7	778.0	26	072	5	309
490	-12.7	777.5	26	072	5	310
495	-12.7	777.0	25	073	4	311
500	-12.8	776.5	25	073	4	311
510	-12.8	775.4	25	073	4	313
520	-12.9	774.4	25	072	4	314
530	-12.9	773.4	24	071	3	315
540	-13.0	772.4	23	069	3	316
550	-13.0	771.4	22	068	3	318
560	-13.1	770.4	22	065	2	319
570	-13.2	769.3	21	062	2	320
580	-13.2	768.3	21	058	2	322
590	-13.3	767.3	21	053	2	323
600	-13.4	766.3	20	048	2	324
610	-13.5	765.3	20	041	2	326
620	-13.6	764.3	20	034	1	327
630	-13.7	763.3	20	029	1	328
640	-13.8	762.3	20	041	2	330
650	-13.9	761.3	20	050	2	331
660	-13.9	760.3	20	056	2	332
670	-14.0	759.3	20	061	2	334
680	-14.1	758.3	20	064	3	335
690	-14.2	757.3	20	067	3	336
700	-14.3	756.2	20	083	3	338
710	-14.4	755.2	20	096	3	339
720	-14.5	754.3	20	109	3	340
730	-14.6	753.3	20	119	4	342
740	-14.7	752.3	20	128	4	343
750	-14.7	751.3	21	134	5	344
760	-14.8	750.3	21	139	5	346
770	-14.9	749.3	21	143	5	347
780	-14.9	748.3	21	147	5	349
790	-15.0	747.3	21	151	5	350
800	-15.0	746.3	22	154	5	351
810	-15.1	745.4	22	158	5	353
820	-15.2	744.3	22	163	5	354
830	-15.2	743.4	22	162	5	355
840	-15.3	742.4	22	157	5	357
850	-15.3	741.4	22	151	5	358
860	-15.4	740.4	22	146	6	359
870	-15.4	739.4	22	141	6	360
880	-15.5	738.4	22	137	6	362

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
890	-15.6	737.5	22	136	6	363
900	-15.6	736.5	22	136	6	364
910	-15.7	735.5	21	136	6	366
920	-15.8	734.5	21	136	6	367
930	-15.9	733.5	21	136	6	368
940	-15.9	732.6	21	136	6	370
950	-16.0	731.6	21	136	6	371
960	-16.1	730.6	21	136	6	372
970	-16.2	729.7	21	136	7	374
980	-16.3	728.7	21	136	7	375
990	-16.4	727.7	21	136	7	377
1000	-16.5	726.7	21	136	7	378
1050	-17.0	721.9	21	135	7	385
1100	-17.5	717.1	22	128	7	392
1150	-17.9	712.3	23	118	7	398
1200	-18.3	707.5	23	126	7	405
1250	-18.7	702.8	23	126	6	412
1300	-19.1	698.1	22	123	6	419
1350	-19.5	693.4	22	129	6	425
1400	-20.0	688.7	22	127	6	432
1450	-20.3	684.1	22	124	5	439
1500	-20.5	679.5	20	126	5	445
1550	-20.9	674.9	19	132	5	452
1600	-21.2	670.3	19	135	5	459
1650	-21.4	665.8	18	137	6	465
1700	-21.6	661.3	18	138	8	472
1750	-21.9	656.8	18	143	8	479
1800	-21.8	652.3	17	149	8	485
1850	-22.0	648.0	16	157	8	492
1900	-22.1	643.5	15	168	8	498
1950	-22.3	639.1	14	160	10	505
2000	-22.2	634.8	13	167	10	511
2050	-21.7	630.5	12	174	9	517
2100	-21.8	626.2	10	166	7	524
2150	-22.0	622.0	10	151	7	530
2200	-22.3	617.7	10	141	7	537
2250	-22.6	613.5	10	135	8	544
2300	-22.9	609.4	10	133	8	551
2350	-23.3	605.2	11	132	9	558
2400	-23.7	601.1	11	136	11	564
2450	-24.0	597.0	12	138	12	571
2500	-24.0	592.9	12	136	13	578
2550	-24.0	588.8	12	134	13	584
2600	-24.2	584.8	12	137	13	591
2650	-24.4	580.8	12	138	13	598

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
2700	-24.8	576.8	12	136	12	605
2750	-25.0	572.9	13	136	11	612
2800	-25.3	568.9	13	170	6	618
2850	-25.6	565.0	13	200	6	625
2900	-26.0	561.1	14	191	7	632
2950	-26.4	557.2	14	201	7	639
3000	-26.8	553.4	15	211	7	646
3050	-27.2	549.6	15	204	8	653
3100	-27.5	545.7	16	205	11	660
3150	-27.8	542.0	17	204	12	667
3200	-28.2	538.2	17	200	13	674
3250	-28.6	534.4	17	199	11	681
3300	-28.7	530.7	18	196	10	688
3350	-28.9	527.0	17	191	12	694
3400	-29.2	523.3	17	188	13	701
3450	-29.4	519.7	16	185	13	708
3500	-29.6	516.0	15	183	12	715
3550	-29.7	512.4	14	180	11	722
3600	-30.0	508.8	12	180	12	728
3650	-30.4	505.3	12	181	12	735
3700	-30.7	501.7	11	184	11	742
3750	-30.9	498.2	12	187	11	749
3800	-31.2	494.7	14	194	11	756
3850	-31.5	491.2	17	209	10	763
3900	-31.7	487.7	18	221	11	770
3950	-31.8	484.3	19	227	12	777
4000	-32.3	480.9	20	226	12	784
4050	-32.6	477.5	21	224	13	791
4100	-32.6	474.1	20	223	14	798
4150	-32.8	470.7	20	225	15	805
4200	-33.2	467.4	20	224	15	812
4250	-33.6	464.1	23	219	16	819
4300	-33.9	460.8	28	213	15	826
4350	-34.1	457.5	30	207	14	833
4400	-34.3	454.2	30	199	15	840
4450	-34.5	451.0	29	201	17	847
4500	-34.7	447.8	28	199	19	854
4550	-34.7	444.6	26	193	18	861
4600	-34.8	441.4	24	188	17	867
4650	-35.0	438.2	24	194	19	874
4700	-35.0	435.1	24	198	20	881
4750	-35.2	432.0	26	194	19	888
4800	-35.4	428.9	28	187	20	895
4850	-35.5	425.8	28	183	22	902
4900	-35.5	422.8	28	180	23	909

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
4950	-35.5	419.8	27	177	24	916
5000	-35.6	416.7	26	174	26	923
5100	-36.0	410.8	25	173	29	937
5200	-36.6	404.9	25	177	27	951
5300	-37.2	399.1	24	173	27	965
5400	-37.9	393.3	23	176	27	979
5500	-38.7	387.7	23	179	27	993
5600	-39.5	382.0	23	185	26	1008
5700	-40.3	376.5	23	192	24	1022
5800	-41.0	371.0	24	198	24	1036
5900	-41.8	365.6	24	194	24	1051
6000	-42.7	360.2	24	193	24	1065
6100	-43.5	354.9	25	201	22	1079
6200	-44.3	349.6	27	205	24	1094
6300	-45.1	344.4	29	209	24	1108
6400	-45.9	339.3	31	210	25	1123
6500	-46.8	334.2	33	205	24	1137
6600	-47.8	329.2	34	203	23	1152
6700	-48.4	324.3	35	199	23	1166
6800	-49.4	319.4	35	199	22	1181
6900	-50.2	314.5	35	205	21	1195
7000	-50.8	309.7	35	208	22	1210
7100	-51.3	305.0	37	207	23	1224
7200	-52.0	300.3	37	212	23	1239
7300	-52.7	295.7	38	219	23	1253
7400	-52.9	291.2	37	215	24	1267
7500	-53.4	286.7	37	219	25	1282
7600	-54.1	282.3	37	228	24	1296
7700	-54.5	277.9	37	222	24	1310
7800	-55.2	273.6	37	219	23	1325
7900	-56.1	269.3	37	219	23	1340
8000	-57.0	265.1	36	221	22	1354
8100	-57.6	260.9	36	232	23	1368
8200	-57.5	256.8	36	236	24	1383
8300	-57.5	252.8	36	237	26	1397
8400	-56.9	248.8	35	243	29	1411
8500	-56.6	244.9	35	240	27	1425
8600	-55.9	241.1	32	241	23	1439
8700	-54.5	237.4	31	245	22	1453
8800	-54.7	233.7	30	250	23	1467
8900	-53.9	230.1	29	243	19	1481
9000	-52.5	226.5	27	243	18	1495
9100	-52.3	223.0	25	230	16	1509
9200	-51.4	219.6	23	--	--	1523
9300	-51.1	216.3	21	--	--	1537

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
9400	-50.1	213.0	19	238	14	1551
9500	-49.8	209.7	17	239	17	1566
9600	-50.1	206.6	15	235	16	1580
9700	-49.8	203.4	14	219	11	1595
9800	-48.8	200.4	12	209	8	1609
9900	-49.4	197.3	11	247	9	1624
10000	-48.6	194.3	10	270	11	1638
10100	-48.7	191.4	9	275	9	1653
10200	-49.3	188.5	8	294	9	1667
10300	-49.8	185.7	7	282	12	1682
10400	-49.3	182.8	6	279	15	1697
10500	-48.8	180.1	6	296	16	1711
10600	-47.7	177.4	5	302	19	1726
10700	-46.6	174.7	5	302	21	1740
10800	-46.1	172.1	4	293	20	1755
10900	-45.5	169.5	3	281	20	1769
11000	-44.9	167.0	3	267	16	1784
11100	-45.2	164.5	2	260	12	1799
11200	-45.8	162.1	2	286	10	1814
11300	-45.7	159.7	2	283	10	1829
11400	-45.4	157.3	1	279	11	1843
11500	-45.4	155.0	1	284	16	1858
11600	-45.0	152.7	1	293	11	1873
11700	-44.7	150.4	1	288	9	1888
11800	-44.5	148.2	1	258	10	1903
11900	-45.0	146.0	1	254	14	1918
12000	-44.6	143.8	1	232	11	1933
12100	-44.1	141.7	1	226	9	1948
12200	-44.7	139.6	1	260	7	1963
12300	-44.7	137.5	1	291	8	1978
12400	-45.1	135.5	1	299	14	1993
12500	-44.5	133.5	1	305	11	2008
12600	-44.3	131.5	1	329	8	2023
12700	-44.0	129.6	1	339	8	2038
12800	-43.9	127.6	1	327	10	2053
12900	-44.0	125.8	1	316	14	2068
13000	-43.6	123.9	1	306	14	2083
13100	-44.0	122.1	1	301	16	2098
13200	-44.7	120.3	1	296	19	2113
13300	-44.6	118.5	1	295	24	2128
13400	-44.1	116.7	1	285	21	2143
13500	-43.1	115.0	1	273	19	2158
13600	-43.3	113.3	1	259	17	2174
13700	-43.6	111.6	1	255	14	2189
13800	-43.9	110.0	1	259	12	2204

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
13900	-43.7	108.4	1	269	10	2219
14000	-43.2	106.8	1	274	8	2234
14100	-43.7	105.2	1	309	12	2249
14200	-43.2	103.7	1	297	15	2264
14300	-42.1	102.1	1	290	18	2279
14400	-41.8	100.6	1	282	18	2295
14500	-41.5	99.2	1	274	16	2310
14600	-42.0	97.7	1	270	11	2325
14700	-42.4	96.3	1	286	10	2340
14800	-41.9	94.9	1	300	15	2356
14900	-42.2	93.5	1	294	16	2371
15000	-42.1	92.1	1	287	12	2386
15100	-42.5	90.8	1	280	9	2401
15200	-42.8	89.4	1	288	8	2417
15300	-43.1	88.1	1	280	11	2432
15400	-42.0	86.8	1	265	10	2447
15500	-41.3	85.6	1	274	10	2462
15600	-40.7	84.3	1	269	9	2477
15700	-40.9	83.1	1	273	10	2493
15800	-41.7	81.9	1	287	12	2508
15900	-42.0	80.7	1	297	16	2523
16000	-42.3	79.5	1	296	19	2539
16100	-42.3	78.3	1	298	17	2554
16200	-41.8	77.2	1	296	16	2569
16300	-41.4	76.1	1	295	16	2585
16400	-41.0	75.0	1	287	16	2600
16500	-40.5	73.9	1	270	12	2615
16600	-41.2	72.8	1	258	9	2631
16700	-41.3	71.7	1	245	9	2646
16800	-41.1	70.7	1	255	11	2661
16900	-41.1	69.7	1	267	12	2677
17000	-41.0	68.6	1	274	14	2692
17100	-40.7	67.6	1	271	11	2707
17200	-40.6	66.7	1	284	7	2723
17300	-40.8	65.7	1	280	7	2738
17400	-40.5	64.7	1	281	11	2753
17500	-40.1	63.8	1	273	10	2769
17600	-39.9	62.9	1	265	10	2784
17700	-39.9	62.0	1	258	12	2800
17800	-40.2	61.1	1	254	8	2815
17900	-40.1	60.2	1	229	6	2830
18000	-40.3	59.3	1	237	3	2846
18100	-40.8	58.4	1	324	4	2861
18200	-40.7	57.6	1	331	7	2877
18300	-40.6	56.8	1	323	10	2892

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
18400	-40.5	55.9	1	303	11	2908
18500	-39.9	55.1	1	289	10	2923
18600	-39.3	54.3	1	291	5	2938
18700	-39.2	53.5	1	278	5	2954
18800	-39.1	52.8	1	275	6	2969
18900	-38.8	52.0	1	257	4	2985
19000	-38.4	51.3	1	249	4	3000
19100	-38.7	50.5	1	298	4	3016
19200	-38.8	49.8	1	334	3	3031
19300	-38.8	49.1	1	340	5	3046
19400	-38.7	48.4	1	328	4	3062
19500	-38.5	47.7	1	302	8	3077
19600	-38.3	47.0	1	273	10	3093
19700	-38.1	46.3	1	282	9	3108
19800	-38.1	45.6	1	256	5	3124
19900	-37.7	45.0	1	202	5	3139
20000	-37.5	44.3	1	214	6	3155
20100	-37.4	43.7	1	234	4	3170
20200	-37.0	43.1	1	263	7	3186
20300	-36.8	42.5	1	244	8	3201
20400	-36.7	41.9	1	226	8	3217
20500	-36.8	41.3	1	224	6	3232
20600	-36.6	40.7	1	203	5	3248
20700	-36.6	40.1	1	143	4	3263
20800	-36.7	39.5	1	199	1	3279
20900	-36.8	38.9	1	226	3	3294
21000	-36.3	38.4	1	187	2	3310
21100	-35.4	37.8	1	076	1	3325
21200	-34.9	37.3	1	104	6	3341
21300	-35.2	36.8	1	083	6	3356
21400	-34.9	36.3	1	055	3	3372
21500	-34.9	35.7	1	004	2	3387
21600	-34.6	35.2	1	097	4	3403
21700	-34.3	34.7	1	128	6	3418
21800	-33.7	34.2	1	112	3	3434
21900	-33.5	33.8	1	065	2	3449
22000	-33.7	33.3	1	080	3	3465
22100	-33.8	32.8	1	095	5	3480
22200	-33.9	32.4	1	095	6	3496
22300	-33.7	31.9	1	074	4	3512
22400	-33.7	31.5	1	050	3	3527
22500	-33.6	31.0	1	032	2	3543
22600	-33.7	30.6	1	179	1	3558
22700	-33.8	30.1	1	034	1	3574
22800	-34.0	29.7	1	064	6	3589

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
22900	-34.0	29.3	1	080	6	3605
23000	-34.0	28.9	1	073	6	3620
23100	-34.2	28.5	1	068	5	3636
23200	-34.2	28.1	1	081	5	3652
23300	-34.3	27.7	1	081	5	3667
23400	-34.3	27.3	1	101	5	3683
23500	-34.5	26.9	1	105	3	3698
23600	-34.6	26.5	1	067	4	3714
23700	-34.5	26.1	1	081	6	3729
23800	-34.5	25.8	1	070	4	3745
23900	-34.6	25.4	1	145	2	3761
24000	-34.6	25.1	1	142	3	3776
24100	-34.6	24.7	1	112	3	3792
24200	-34.7	24.3	1	099	5	3807
24300	-34.4	24.0	1	120	8	3823
24400	-34.2	23.7	1	120	11	3839
24500	-34.1	23.3	1	099	12	3854
24600	-34.2	23.0	1	095	9	3870
24700	-34.0	22.7	1	056	8	3885
24800	-34.0	22.4	1	040	11	3901
24900	-33.9	22.0	1	034	12	3917
25000	-33.8	21.7	1	034	8	3932
25100	-33.7	21.4	1	105	5	3948
25200	-33.2	21.1	1	113	7	3963
25300	-32.9	20.8	1	108	7	3979
25400	-32.0	20.5	1	110	5	3994
25500	-31.4	20.2	1	067	6	4010
25600	-31.1	20.0	1	078	6	4026
25700	-30.8	19.7	1	106	11	4041
25800	-30.5	19.4	1	115	15	4057
25900	-30.2	19.1	1	115	11	4072
26000	-29.5	18.9	1	114	9	4088
26100	-28.9	18.6	1	114	7	4104
26200	-29.2	18.4	1	115	8	4119
26300	-29.7	18.1	1	120	9	4135
26400	-30.0	17.9	1	113	11	4151
26500	-29.9	17.6	1	100	13	4166
26600	-29.8	17.4	1	083	13	4182
26700	-29.3	17.1	1	072	17	4197
26800	-28.4	16.9	1	065	13	4213
26900	-27.9	16.7	1	046	9	4229
27000	-27.7	16.4	1	062	9	4244
27100	-27.9	16.2	1	082	10	4260
27200	-28.0	16.0	1	103	7	4276
27300	-27.8	15.8	1	107	9	4291

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
27400	-28.1	15.5	1	122	10	4307
27500	-28.5	15.3	1	129	9	4322
27600	-28.5	15.1	1	131	12	4338
27700	-28.2	14.9	1	133	8	4354
27800	-27.6	14.7	1	128	9	4369
27900	-27.7	14.5	1	102	12	4385
28000	-28.1	14.3	1	106	11	4401
28100	-28.0	14.1	1	125	11	4416
28200	-28.0	13.9	1	133	15	4432
28300	-27.8	13.7	1	113	19	4448
28400	-27.7	13.5	1	102	20	4463
28500	-27.2	13.3	1	100	17	4479
28600	-27.1	13.2	1	096	17	4494
28700	-27.0	13.0	1	104	18	4510