

Altitude Report:

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
1	-8.4	829.7	54	074	13	246
2	-8.5	829.6	53	075	13	246
3	-8.5	829.5	53	075	14	246
4	-8.5	829.4	53	075	14	247
5	-8.5	829.3	52	075	14	247
6	-8.6	829.2	52	076	14	247
7	-8.6	829.0	52	076	15	247
8	-8.6	828.9	51	076	15	247
9	-8.6	828.8	51	076	15	247
10	-8.7	828.7	51	076	15	247
11	-8.7	828.6	50	077	16	248
12	-8.7	828.5	50	077	16	248
13	-8.7	828.4	50	077	16	248
14	-8.8	828.3	49	077	16	248
15	-8.8	828.2	49	077	16	248
16	-8.8	828.1	49	078	17	248
17	-8.8	828.0	49	078	17	248
18	-8.9	827.9	48	078	17	248
19	-8.9	827.8	48	078	17	249
20	-8.9	827.7	48	078	18	249
21	-8.9	827.5	47	078	18	249
22	-9.0	827.4	47	079	18	249
23	-9.0	827.3	47	079	18	249
24	-9.0	827.2	46	079	19	249
25	-9.0	827.1	46	079	19	249
26	-9.1	827.0	46	079	19	250
27	-9.1	826.9	45	079	19	250
28	-9.1	826.8	45	079	20	250
29	-9.1	826.7	45	080	20	250
30	-9.2	826.6	44	080	20	250
31	-9.2	826.5	44	080	20	250
32	-9.2	826.4	44	080	20	250
33	-9.2	826.3	43	080	21	250
34	-9.3	826.2	43	080	21	251
35	-9.3	826.0	43	080	21	251
36	-9.3	825.9	42	080	21	251
37	-9.3	825.8	42	080	22	251
38	-9.3	825.7	42	081	22	251
39	-9.4	825.6	41	081	22	251
40	-9.4	825.5	41	081	22	251
41	-9.4	825.4	41	081	23	251
42	-9.4	825.3	40	081	23	252
43	-9.4	825.2	40	081	23	252

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
44	-9.4	825.1	40	081	23	252
45	-9.4	825.0	40	081	23	252
46	-9.4	824.9	40	081	24	252
47	-9.4	824.8	40	081	24	252
48	-9.4	824.7	40	081	24	252
49	-9.4	824.6	40	082	24	252
50	-9.4	824.4	40	082	24	253
55	-9.4	823.9	40	082	24	253
60	-9.5	823.4	40	082	24	254
65	-9.5	823.0	40	082	24	255
70	-9.5	822.5	39	082	24	255
75	-9.6	822.0	39	082	24	256
80	-9.6	821.3	39	083	24	256
85	-9.6	820.7	39	083	24	257
90	-9.7	820.2	38	083	24	258
95	-9.7	819.6	38	083	24	258
100	-9.8	819.1	38	084	24	259
105	-9.8	818.6	37	084	24	260
110	-9.8	818.0	37	084	24	260
115	-9.8	817.5	37	084	24	261
120	-9.8	817.0	36	084	24	262
125	-9.9	816.5	36	085	24	262
130	-9.9	815.9	36	085	24	263
135	-9.9	815.4	35	085	23	263
140	-9.9	814.9	35	085	23	264
145	-9.9	814.3	35	085	23	265
150	-10.0	813.8	34	085	22	265
155	-10.0	813.3	34	086	22	266
160	-10.0	812.7	34	086	22	267
165	-10.1	812.2	34	086	22	267
170	-10.1	811.7	34	086	21	268
175	-10.1	811.2	34	086	21	269
180	-10.2	810.6	34	087	21	269
185	-10.2	810.1	34	087	20	270
190	-10.3	809.6	34	087	20	271
195	-10.3	809.1	34	087	20	271
200	-10.3	808.5	34	088	20	272
205	-10.4	808.0	34	088	19	273
210	-10.4	807.5	34	088	19	273
215	-10.5	806.9	34	089	19	274
220	-10.5	806.4	34	089	19	275
225	-10.5	805.9	34	090	19	275
230	-10.6	805.4	34	090	19	276
235	-10.6	804.8	34	090	18	277
240	-10.6	804.3	34	091	18	277

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
245	-10.7	803.8	34	091	18	278
250	-10.7	803.3	34	092	18	279
255	-10.7	802.8	34	093	18	279
260	-10.8	802.3	34	094	17	280
265	-10.8	801.7	35	095	17	281
270	-10.9	801.2	35	096	17	281
275	-10.9	800.7	35	098	16	282
280	-11.0	800.1	35	099	16	283
285	-11.0	799.6	35	101	16	283
290	-11.0	799.1	35	102	15	284
295	-11.0	798.6	35	104	15	285
300	-11.0	798.1	35	104	15	285
305	-11.0	797.5	35	105	15	286
310	-11.0	797.0	35	105	15	286
315	-11.0	796.5	35	105	15	287
320	-11.0	796.0	35	105	15	288
325	-11.1	795.5	35	106	16	288
330	-11.1	794.9	35	106	16	289
335	-11.1	794.4	35	106	16	290
340	-11.2	793.9	35	107	16	290
345	-11.2	793.4	35	107	16	291
350	-11.3	792.9	35	107	16	292
355	-11.3	792.3	35	107	15	292
360	-11.4	791.8	35	107	15	293
365	-11.4	791.3	35	107	15	294
370	-11.4	790.8	35	107	15	294
375	-11.5	790.3	35	107	15	295
380	-11.5	789.8	35	107	15	296
385	-11.6	789.2	35	108	15	297
390	-11.6	788.7	35	108	15	297
395	-11.7	788.2	35	108	15	298
400	-11.7	787.7	35	108	15	299
405	-11.8	787.2	35	108	15	299
410	-11.8	786.7	36	108	15	300
415	-11.9	786.1	36	108	15	301
420	-11.9	785.6	36	108	15	301
425	-12.0	785.1	36	108	15	302
430	-12.0	784.6	36	108	15	303
435	-12.1	784.1	36	108	15	303
440	-12.1	783.6	36	109	15	304
445	-12.2	783.1	36	109	15	305
450	-12.2	782.5	36	109	15	305
455	-12.3	782.0	37	110	15	306
460	-12.3	781.5	37	110	15	307
465	-12.3	781.0	37	110	15	307

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
470	-12.4	780.5	37	111	15	308
475	-12.4	780.0	37	111	14	309
480	-12.5	779.5	37	112	14	309
485	-12.5	779.0	37	112	14	310
490	-12.5	778.5	37	113	14	311
495	-12.6	777.9	37	113	14	311
500	-12.7	777.4	37	114	14	312
510	-12.8	776.4	38	115	14	314
520	-12.9	775.4	38	117	13	315
530	-13.0	774.4	38	118	13	316
540	-13.1	773.4	38	118	13	318
550	-13.2	772.3	38	119	13	319
560	-13.3	771.3	38	119	13	320
570	-13.4	770.3	39	119	14	322
580	-13.5	769.3	39	119	14	323
590	-13.5	768.3	39	118	14	324
600	-13.6	767.2	39	117	14	326
610	-13.7	766.3	39	115	14	327
620	-13.8	765.2	40	114	13	329
630	-13.9	764.2	40	113	13	330
640	-14.0	763.2	40	111	13	331
650	-14.1	762.2	40	110	14	333
660	-14.2	761.2	40	108	14	334
670	-14.3	760.2	41	106	14	335
680	-14.4	759.2	41	104	14	337
690	-14.5	758.2	41	102	14	338
700	-14.6	757.2	41	101	14	339
710	-14.7	756.2	42	100	14	341
720	-14.7	755.2	42	098	14	342
730	-14.8	754.2	42	097	14	344
740	-14.9	753.2	42	096	15	345
750	-15.0	752.2	42	094	15	346
760	-15.0	751.2	43	093	15	348
770	-15.1	750.2	43	093	16	349
780	-15.2	749.2	43	093	16	350
790	-15.3	748.2	43	093	17	352
800	-15.4	747.2	43	093	17	353
810	-15.4	746.2	43	093	18	354
820	-15.5	745.2	43	093	18	356
830	-15.6	744.3	43	092	19	357
840	-15.7	743.3	43	092	19	358
850	-15.8	742.3	43	092	19	360
860	-15.9	741.3	43	092	19	361
870	-16.0	740.3	43	091	19	362
880	-16.1	739.3	43	091	20	364

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
890	-16.1	738.3	43	091	20	365
900	-16.2	737.4	44	091	20	366
910	-16.2	736.4	44	090	19	368
920	-16.3	735.4	44	090	19	369
930	-16.3	734.4	44	089	18	370
940	-16.4	733.4	44	089	18	372
950	-16.5	732.5	44	088	17	373
960	-16.5	731.5	44	088	17	374
970	-16.6	730.5	44	087	17	376
980	-16.7	729.5	44	087	17	377
990	-16.8	728.6	44	087	17	378
1000	-16.8	727.6	44	086	17	380
1050	-17.2	722.7	45	083	18	387
1100	-17.6	717.9	46	082	19	393
1150	-17.9	713.1	49	076	18	400
1200	-18.1	708.4	51	075	17	407
1250	-18.4	703.6	53	074	16	414
1300	-18.7	698.9	54	071	14	420
1350	-19.0	694.2	54	069	13	427
1400	-19.3	689.6	54	069	12	434
1450	-19.7	684.9	55	068	11	441
1500	-20.2	680.3	56	070	11	447
1550	-20.8	675.7	57	070	10	454
1600	-21.2	671.2	59	073	9	461
1650	-21.6	666.6	61	078	9	468
1700	-22.0	662.1	62	081	8	475
1750	-22.4	657.6	64	081	6	482
1800	-22.5	653.1	65	064	6	489
1850	-22.9	648.7	65	049	4	495
1900	-23.3	644.3	65	045	4	502
1950	-23.7	639.9	65	044	4	509
2000	-24.2	635.5	66	040	3	516
2050	-24.7	631.1	67	033	1	523
2100	-25.3	626.8	69	062	2	530
2150	-25.8	622.5	70	076	3	537
2200	-25.9	618.2	70	094	4	544
2250	-26.1	613.9	68	127	4	550
2300	-26.3	609.7	64	140	8	557
2350	-26.4	605.5	59	140	9	563
2400	-26.5	601.3	53	138	10	569
2450	-26.8	597.2	48	130	10	576
2500	-27.0	593.0	44	118	11	582
2550	-27.1	588.9	40	114	11	589
2600	-27.4	584.8	37	110	10	595
2650	-27.8	580.8	35	104	10	602

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
2700	-28.0	576.7	33	092	11	609
2750	-28.1	572.7	31	087	11	615
2800	-28.3	568.7	30	085	10	622
2850	-28.3	564.8	29	087	8	628
2900	-28.4	560.9	28	085	7	635
2950	-28.2	557.0	25	090	7	641
3000	-28.3	553.1	23	105	6	648
3050	-28.5	549.2	21	101	7	654
3100	-28.9	545.4	19	094	8	661
3150	-29.1	541.6	18	097	9	668
3200	-29.1	537.8	17	100	8	674
3250	-29.3	534.1	15	103	9	681
3300	-29.4	530.3	15	111	10	688
3350	-29.8	526.6	14	108	11	695
3400	-30.1	522.9	14	111	10	702
3450	-30.1	519.3	16	129	10	708
3500	-30.2	515.6	17	152	9	715
3550	-30.4	512.0	19	163	11	722
3600	-30.6	508.4	20	166	13	729
3650	-30.8	504.8	21	163	15	736
3700	-31.0	501.3	24	157	16	743
3750	-31.3	497.8	28	154	15	750
3800	-31.4	494.2	32	157	16	757
3850	-31.8	490.8	35	157	16	764
3900	-31.9	487.3	37	151	15	771
3950	-32.0	483.9	39	154	16	778
4000	-32.2	480.4	40	159	18	785
4050	-32.5	477.0	40	160	20	792
4100	-32.7	473.7	39	158	20	799
4150	-33.0	470.3	38	154	19	806
4200	-33.3	467.0	38	151	18	813
4250	-33.5	463.6	38	151	18	820
4300	-33.6	460.4	37	156	18	827
4350	-33.9	457.1	37	157	17	834
4400	-34.2	453.8	37	158	15	841
4450	-34.5	450.6	37	158	12	848
4500	-34.7	447.4	38	160	11	855
4550	-35.0	444.2	38	158	11	862
4600	-35.4	441.0	37	159	12	869
4650	-35.9	437.8	37	170	11	876
4700	-36.0	434.7	38	180	10	883
4750	-36.2	431.6	37	186	9	890
4800	-36.5	428.5	37	193	9	897
4850	-36.9	425.4	37	193	9	904
4900	-37.2	422.3	37	194	9	911

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
4950	-37.7	419.3	38	195	10	918
5000	-38.1	416.2	39	197	10	925
5100	-39.1	410.2	40	203	11	939
5200	-39.8	404.2	41	207	13	954
5300	-40.7	398.4	42	202	14	968
5400	-41.1	392.5	39	199	18	982
5500	-41.3	386.8	33	198	20	995
5600	-42.0	381.1	28	196	21	1009
5700	-42.6	375.5	26	198	22	1023
5800	-43.4	370.0	25	197	21	1037
5900	-44.2	364.5	26	195	21	1052
6000	-44.9	359.1	25	197	23	1066
6100	-45.4	353.8	27	201	21	1080
6200	-46.1	348.5	28	207	22	1095
6300	-46.8	343.3	29	212	20	1109
6400	-47.4	338.1	30	216	20	1123
6500	-48.2	333.0	30	222	20	1138
6600	-48.9	328.0	31	222	20	1152
6700	-49.8	323.0	31	219	19	1166
6800	-50.5	318.1	31	213	21	1181
6900	-51.2	313.3	31	210	23	1195
7000	-51.8	308.5	31	214	24	1210
7100	-52.1	303.8	31	215	24	1224
7200	-52.9	299.1	32	213	24	1238
7300	-53.5	294.5	31	213	25	1253
7400	-54.1	289.9	32	214	25	1267
7500	-54.7	285.4	31	215	26	1281
7600	-55.0	281.0	31	214	28	1296
7700	-55.3	276.6	30	213	26	1310
7800	-55.4	272.3	31	211	26	1324
7900	-55.5	268.1	30	210	23	1338
8000	-54.9	263.9	30	211	24	1352
8100	-54.8	259.8	29	212	24	1366
8200	-54.5	255.8	28	216	21	1380
8300	-54.8	251.8	27	209	22	1395
8400	-54.6	247.9	26	200	20	1409
8500	-54.1	244.1	26	204	18	1423
8600	-54.2	240.3	24	213	13	1437
8700	-54.3	236.6	24	213	12	1452
8800	-53.6	232.9	23	198	14	1466
8900	-52.5	229.4	22	207	15	1480
9000	-51.9	225.8	21	187	16	1494
9100	-51.2	222.4	19	178	11	1508
9200	-49.8	219.0	18	175	11	1522
9300	-49.4	215.7	17	181	7	1536

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
9400	-48.9	212.4	15	210	7	1550
9500	-47.6	209.2	14	226	8	1565
9600	-47.9	206.1	13	259	8	1579
9700	-48.3	203.0	12	253	10	1594
9800	-48.7	199.9	11	222	9	1609
9900	-48.3	196.9	10	189	4	1623
10000	-47.8	193.9	9	220	5	1637
10100	-47.2	191.0	9	239	11	1652
10200	-47.1	188.2	8	237	10	1667
10300	-47.5	185.3	7	227	7	1681
10400	-47.3	182.6	7	217	4	1696
10500	-46.7	179.8	6	220	5	1711
10600	-46.2	177.1	6	241	6	1725
10700	-45.8	174.5	6	246	9	1740
10800	-46.1	171.9	5	237	9	1755
10900	-46.3	169.3	5	223	10	1770
11000	-46.8	166.8	4	215	7	1785
11100	-47.0	164.3	4	246	6	1799
11200	-46.9	161.9	4	243	10	1814
11300	-46.8	159.4	4	235	8	1829
11400	-46.6	157.0	4	244	6	1844
11500	-46.4	154.7	3	257	5	1859
11600	-45.9	152.4	3	227	7	1873
11700	-45.5	150.1	3	201	6	1888
11800	-45.4	147.9	3	218	7	1903
11900	-45.2	145.7	3	232	9	1918
12000	-45.4	143.5	3	223	9	1933
12100	-44.8	141.4	3	240	5	1948
12200	-45.1	139.3	2	298	3	1963
12300	-45.3	137.2	2	296	5	1978
12400	-44.4	135.2	2	264	7	1993
12500	-44.9	133.2	2	242	8	2008
12600	-45.5	131.2	2	246	7	2023
12700	-45.5	129.3	2	263	5	2038
12800	-45.6	127.3	2	217	3	2053
12900	-45.6	125.5	2	229	5	2068
13000	-45.6	123.6	2	243	8	2083
13100	-45.4	121.7	2	237	8	2098
13200	-45.1	119.9	2	223	10	2113
13300	-45.6	118.2	2	213	11	2129
13400	-44.6	116.4	2	183	12	2143
13500	-44.1	114.7	2	156	9	2158
13600	-43.3	113.0	2	117	2	2173
13700	-42.9	111.3	2	338	2	2189
13800	-42.8	109.7	1	295	4	2204

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
13900	-43.1	108.1	1	261	5	2219
14000	-43.3	106.5	1	243	6	2234
14100	-42.9	104.9	1	245	7	2249
14200	-42.3	103.4	1	229	4	2264
14300	-42.2	101.9	1	175	3	2279
14400	-42.3	100.4	1	121	3	2295
14500	-42.6	98.9	1	337	1	2310
14600	-43.0	97.5	1	008	2	2325
14700	-42.4	96.0	1	256	3	2340
14800	-42.0	94.6	1	220	4	2355
14900	-42.1	93.2	1	154	6	2371
15000	-42.2	91.9	1	124	5	2386
15100	-41.9	90.5	1	121	4	2401
15200	-41.3	89.2	1	116	4	2416
15300	-40.8	87.9	1	114	5	2432
15400	-40.8	86.6	1	119	6	2447
15500	-41.1	85.4	1	106	5	2462
15600	-41.3	84.1	1	084	3	2477
15700	-41.2	82.9	1	040	2	2493
15800	-41.1	81.7	1	278	1	2508
15900	-41.3	80.5	1	123	3	2523
16000	-41.0	79.3	1	226	0	2539
16100	-40.9	78.2	1	242	2	2554
16200	-40.8	77.0	1	224	2	2569
16300	-40.8	75.9	1	238	5	2585
16400	-40.2	74.8	1	237	8	2600
16500	-40.1	73.7	1	212	9	2615
16600	-40.1	72.6	1	195	11	2630
16700	-40.5	71.6	1	177	13	2646
16800	-40.7	70.5	1	163	11	2661
16900	-40.2	69.5	1	158	10	2677
17000	-40.1	68.5	1	136	9	2692
17100	-39.7	67.5	1	134	9	2707
17200	-39.5	66.5	1	130	9	2723
17300	-39.1	65.6	1	124	9	2738
17400	-39.0	64.6	1	118	9	2753
17500	-38.5	63.7	1	112	8	2769
17600	-38.2	62.8	1	092	7	2784
17700	-38.5	61.9	1	056	8	2799
17800	-38.6	61.0	1	044	8	2815
17900	-38.8	60.1	1	077	4	2830
18000	-38.7	59.2	1	122	6	2846
18100	-38.8	58.4	1	101	6	2861
18200	-38.5	57.6	1	093	7	2877
18300	-38.9	56.7	1	082	7	2892

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
18400	-39.0	55.9	1	053	7	2907
18500	-38.8	55.1	1	022	6	2923
18600	-38.9	54.3	1	348	6	2938
18700	-39.0	53.5	1	305	3	2954
18800	-39.0	52.7	1	314	2	2969
18900	-38.6	52.0	1	297	3	2985
19000	-38.4	51.2	1	357	2	3000
19100	-38.4	50.5	1	020	1	3015
19200	-38.6	49.8	1	206	2	3031
19300	-38.4	49.1	1	156	4	3046
19400	-38.6	48.3	1	140	2	3062
19500	-38.7	47.7	1	157	5	3077
19600	-38.6	47.0	1	123	7	3093
19700	-38.2	46.3	1	118	7	3108
19800	-37.6	45.6	1	111	6	3124
19900	-37.3	45.0	1	116	5	3139
20000	-37.0	44.3	1	164	4	3155
20100	-36.7	43.7	1	164	7	3170
20200	-36.5	43.1	1	161	7	3186
20300	-36.9	42.5	1	133	8	3201
20400	-36.8	41.8	1	152	5	3217
20500	-37.1	41.2	1	184	5	3232
20600	-37.0	40.7	1	148	9	3248
20700	-36.8	40.1	1	138	11	3263
20800	-36.1	39.5	1	113	10	3279
20900	-35.5	38.9	1	110	10	3294
21000	-35.3	38.4	1	111	11	3310
21100	-35.3	37.8	1	107	12	3325
21200	-35.5	37.3	1	109	11	3341
21300	-35.6	36.8	1	117	12	3356
21400	-36.0	36.3	1	117	12	3372
21500	-36.4	35.7	1	121	12	3387
21600	-36.1	35.2	1	113	11	3403
21700	-35.7	34.7	1	113	8	3418
21800	-35.7	34.2	1	127	8	3434
21900	-35.4	33.7	1	121	10	3449
22000	-35.4	33.3	1	095	9	3465
22100	-35.5	32.8	1	095	7	3480
22200	-35.5	32.3	1	119	8	3496
22300	-35.3	31.9	1	128	11	3512
22400	-35.6	31.4	1	126	15	3527
22500	-35.3	31.0	1	111	13	3543
22600	-35.0	30.5	1	086	10	3558
22700	-34.8	30.1	1	071	8	3574
22800	-34.5	29.7	1	069	5	3589

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
22900	-34.1	29.3	1	088	5	3605
23000	-34.2	28.8	1	115	8	3620
23100	-34.4	28.4	1	111	11	3636
23200	-34.9	28.0	1	099	12	3652
23300	-35.1	27.6	1	084	9	3667
23400	-34.8	27.2	1	080	6	3683
23500	-34.5	26.9	1	089	5	3698
23600	-34.4	26.5	1	102	9	3714
23700	-33.8	26.1	1	111	8	3729
23800	-33.8	25.7	1	112	7	3745
23900	-33.6	25.4	1	124	7	3761
24000	-33.4	25.0	1	144	10	3776
24100	-33.3	24.7	1	137	8	3792
24200	-33.3	24.3	1	118	12	3807
24300	-33.0	24.0	1	104	15	3823
24400	-33.0	23.6	1	089	17	3839
24500	-33.0	23.3	1	074	15	3854
24600	-33.3	23.0	1	077	11	3870
24700	-32.8	22.7	1	084	9	3885
24800	-32.4	22.3	1	096	12	3901
24900	-31.9	22.0	1	092	16	3916
25000	-32.2	21.7	1	097	16	3932
25100	-32.2	21.4	1	107	12	3948
25200	-32.0	21.1	1	120	10	3963
25300	-31.9	20.8	1	120	11	3979
25400	-31.8	20.5	1	112	14	3994
25500	-31.9	20.2	1	099	16	4010
25600	-32.1	20.0	1	088	14	4026
25700	-32.0	19.7	1	091	11	4041
25800	-31.9	19.4	1	100	12	4057
25900	-31.9	19.1	1	106	12	4073
26000	-31.7	18.9	1	103	10	4088
26100	-31.5	18.6	1	110	9	4104
26200	-31.0	18.3	1	109	10	4119
26300	-30.9	18.1	1	109	11	4135
26400	-30.7	17.8	1	118	15	4151
26500	-30.4	17.6	1	103	15	4166
26600	-30.0	17.3	1	090	11	4182
26700	-30.1	17.1	1	094	11	4197
26800	-29.9	16.9	1	113	14	4213
26900	-30.3	16.6	1	121	16	4229
27000	-30.2	16.4	1	095	15	4244
27100	-30.1	16.2	1	094	15	4260
27200	-30.0	16.0	1	101	15	4276
27300	-30.3	15.7	1	091	15	4291

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
27400	-30.5	15.5	1	100	21	4307
27500	-30.2	15.3	1	090	16	4322
27600	-29.6	15.1	1	090	16	4338
27700	-29.1	14.9	1	110	19	4354
27800	-28.4	14.7	1	094	17	4369
27900	-28.2	14.5	1	080	13	4385
28000	-28.0	14.3	1	064	12	4401
28100	-28.0	14.1	1	042	11	4416
28200	-27.8	13.9	1	041	12	4432
28300	-27.4	13.7	1	052	10	4447
28400	-27.8	13.5	1	089	6	4463
28500	-28.0	13.3	1	128	7	4479
28600	-28.0	13.1	1	127	11	4494
28700	-28.2	13.0	1	121	8	4510
28800	-28.3	12.8	1	117	9	4526
28900	-28.6	12.6	1	096	9	4541
29000	-28.5	12.4	1	094	8	4557
29100	-28.7	12.3	1	108	8	4573
29200	-28.5	12.1	1	107	13	4588
29300	-28.5	11.9	1	116	15	4604
29400	-28.7	11.8	1	099	14	4620
29500	-28.7	11.6	1	098	13	4635
29600	-29.0	11.4	1	085	14	4651
29700	-28.9	11.3	1	100	8	4667
29800	-28.6	11.1	1	129	13	4682
29900	-28.4	11.0	1	118	13	4698
30000	-28.6	10.8	1	108	14	4714
30100	-28.3	10.7	1	096	15	4729
30200	-27.7	10.5	1	094	9	4745
30300	-27.5	10.4	1	115	9	4760
30400	-27.0	10.2	1	126	9	4776
30500	-25.9	10.1	1	127	11	4792
30600	-25.5	10.0	1	103	14	4807
30700	-25.0	9.8	1	098	15	4823
30800	-24.8	9.7	1	097	18	4839
30900	-24.8	9.6	1	090	20	4854
31000	-24.5	9.4	1	089	18	4870
31100	-24.2	9.3	1	089	17	4886
31200	-24.1	9.2	1	095	13	4901
31300	-24.1	9.1	1	097	16	4917
31400	-23.6	8.9	1	108	19	4933
31500	-23.5	8.8	1	123	19	4948
31600	-22.9	8.7	1	120	24	4964
31700	-23.0	8.6	1	109	22	4980
31800	-22.4	8.5	1	102	23	4995

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
31900	-22.2	8.3	1	103	29	5011
32000	-21.8	8.2	1	096	26	5027
32100	-21.4	8.1	1	086	24	5042
32200	-20.8	8.0	1	071	18	5058