

Altitude Report:

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
1	-9.6	823.0	45	085	12	245
2	-9.6	822.9	44	085	12	245
3	-9.7	822.8	44	085	12	245
4	-9.7	822.7	44	085	12	245
5	-9.7	822.6	44	086	12	245
6	-9.7	822.5	43	086	13	246
7	-9.7	822.4	43	086	13	246
8	-9.7	822.2	43	086	13	246
9	-9.8	822.1	43	086	13	246
10	-9.8	822.0	42	086	14	246
11	-9.8	821.9	42	086	14	246
12	-9.8	821.8	42	086	14	246
13	-9.8	821.7	42	086	14	246
14	-9.8	821.6	41	086	15	247
15	-9.9	821.5	41	087	15	247
16	-9.9	821.4	41	087	15	247
17	-9.9	821.3	40	087	15	247
18	-9.9	821.2	40	087	15	247
19	-9.9	821.1	40	087	16	247
20	-10.0	821.0	40	087	16	247
21	-10.0	820.9	39	087	16	247
22	-10.0	820.7	39	087	16	248
23	-10.0	820.6	39	087	17	248
24	-10.0	820.5	39	087	17	248
25	-10.0	820.4	38	087	17	248
26	-10.1	820.3	38	087	17	248
27	-10.1	820.2	38	087	18	248
28	-10.1	820.1	38	087	18	248
29	-10.1	820.0	37	087	18	248
30	-10.1	819.9	37	087	18	249
31	-10.1	819.8	37	088	19	249
32	-10.2	819.7	36	088	19	249
33	-10.2	819.6	36	088	19	249
34	-10.2	819.5	36	088	19	249
35	-10.2	819.4	36	088	19	249
36	-10.2	819.3	35	088	20	249
37	-10.3	819.2	35	088	20	249
38	-10.3	819.0	35	088	20	250
39	-10.3	818.9	35	088	20	250
40	-10.3	818.8	34	088	21	250
41	-10.3	818.7	34	088	21	250
42	-10.3	818.6	34	088	21	250
43	-10.3	818.5	34	088	21	250

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
44	-10.3	818.4	34	088	22	250
45	-10.3	818.3	34	088	22	251
46	-10.3	818.2	34	088	22	251
47	-10.3	818.1	34	088	22	251
48	-10.4	818.0	34	088	22	251
49	-10.4	817.9	34	088	23	251
50	-10.4	817.8	33	088	23	251
55	-10.4	817.2	33	088	24	252
60	-10.4	816.7	33	088	23	252
65	-10.5	816.2	32	088	23	253
70	-10.5	815.6	32	088	23	254
75	-10.5	815.1	32	088	23	254
80	-10.6	814.6	31	087	23	255
85	-10.6	814.1	31	087	23	256
90	-10.6	813.5	31	087	22	256
95	-10.7	813.0	30	087	22	257
100	-10.7	812.5	30	087	22	258
105	-10.7	811.9	30	086	22	258
110	-10.8	811.4	29	086	22	259
115	-10.8	810.9	29	086	22	259
120	-10.8	810.3	29	086	21	260
125	-10.9	809.8	28	086	21	261
130	-10.9	809.3	28	085	21	261
135	-10.9	808.8	28	085	21	262
140	-11.0	808.2	28	085	21	263
145	-11.0	807.7	28	085	21	263
150	-11.0	807.2	28	085	20	264
155	-11.1	806.6	28	084	20	265
160	-11.1	806.1	28	084	20	265
165	-11.2	805.6	28	084	20	266
170	-11.2	805.1	27	084	20	267
175	-11.2	804.5	27	084	20	267
180	-11.3	804.0	27	084	20	268
185	-11.3	803.5	27	084	20	269
190	-11.3	803.0	27	084	20	269
195	-11.4	802.4	27	084	20	270
200	-11.4	801.9	27	084	20	271
205	-11.5	801.4	27	084	21	271
210	-11.5	800.9	27	084	21	272
215	-11.5	800.3	27	084	21	273
220	-11.6	799.8	27	084	21	273
225	-11.6	799.3	27	084	21	274
230	-11.7	798.7	27	084	21	275
235	-11.7	798.2	27	084	21	275
240	-11.7	797.7	27	084	21	276

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
245	-11.8	797.2	27	083	21	277
250	-11.8	796.7	27	083	21	277
255	-11.9	796.2	27	083	21	278
260	-11.9	795.6	27	083	21	279
265	-11.9	795.1	27	083	21	279
270	-12.0	794.6	27	083	21	280
275	-12.0	794.1	27	083	21	281
280	-12.0	793.6	27	083	20	281
285	-12.1	793.0	27	083	20	282
290	-12.1	792.5	27	083	20	283
295	-12.2	792.0	27	083	20	283
300	-12.2	791.5	27	083	20	284
305	-12.2	791.0	27	083	20	285
310	-12.3	790.4	27	083	20	285
315	-12.3	789.9	27	083	20	286
320	-12.4	789.4	27	083	20	287
325	-12.4	788.9	27	082	20	287
330	-12.4	788.4	28	082	20	288
335	-12.5	787.9	28	082	19	289
340	-12.5	787.3	28	082	19	289
345	-12.5	786.8	28	082	19	290
350	-12.6	786.3	28	082	19	291
355	-12.6	785.8	28	082	19	291
360	-12.7	785.3	28	082	19	292
365	-12.7	784.8	28	082	19	293
370	-12.8	784.2	28	082	19	293
375	-12.8	783.7	28	082	19	294
380	-12.9	783.2	28	082	18	295
385	-12.9	782.7	28	082	18	295
390	-13.0	782.2	28	081	18	296
395	-13.0	781.7	28	081	18	297
400	-13.1	781.1	29	081	18	297
405	-13.1	780.6	29	081	18	298
410	-13.2	780.1	29	081	17	299
415	-13.2	779.6	29	081	17	300
420	-13.3	779.1	29	081	17	300
425	-13.3	778.6	29	081	17	301
430	-13.4	778.1	29	081	17	302
435	-13.4	777.6	29	081	16	302
440	-13.5	777.0	29	081	16	303
445	-13.5	776.5	29	081	16	304
450	-13.6	776.0	29	080	16	304
455	-13.6	775.5	29	080	16	305
460	-13.7	775.0	29	080	16	306
465	-13.7	774.5	30	080	15	306

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
470	-13.8	774.0	30	080	15	307
475	-13.8	773.5	30	080	15	308
480	-13.9	773.0	30	080	15	308
485	-13.9	772.5	30	080	15	309
490	-14.0	771.9	30	080	15	310
495	-14.0	771.4	30	080	15	310
500	-14.0	770.9	30	080	15	311
510	-14.1	769.9	30	081	15	312
520	-14.2	768.9	30	081	15	314
530	-14.3	767.9	31	081	15	315
540	-14.4	766.9	31	081	15	317
550	-14.5	765.8	31	082	15	318
560	-14.6	764.8	31	082	15	319
570	-14.7	763.8	31	082	15	321
580	-14.8	762.8	31	083	15	322
590	-14.9	761.8	32	083	15	323
600	-15.0	760.8	32	083	15	325
610	-15.1	759.8	32	084	14	326
620	-15.2	758.8	32	084	14	327
630	-15.3	757.8	32	085	14	329
640	-15.4	756.8	32	085	14	330
650	-15.5	755.8	33	086	14	332
660	-15.6	754.8	33	086	14	333
670	-15.7	753.8	33	086	14	334
680	-15.8	752.8	33	087	14	336
690	-15.9	751.8	33	087	14	337
700	-16.0	750.8	33	088	14	338
710	-16.1	749.8	34	088	14	340
720	-16.2	748.8	34	088	14	341
730	-16.3	747.8	34	089	14	342
740	-16.4	746.8	34	089	14	344
750	-16.4	745.8	34	089	14	345
760	-16.5	744.8	34	089	14	346
770	-16.6	743.8	35	089	14	348
780	-16.7	742.8	35	089	14	349
790	-16.8	741.8	35	090	14	351
800	-16.9	740.8	35	090	14	352
810	-17.0	739.8	35	090	14	353
820	-17.1	738.8	35	090	14	355
830	-17.2	737.8	36	090	14	356
840	-17.3	736.9	36	090	15	357
850	-17.4	735.9	36	091	15	359
860	-17.4	734.9	36	091	15	360
870	-17.5	733.9	36	091	15	361
880	-17.6	732.9	37	091	15	363

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
890	-17.7	731.9	37	091	15	364
900	-17.8	731.0	37	091	16	366
910	-17.8	730.0	37	092	16	367
920	-17.9	729.0	37	092	16	368
930	-18.0	728.0	38	090	16	370
940	-18.1	727.1	38	089	16	371
950	-18.2	726.1	38	088	16	372
960	-18.2	725.1	38	087	16	374
970	-18.3	724.1	39	086	16	375
980	-18.4	723.2	39	084	16	376
990	-18.5	722.2	39	083	16	378
1000	-18.6	721.2	39	082	16	379
1050	-19.0	716.4	41	079	16	386
1100	-19.3	711.6	41	079	16	393
1150	-19.5	706.8	42	077	15	399
1200	-19.7	702.0	42	071	14	406
1250	-19.9	697.3	42	064	14	412
1300	-20.2	692.6	42	062	13	419
1350	-20.6	687.9	43	061	12	426
1400	-21.0	683.3	43	066	11	433
1450	-21.4	678.7	44	071	10	439
1500	-21.8	674.1	46	062	10	446
1550	-22.2	669.5	48	053	10	453
1600	-22.5	665.0	50	049	12	460
1650	-22.7	660.4	51	046	15	467
1700	-22.7	655.9	51	046	15	473
1750	-23.0	651.5	49	046	14	480
1800	-23.5	647.0	49	048	14	487
1850	-23.9	642.6	49	051	14	493
1900	-24.2	638.2	50	054	14	500
1950	-24.6	633.8	51	056	14	507
2000	-24.9	629.4	53	058	14	514
2050	-25.2	625.2	53	059	15	521
2100	-25.5	620.9	52	061	15	527
2150	-25.6	616.6	50	062	16	534
2200	-25.7	612.3	48	059	15	540
2250	-25.9	608.1	46	057	15	547
2300	-26.1	603.9	44	055	14	553
2350	-26.4	599.8	43	058	13	560
2400	-26.8	595.6	42	059	13	567
2450	-27.2	591.5	42	059	13	574
2500	-27.5	587.4	43	056	12	581
2550	-27.5	583.3	41	057	11	587
2600	-27.5	579.2	40	067	9	594
2650	-27.7	575.2	39	076	9	600

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
2700	-28.0	571.2	39	085	10	607
2750	-28.4	567.3	39	092	11	614
2800	-28.9	563.3	40	082	11	621
2850	-29.3	559.4	40	081	11	628
2900	-29.6	555.5	40	083	10	635
2950	-29.8	551.6	39	086	9	642
3000	-30.0	547.7	38	091	7	648
3050	-30.3	543.9	37	100	7	655
3100	-30.7	540.1	36	098	7	662
3150	-31.2	536.3	35	094	7	669
3200	-31.6	532.5	35	094	7	676
3250	-31.9	528.7	35	100	7	683
3300	-31.9	525.0	33	108	7	689
3350	-31.8	521.3	32	109	7	696
3400	-31.9	517.6	30	102	6	702
3450	-32.2	513.9	28	093	6	709
3500	-32.5	510.3	27	091	7	716
3550	-32.7	506.7	26	096	7	723
3600	-32.9	503.1	25	105	7	729
3650	-33.1	499.5	25	117	7	736
3700	-33.4	496.0	26	133	8	743
3750	-33.7	492.5	26	144	8	750
3800	-33.9	488.9	27	150	9	757
3850	-34.4	485.5	27	148	10	764
3900	-34.8	482.0	27	145	10	771
3950	-35.1	478.6	28	144	9	778
4000	-35.3	475.1	28	142	10	785
4050	-35.5	471.7	28	141	10	792
4100	-35.8	468.3	27	142	11	799
4150	-36.2	465.0	27	141	12	806
4200	-36.6	461.6	27	139	12	813
4250	-36.9	458.3	28	139	11	820
4300	-37.2	455.0	28	139	12	827
4350	-37.5	451.7	27	140	12	834
4400	-37.7	448.4	27	142	13	840
4450	-37.9	445.2	26	144	13	847
4500	-38.1	442.0	25	142	13	854
4550	-38.3	438.8	24	142	13	861
4600	-38.5	435.6	26	144	13	868
4650	-38.9	432.4	27	147	14	875
4700	-39.3	429.3	28	146	13	882
4750	-39.7	426.1	29	145	13	889
4800	-40.0	423.0	30	146	12	896
4850	-40.3	419.9	30	151	12	904
4900	-40.7	416.9	31	153	12	911

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
4950	-41.0	413.8	31	155	12	918
5000	-41.4	410.8	31	156	12	925
5100	-42.2	404.8	31	156	11	939
5200	-42.8	398.8	32	164	10	953
5300	-43.6	392.9	32	163	9	967
5400	-44.3	387.1	32	165	9	981
5500	-45.2	381.3	33	170	9	996
5600	-45.9	375.7	33	180	8	1010
5700	-46.7	370.0	34	180	9	1024
5800	-47.6	364.5	35	171	8	1039
5900	-48.3	359.0	35	178	8	1053
6000	-49.0	353.6	36	169	7	1067
6100	-49.7	348.2	36	167	7	1081
6200	-50.6	342.9	37	159	9	1096
6300	-51.3	337.7	37	154	10	1110
6400	-52.0	332.5	38	151	11	1124
6500	-52.7	327.4	38	146	10	1139
6600	-53.4	322.4	38	139	10	1153
6700	-53.9	317.4	38	138	11	1167
6800	-53.9	312.5	38	146	9	1181
6900	-54.0	307.7	38	176	7	1195
7000	-54.2	302.9	38	196	5	1209
7100	-54.6	298.2	38	179	4	1224
7200	-55.1	293.6	38	162	6	1238
7300	-55.5	289.0	38	170	5	1252
7400	-55.9	284.5	38	172	6	1266
7500	-55.9	280.1	37	179	6	1280
7600	-55.4	275.7	35	183	5	1294
7700	-54.7	271.4	33	205	6	1308
7800	-54.0	267.2	32	206	8	1322
7900	-53.8	263.1	32	189	10	1336
8000	-53.4	259.0	30	184	8	1350
8100	-52.8	255.0	29	196	7	1364
8200	-52.8	251.1	27	192	7	1378
8300	-52.4	247.3	26	204	5	1392
8400	-51.4	243.5	24	205	7	1406
8500	-50.4	239.8	23	172	4	1420
8600	-50.2	236.1	21	207	3	1434
8700	-49.9	232.5	20	231	2	1448
8800	-49.5	229.0	18	227	6	1462
8900	-48.9	225.5	17	197	3	1477
9000	-48.3	222.1	15	190	3	1491
9100	-48.4	218.8	14	220	3	1505
9200	-48.4	215.5	13	220	5	1520
9300	-47.8	212.2	12	198	7	1534

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
9400	-47.5	209.1	11	146	5	1548
9500	-47.4	205.9	10	100	2	1563
9600	-47.4	202.8	9	051	2	1578
9700	-47.6	199.8	8	038	1	1592
9800	-47.1	196.8	7	300	2	1607
9900	-47.1	193.8	6	271	4	1621
10000	-46.7	190.9	6	233	5	1636
10100	-46.4	188.1	5	216	3	1650
10200	-46.3	185.3	5	204	2	1665
10300	-46.2	182.5	5	196	4	1680
10400	-45.9	179.8	4	167	4	1694
10500	-45.8	177.1	4	191	4	1709
10600	-45.6	174.5	3	167	5	1724
10700	-45.8	171.9	3	134	4	1739
10800	-46.1	169.3	3	098	3	1754
10900	-46.5	166.8	3	098	4	1769
11000	-46.3	164.3	2	105	4	1783
11100	-46.5	161.8	2	124	4	1798
11200	-46.3	159.4	2	123	3	1813
11300	-46.3	157.0	2	135	3	1828
11400	-46.3	154.7	2	186	4	1843
11500	-46.1	152.4	2	198	3	1858
11600	-45.8	150.1	1	206	6	1873
11700	-45.6	147.9	1	174	5	1887
11800	-45.5	145.7	1	136	5	1902
11900	-45.4	143.5	1	131	4	1917
12000	-45.3	141.4	1	115	5	1932
12100	-45.2	139.3	1	111	4	1947
12200	-45.1	137.2	1	126	3	1962
12300	-45.0	135.2	1	140	4	1977
12400	-45.0	133.2	1	163	6	1992
12500	-44.8	131.2	1	150	6	2007
12600	-44.7	129.3	1	146	5	2022
12700	-44.4	127.3	1	172	3	2037
12800	-44.4	125.5	1	172	3	2052
12900	-44.3	123.6	1	170	3	2067
13000	-44.5	121.8	1	124	4	2082
13100	-44.4	120.0	1	110	4	2097
13200	-44.0	118.2	1	142	4	2113
13300	-43.4	116.5	1	143	6	2128
13400	-43.1	114.7	1	149	7	2143
13500	-42.9	113.1	1	156	9	2158
13600	-42.6	111.4	1	140	10	2173
13700	-42.4	109.8	1	113	8	2188
13800	-42.3	108.1	1	106	9	2203

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
13900	-42.3	106.6	1	096	8	2218
14000	-42.5	105.0	1	096	6	2233
14100	-42.7	103.5	1	102	5	2249
14200	-42.7	101.9	1	076	5	2264
14300	-42.3	100.4	1	067	2	2279
14400	-42.0	99.0	1	134	2	2294
14500	-42.0	97.5	1	133	4	2309
14600	-42.1	96.1	1	129	3	2325
14700	-42.4	94.7	1	137	2	2340
14800	-42.7	93.3	1	138	3	2355
14900	-42.8	91.9	1	160	4	2370
15000	-42.1	90.6	1	149	8	2386
15100	-41.8	89.3	1	134	8	2401
15200	-41.9	88.0	1	128	8	2416
15300	-41.6	86.7	1	129	5	2431
15400	-41.5	85.4	1	131	4	2446
15500	-41.0	84.2	1	157	4	2462
15600	-41.0	82.9	1	166	7	2477
15700	-40.8	81.7	1	145	11	2492
15800	-40.6	80.5	1	136	13	2508
15900	-40.5	79.4	1	109	10	2523
16000	-40.3	78.2	1	084	10	2538
16100	-40.4	77.1	1	084	7	2553
16200	-40.3	76.0	1	090	6	2569
16300	-40.1	74.9	1	069	6	2584
16400	-40.2	73.8	1	049	5	2599
16500	-40.2	72.7	1	056	2	2615
16600	-40.1	71.6	1	155	1	2630
16700	-40.1	70.6	1	139	4	2645
16800	-40.0	69.6	1	131	7	2661
16900	-39.9	68.6	1	122	5	2676
17000	-39.8	67.6	1	103	5	2692
17100	-39.8	66.6	1	096	2	2707
17200	-39.5	65.6	1	111	1	2722
17300	-39.4	64.7	1	165	2	2738
17400	-39.2	63.7	1	147	4	2753
17500	-38.8	62.8	1	133	6	2768
17600	-38.8	61.9	1	116	5	2784
17700	-38.7	61.0	1	118	6	2799
17800	-38.7	60.1	1	123	6	2815
17900	-38.7	59.3	1	124	6	2830
18000	-38.8	58.4	1	128	8	2845
18100	-38.4	57.6	1	130	4	2861
18200	-38.3	56.8	1	131	4	2876
18300	-38.2	55.9	1	137	8	2892

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
18400	-38.3	55.1	1	130	11	2907
18500	-38.4	54.3	1	120	12	2923
18600	-38.2	53.6	1	113	11	2938
18700	-38.1	52.8	1	105	9	2953
18800	-38.2	52.0	1	103	9	2969
18900	-38.3	51.3	1	105	6	2984
19000	-38.4	50.5	1	122	8	3000
19100	-38.3	49.8	1	110	10	3015
19200	-38.3	49.1	1	103	7	3031
19300	-37.9	48.4	1	135	6	3046
19400	-37.8	47.7	1	143	8	3062
19500	-37.6	47.0	1	134	8	3077
19600	-37.5	46.3	1	108	8	3093
19700	-37.1	45.7	1	086	9	3108
19800	-36.6	45.0	1	064	8	3123
19900	-36.3	44.4	1	043	7	3139
20000	-35.9	43.7	1	093	4	3154
20100	-35.7	43.1	1	083	5	3170
20200	-35.8	42.5	1	089	5	3185
20300	-36.0	41.9	1	052	3	3201
20400	-36.1	41.3	1	024	2	3216
20500	-36.2	40.7	1	147	1	3232
20600	-36.1	40.1	1	159	7	3247
20700	-35.4	39.6	1	160	8	3263
20800	-35.6	39.0	1	152	7	3278
20900	-35.6	38.5	1	146	10	3294
21000	-36.2	37.9	1	129	13	3309
21100	-36.1	37.4	1	108	13	3325
21200	-36.1	36.8	1	101	9	3341
21300	-36.2	36.3	1	111	7	3356
21400	-36.3	35.8	1	121	9	3372
21500	-36.2	35.3	1	137	9	3387
21600	-35.9	34.8	1	138	10	3403
21700	-35.7	34.3	1	127	10	3418
21800	-35.6	33.8	1	136	9	3434
21900	-35.3	33.3	1	139	10	3449
22000	-35.4	32.8	1	124	12	3465
22100	-35.3	32.4	1	113	13	3480
22200	-35.1	31.9	1	116	12	3496
22300	-35.0	31.5	1	120	12	3511
22400	-34.7	31.0	1	108	11	3527
22500	-34.4	30.6	1	107	10	3543
22600	-34.2	30.1	1	122	11	3558
22700	-34.0	29.7	1	116	13	3574
22800	-33.6	29.3	1	106	13	3589

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
22900	-33.3	28.9	1	097	13	3605
23000	-33.0	28.5	1	083	13	3620
23100	-33.0	28.1	1	082	14	3636
23200	-32.9	27.7	1	075	14	3651
23300	-32.9	27.3	1	077	14	3667
23400	-33.0	26.9	1	084	12	3683
23500	-33.2	26.5	1	086	11	3698
23600	-33.2	26.2	1	086	9	3714
23700	-33.4	25.8	1	078	8	3729
23800	-33.7	25.4	1	087	9	3745
23900	-34.2	25.1	1	094	8	3761
24000	-34.5	24.7	1	115	9	3776
24100	-34.4	24.4	1	130	13	3792
24200	-34.2	24.0	1	113	15	3807
24300	-34.3	23.7	1	101	14	3823
24400	-33.9	23.4	1	091	11	3838
24500	-33.6	23.0	1	102	11	3854
24600	-33.4	22.7	1	105	11	3870
24700	-33.5	22.4	1	113	10	3885
24800	-33.3	22.1	1	122	11	3901
24900	-33.1	21.8	1	132	13	3916
25000	-32.9	21.5	1	131	16	3932
25100	-32.9	21.2	1	127	15	3948
25200	-33.1	20.9	1	130	19	3963
25300	-33.3	20.6	1	124	23	3979
25400	-33.0	20.3	1	114	20	3994
25500	-32.7	20.0	1	107	14	4010
25600	-32.2	19.7	1	100	13	4026
25700	-32.3	19.4	1	114	14	4041
25800	-32.3	19.2	1	117	17	4057
25900	-32.0	18.9	1	113	17	4072
26000	-31.7	18.6	1	100	16	4088
26100	-31.3	18.4	1	094	15	4104
26200	-30.8	18.1	1	097	13	4119
26300	-30.6	17.9	1	104	11	4135
26400	-30.5	17.6	1	107	12	4151
26500	-30.4	17.4	1	104	15	4166
26600	-30.3	17.1	1	098	16	4182
26700	-30.1	16.9	1	089	14	4197
26800	-29.9	16.7	1	083	15	4213
26900	-30.0	16.4	1	081	17	4229
27000	-29.7	16.2	1	076	13	4244
27100	-29.5	16.0	1	061	9	4260
27200	-29.7	15.8	1	063	10	4275
27300	-29.7	15.5	1	084	9	4291

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
27400	-29.6	15.3	1	112	9	4307
27500	-29.7	15.1	1	119	12	4322
27600	-29.5	14.9	1	116	11	4338
27700	-29.5	14.7	1	100	9	4354
27800	-29.4	14.5	1	104	13	4369
27900	-29.4	14.3	1	122	14	4385
28000	-29.7	14.1	1	116	17	4401
28100	-29.9	13.9	1	114	18	4416
28200	-30.0	13.7	1	113	16	4432
28300	-29.9	13.5	1	110	11	4447
28400	-29.4	13.3	1	090	11	4463
28500	-29.0	13.1	1	093	11	4479
28600	-28.9	13.0	1	096	15	4494
28700	-29.1	12.8	1	093	18	4510
28800	-29.1	12.6	1	089	19	4526
28900	-28.8	12.4	1	094	17	4541
29000	-28.6	12.3	1	085	18	4557
29100	-28.8	12.1	1	092	15	4573
29200	-28.4	11.9	1	089	11	4588
29300	-28.0	11.8	1	099	9	4604
29400	-27.5	11.6	1	081	11	4620
29500	-27.2	11.4	1	109	14	4635
29600	-27.1	11.3	1	115	17	4651
29700	-26.9	11.1	1	110	17	4666
29800	-26.8	11.0	1	092	17	4682
29900	-26.4	10.8	1	087	13	4698
30000	-25.8	10.7	1	098	9	4713
30100	-25.2	10.5	1	117	10	4729
30200	-24.7	10.4	1	125	11	4745
30300	-24.6	10.2	1	120	13	4760
30400	-24.8	10.1	1	109	16	4776
30500	-25.2	10.0	1	100	20	4792
30600	-24.9	9.8	1	093	19	4807
30700	-24.6	9.7	1	081	15	4823
30800	-24.2	9.6	1	081	16	4839
30900	-24.0	9.4	1	090	16	4854
31000	-23.4	9.3	1	093	17	4870