

Altitude Report:

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
1	-7.7	828.0	33	090	3	244
2	-7.7	827.9	32	092	3	244
3	-7.7	827.8	32	093	3	244
4	-7.8	827.7	32	094	3	244
5	-7.8	827.6	32	095	3	244
6	-7.8	827.5	31	096	3	245
7	-7.8	827.4	31	097	3	245
8	-7.8	827.2	31	098	4	245
9	-7.8	827.1	30	099	4	245
10	-7.9	827.0	30	100	4	245
11	-7.9	826.9	30	101	4	245
12	-7.9	826.8	29	101	4	245
13	-7.9	826.7	29	102	4	245
14	-7.9	826.6	29	103	4	246
15	-7.9	826.5	29	104	4	246
16	-8.0	826.4	28	104	4	246
17	-8.0	826.3	28	105	4	246
18	-8.0	826.2	28	106	4	246
19	-8.0	826.1	27	106	4	246
20	-8.0	826.0	27	107	4	246
21	-8.0	825.9	27	107	5	246
22	-8.1	825.8	27	108	5	247
23	-8.1	825.6	26	108	5	247
24	-8.1	825.5	26	109	5	247
25	-8.1	825.4	26	109	5	247
26	-8.1	825.3	25	110	5	247
27	-8.1	825.2	25	110	5	247
28	-8.2	825.1	25	111	5	247
29	-8.2	825.0	24	111	5	247
30	-8.2	824.9	24	112	5	248
31	-8.2	824.8	24	112	5	248
32	-8.2	824.7	24	112	6	248
33	-8.2	824.6	24	113	6	248
34	-8.2	824.5	24	113	6	248
35	-8.2	824.4	24	113	6	248
36	-8.2	824.3	24	114	6	248
37	-8.2	824.2	24	114	6	249
38	-8.3	824.0	24	114	6	249
39	-8.3	823.9	24	115	6	249
40	-8.3	823.8	24	115	6	249
41	-8.3	823.7	24	115	6	249
42	-8.3	823.6	24	116	6	249
43	-8.3	823.5	24	116	7	249

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
44	-8.3	823.4	25	116	7	249
45	-8.3	823.3	25	116	7	250
46	-8.3	823.2	25	115	6	250
47	-8.4	823.1	25	115	6	250
48	-8.4	823.0	25	115	6	250
49	-8.4	822.9	25	115	6	250
50	-8.4	822.8	25	114	6	250
55	-8.4	822.3	25	113	6	251
60	-8.5	821.7	25	112	6	252
65	-8.5	821.2	25	111	6	252
70	-8.6	820.6	25	109	5	253
75	-8.7	820.1	25	108	5	254
80	-8.7	819.6	25	106	5	254
85	-8.8	819.1	26	104	5	255
90	-8.8	818.5	26	102	5	256
95	-8.8	818.0	26	100	5	256
100	-8.9	817.5	26	097	4	257
105	-8.9	816.9	26	095	4	258
110	-9.0	816.4	26	092	4	258
115	-9.0	815.9	26	090	4	259
120	-9.1	815.4	26	095	4	260
125	-9.1	814.8	27	100	3	260
130	-9.1	814.3	27	106	3	261
135	-9.2	813.8	27	112	3	262
140	-9.2	813.2	27	119	3	263
145	-9.3	812.7	27	126	3	263
150	-9.3	812.2	27	133	3	264
155	-9.4	811.7	27	140	3	265
160	-9.4	811.1	27	147	3	265
165	-9.4	810.6	27	153	3	266
170	-9.5	810.1	28	158	4	267
175	-9.5	809.5	28	162	4	267
180	-9.6	809.0	28	166	4	268
185	-9.6	808.5	28	170	4	269
190	-9.7	808.0	28	173	5	269
195	-9.7	807.5	28	172	5	270
200	-9.8	806.9	28	168	4	271
205	-9.8	806.4	28	165	4	271
210	-9.8	805.9	28	161	4	272
215	-9.9	805.4	29	157	4	273
220	-9.9	804.8	29	154	4	273
225	-10.0	804.3	29	150	4	274
230	-10.0	803.8	29	146	4	275
235	-10.0	803.3	29	143	4	275
240	-10.1	802.7	29	139	5	276

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
245	-10.1	802.2	29	136	5	277
250	-10.1	801.7	29	133	5	277
255	-10.2	801.2	29	130	5	278
260	-10.2	800.7	29	127	5	279
265	-10.3	800.1	30	124	5	279
270	-10.3	799.6	30	121	5	280
275	-10.3	799.1	30	119	5	281
280	-10.4	798.6	30	118	6	281
285	-10.4	798.1	30	117	6	282
290	-10.5	797.5	30	116	6	283
295	-10.5	797.0	30	114	6	283
300	-10.6	796.5	30	113	6	284
305	-10.6	796.0	30	112	7	285
310	-10.6	795.5	30	111	7	285
315	-10.7	794.9	30	111	7	286
320	-10.7	794.4	31	110	7	287
325	-10.8	793.9	31	109	8	287
330	-10.8	793.4	31	108	8	288
335	-10.9	792.9	31	108	8	289
340	-10.9	792.4	31	107	8	290
345	-11.0	791.8	31	106	8	290
350	-11.0	791.3	31	107	9	291
355	-11.0	790.8	31	107	9	292
360	-11.1	790.3	31	108	8	292
365	-11.1	789.8	31	109	8	293
370	-11.2	789.3	31	110	8	294
375	-11.2	788.7	31	111	8	294
380	-11.2	788.2	31	112	8	295
385	-11.3	787.7	32	113	8	296
390	-11.3	787.2	32	113	8	296
395	-11.4	786.7	32	114	8	297
400	-11.4	786.2	32	115	8	298
405	-11.4	785.7	32	116	8	298
410	-11.5	785.1	32	117	8	299
415	-11.5	784.6	32	118	8	300
420	-11.5	784.1	32	119	8	300
425	-11.6	783.6	32	119	8	301
430	-11.6	783.1	32	119	8	302
435	-11.6	782.6	32	119	8	302
440	-11.7	782.1	32	119	8	303
445	-11.7	781.6	32	119	8	304
450	-11.7	781.0	32	119	8	304
455	-11.8	780.5	32	119	8	305
460	-11.8	780.0	32	118	9	306
465	-11.8	779.5	32	118	9	306

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
470	-11.9	779.0	32	118	9	307
475	-11.9	778.5	32	118	9	308
480	-11.9	778.0	32	118	9	308
485	-12.0	777.5	32	118	9	309
490	-12.0	777.0	32	118	9	310
495	-12.1	776.5	32	118	9	310
500	-12.2	775.9	32	118	9	311
510	-12.3	774.9	32	119	9	312
520	-12.4	773.9	32	120	9	314
530	-12.5	772.9	33	121	9	315
540	-12.6	771.9	33	122	9	316
550	-12.7	770.9	33	123	8	318
560	-12.8	769.9	33	124	8	319
570	-12.8	768.8	33	125	8	321
580	-12.9	767.8	33	125	8	322
590	-13.0	766.8	33	124	8	323
600	-13.1	765.8	33	124	8	325
610	-13.1	764.8	34	123	8	326
620	-13.2	763.8	34	122	8	327
630	-13.3	762.8	34	121	8	329
640	-13.4	761.8	34	121	8	330
650	-13.5	760.8	34	120	8	331
660	-13.6	759.8	34	121	8	333
670	-13.7	758.8	34	121	8	334
680	-13.8	757.8	34	121	9	335
690	-13.9	756.8	34	122	9	337
700	-14.0	755.8	35	122	9	338
710	-14.1	754.8	35	122	9	339
720	-14.2	753.8	35	122	9	341
730	-14.3	752.8	35	121	9	342
740	-14.3	751.8	35	120	9	344
750	-14.4	750.8	35	120	9	345
760	-14.5	749.8	35	119	9	346
770	-14.6	748.8	35	118	9	348
780	-14.7	747.8	36	117	9	349
790	-14.8	746.9	36	116	8	350
800	-14.9	745.9	36	114	8	352
810	-14.9	744.9	36	113	9	353
820	-15.0	743.9	36	112	9	354
830	-15.2	742.9	36	111	9	356
840	-15.3	741.9	37	110	9	357
850	-15.4	740.9	37	109	9	359
860	-15.5	740.0	37	108	9	360
870	-15.6	739.0	37	107	9	361
880	-15.7	738.0	38	107	9	363

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
890	-15.8	737.0	38	107	9	364
900	-15.9	736.0	38	108	9	365
910	-16.0	735.1	38	108	9	367
920	-16.1	734.1	39	109	8	368
930	-16.2	733.1	39	109	8	370
940	-16.3	732.1	39	110	8	371
950	-16.4	731.1	39	110	8	372
960	-16.5	730.2	40	110	8	374
970	-16.6	729.3	40	108	8	375
980	-16.7	728.2	40	105	8	376
990	-16.8	727.3	41	103	8	378
1000	-16.9	726.3	41	101	9	379
1050	-17.2	721.4	42	095	8	386
1100	-17.6	716.6	42	093	8	393
1150	-18.2	711.9	43	090	8	400
1200	-18.5	707.1	45	081	9	406
1250	-18.9	702.3	47	071	9	413
1300	-19.3	697.6	48	061	9	420
1350	-19.7	693.0	49	049	9	427
1400	-20.0	688.3	50	043	8	434
1450	-20.4	683.6	50	042	8	440
1500	-20.8	679.0	50	043	8	447
1550	-21.3	674.4	52	040	8	454
1600	-21.8	669.9	53	045	7	461
1650	-22.3	665.3	54	052	7	468
1700	-22.9	660.8	55	058	6	475
1750	-23.4	656.3	56	066	6	482
1800	-23.8	651.8	58	071	7	489
1850	-24.3	647.3	59	071	6	496
1900	-24.7	642.9	60	070	5	503
1950	-25.0	638.5	61	078	5	510
2000	-25.5	634.1	61	085	5	516
2050	-25.9	629.7	61	094	4	523
2100	-26.5	625.4	62	105	4	530
2150	-26.9	621.1	63	103	4	537
2200	-27.3	616.8	64	114	5	544
2250	-27.7	612.5	64	129	5	551
2300	-28.2	608.2	65	123	4	558
2350	-28.7	604.0	67	119	5	565
2400	-29.3	599.8	68	117	5	572
2450	-29.7	595.6	70	124	4	579
2500	-30.2	591.4	72	126	4	586
2550	-30.7	587.3	74	109	6	593
2600	-31.1	583.1	75	089	2	600
2650	-31.5	579.0	76	308	2	607

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
2700	-31.9	574.9	78	179	1	614
2750	-32.3	570.9	78	026	1	621
2800	-32.7	566.8	79	014	2	628
2850	-32.4	562.8	80	003	2	634
2900	-30.8	558.9	79	013	3	639
2950	-30.2	554.9	77	023	3	645
3000	-30.4	551.0	74	020	4	652
3050	-30.7	547.2	71	024	4	658
3100	-31.2	543.3	68	018	3	665
3150	-31.4	539.5	67	009	4	672
3200	-31.8	535.7	65	005	4	679
3250	-32.1	531.9	64	013	5	686
3300	-32.5	528.1	63	020	5	692
3350	-32.9	524.4	62	021	5	699
3400	-33.2	520.7	61	013	5	706
3450	-33.6	517.0	60	355	5	713
3500	-34.0	513.3	59	349	5	720
3550	-34.2	509.6	58	349	6	727
3600	-34.5	506.0	56	351	5	733
3650	-34.8	502.4	54	359	4	740
3700	-35.1	498.8	51	009	5	747
3750	-35.3	495.2	49	006	5	754
3800	-35.6	491.7	46	359	4	760
3850	-35.7	488.1	43	353	5	767
3900	-36.0	484.6	41	357	4	774
3950	-36.4	481.1	38	004	4	780
4000	-36.6	477.7	36	003	4	787
4050	-37.0	474.2	34	010	4	794
4100	-37.2	470.8	33	013	5	801
4150	-37.4	467.4	32	009	5	808
4200	-37.7	464.0	30	360	4	814
4250	-38.1	460.7	29	352	4	821
4300	-38.5	457.3	28	350	3	828
4350	-38.8	454.0	28	345	3	835
4400	-38.9	450.7	27	339	2	842
4450	-39.2	447.4	26	341	1	849
4500	-39.6	444.2	25	045	1	856
4550	-40.0	440.9	25	073	2	863
4600	-40.3	437.7	25	078	2	870
4650	-40.6	434.5	25	084	2	877
4700	-41.0	431.3	26	100	2	884
4750	-41.4	428.2	27	085	1	891
4800	-41.8	425.0	28	058	1	898
4850	-42.1	421.9	29	072	0	905
4900	-42.3	418.8	29	150	1	912

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
4950	-42.5	415.7	30	181	2	919
5000	-42.7	412.6	30	186	2	926
5100	-43.5	406.5	31	159	3	940
5200	-44.3	400.5	31	179	3	954
5300	-45.0	394.6	32	162	3	969
5400	-45.7	388.7	33	186	4	983
5500	-46.4	382.9	33	206	5	997
5600	-47.1	377.1	33	205	6	1011
5700	-47.8	371.5	34	194	7	1025
5800	-48.4	365.9	35	186	9	1039
5900	-49.0	360.3	35	175	8	1054
6000	-49.4	354.9	34	176	8	1068
6100	-50.0	349.5	33	183	7	1082
6200	-50.6	344.2	34	188	7	1096
6300	-51.2	338.9	35	202	6	1110
6400	-51.7	333.8	35	208	7	1124
6500	-52.1	328.6	34	204	6	1139
6600	-52.8	323.6	34	189	5	1153
6700	-53.0	318.6	33	216	3	1167
6800	-53.2	313.7	33	226	7	1181
6900	-53.7	308.9	33	221	6	1195
7000	-54.1	304.1	33	210	4	1209
7100	-54.6	299.4	33	232	3	1224
7200	-54.9	294.7	33	259	3	1238
7300	-55.0	290.2	32	250	4	1252
7400	-53.7	285.7	31	274	5	1265
7500	-53.5	281.3	30	295	4	1279
7600	-53.5	276.9	29	277	5	1293
7700	-52.9	272.6	28	272	5	1307
7800	-52.2	268.5	27	241	4	1321
7900	-51.7	264.3	26	226	4	1335
8000	-51.4	260.3	25	234	2	1349
8100	-51.4	256.3	24	236	3	1363
8200	-50.8	252.4	23	232	4	1377
8300	-50.3	248.6	22	198	5	1391
8400	-50.0	244.8	21	179	2	1405
8500	-50.0	241.1	20	210	4	1420
8600	-49.9	237.4	19	205	4	1434
8700	-49.7	233.8	18	235	5	1448
8800	-49.5	230.3	17	221	7	1463
8900	-49.1	226.8	16	211	4	1477
9000	-48.7	223.4	15	247	3	1491
9100	-48.4	220.0	14	233	5	1506
9200	-48.0	216.7	13	242	3	1520
9300	-47.6	213.4	13	249	2	1534

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
9400	-47.5	210.2	12	227	3	1549
9500	-46.9	207.1	11	212	2	1563
9600	-47.1	204.0	10	257	4	1578
9700	-47.0	200.9	10	250	4	1593
9800	-46.6	197.9	9	235	4	1607
9900	-46.2	194.9	8	249	1	1622
10000	-46.3	192.0	8	227	4	1636
10100	-46.3	189.2	7	192	3	1651
10200	-46.1	186.3	7	183	4	1666
10300	-46.2	183.6	6	167	4	1680
10400	-46.1	180.8	6	178	3	1695
10500	-46.2	178.1	6	210	2	1710
10600	-46.0	175.5	5	210	3	1725
10700	-46.1	172.9	5	201	3	1739
10800	-45.9	170.3	5	195	5	1754
10900	-45.7	167.7	4	219	3	1769
11000	-45.7	165.2	4	237	6	1784
11100	-45.3	162.8	4	213	6	1798
11200	-45.3	160.4	4	210	4	1813
11300	-45.4	158.0	3	212	3	1828
11400	-45.3	155.6	3	182	2	1843
11500	-45.4	153.3	3	179	3	1858
11600	-45.6	151.0	3	189	5	1873
11700	-45.4	148.8	3	186	7	1888
11800	-45.1	146.6	3	176	8	1903
11900	-45.1	144.4	3	174	10	1918
12000	-44.7	142.3	2	166	9	1932
12100	-44.7	140.2	2	176	7	1947
12200	-44.8	138.1	2	184	5	1962
12300	-44.6	136.0	2	180	8	1977
12400	-44.5	134.0	2	160	7	1992
12500	-44.6	132.0	2	174	9	2007
12600	-44.4	130.1	2	172	6	2022
12700	-44.2	128.2	2	168	6	2037
12800	-44.0	126.3	2	168	6	2052
12900	-43.9	124.4	2	168	7	2068
13000	-44.0	122.6	1	158	9	2083
13100	-43.7	120.7	1	141	10	2098
13200	-44.0	119.0	1	144	8	2113
13300	-43.9	117.2	1	154	8	2128
13400	-43.7	115.5	1	167	6	2143
13500	-43.3	113.8	1	165	8	2158
13600	-43.0	112.1	1	174	8	2173
13700	-42.9	110.5	1	177	9	2188
13800	-42.9	108.8	1	169	12	2203

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
13900	-42.9	107.2	1	173	14	2219
14000	-42.7	105.7	1	160	16	2234
14100	-42.7	104.1	1	145	15	2249
14200	-42.9	102.6	1	122	12	2264
14300	-43.0	101.1	1	113	8	2279
14400	-42.5	99.6	1	099	6	2294
14500	-42.6	98.1	1	111	3	2310
14600	-42.4	96.7	1	140	3	2325
14700	-42.1	95.3	1	237	1	2340
14800	-42.1	93.9	1	225	5	2355
14900	-41.8	92.5	1	214	7	2370
15000	-41.6	91.2	1	200	9	2386
15100	-41.3	89.8	1	181	9	2401
15200	-41.0	88.5	1	182	9	2416
15300	-40.9	87.2	1	186	11	2431
15400	-41.0	86.0	1	179	11	2447
15500	-41.2	84.7	1	193	9	2462
15600	-41.5	83.5	1	189	9	2477
15700	-41.5	82.2	1	183	9	2493
15800	-41.3	81.0	1	156	11	2508
15900	-41.4	79.9	1	141	13	2523
16000	-41.6	78.7	4	121	12	2539
16100	-41.2	77.5	1	114	9	2554
16200	-41.1	76.4	1	138	5	2569
16300	-40.7	75.3	1	163	7	2584
16400	-40.3	74.2	1	152	7	2600
16500	-40.1	73.1	1	170	7	2615
16600	-40.1	72.1	1	170	8	2630
16700	-39.8	71.0	1	164	6	2646
16800	-39.5	70.0	1	139	5	2661
16900	-39.5	69.0	1	089	4	2676
17000	-39.7	68.0	1	079	0	2692
17100	-39.8	67.0	1	208	2	2707
17200	-40.0	66.0	1	176	2	2722
17300	-39.7	65.1	1	227	3	2738
17400	-39.5	64.1	1	212	6	2753
17500	-39.5	63.2	1	201	10	2769
17600	-39.5	62.3	1	178	10	2784
17700	-39.7	61.4	1	163	12	2799
17800	-39.4	60.5	1	142	11	2815
17900	-39.2	59.6	1	134	8	2830
18000	-39.0	58.8	1	150	6	2846
18100	-38.8	57.9	1	156	6	2861
18200	-38.8	57.1	1	165	8	2876
18300	-38.9	56.3	1	149	14	2892

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
18400	-39.2	55.4	1	140	14	2907
18500	-39.1	54.6	1	137	12	2923
18600	-38.8	53.9	1	124	11	2938
18700	-38.0	53.1	1	114	12	2954
18800	-38.1	52.3	1	115	12	2969
18900	-38.4	51.6	1	108	9	2984
19000	-38.4	50.8	1	111	8	3000
19100	-38.2	50.1	1	112	7	3015
19200	-38.0	49.4	1	124	6	3031
19300	-37.7	48.7	1	121	8	3046
19400	-37.8	48.0	1	119	7	3062
19500	-38.3	47.3	1	124	6	3077
19600	-38.1	46.6	1	130	8	3093
19700	-38.0	45.9	1	153	6	3108
19800	-37.9	45.3	1	150	9	3124
19900	-37.8	44.6	1	137	11	3139
20000	-37.5	44.0	1	144	12	3155
20100	-37.0	43.3	1	139	10	3170
20200	-36.7	42.7	1	129	9	3186
20300	-36.2	42.1	1	144	8	3201
20400	-35.9	41.5	1	162	11	3216
20500	-35.7	40.9	1	141	10	3232
20600	-35.6	40.3	1	134	9	3247
20700	-35.4	39.8	1	120	7	3263
20800	-35.7	39.2	1	143	9	3278
20900	-35.9	38.7	1	151	11	3294
21000	-35.9	38.1	1	147	11	3310
21100	-36.1	37.6	1	143	12	3325
21200	-36.1	37.0	1	143	12	3341
21300	-35.7	36.5	1	150	10	3356
21400	-35.5	36.0	1	149	10	3372
21500	-35.6	35.5	1	147	11	3387
21600	-35.3	35.0	1	146	14	3403
21700	-35.5	34.5	1	136	17	3418
21800	-35.5	34.0	1	121	17	3434
21900	-35.4	33.5	1	109	15	3449
22000	-35.1	33.0	1	105	15	3465
22100	-34.9	32.6	1	124	14	3480
22200	-34.7	32.1	1	126	15	3496
22300	-34.7	31.6	1	119	15	3511
22400	-34.9	31.2	1	109	16	3527
22500	-34.7	30.7	1	103	13	3543
22600	-34.4	30.3	1	097	12	3558
22700	-34.2	29.9	1	079	12	3574
22800	-34.1	29.5	1	081	10	3589

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
22900	-34.2	29.0	1	090	12	3605
23000	-34.2	28.6	1	094	10	3620
23100	-34.0	28.2	1	107	12	3636
23200	-33.9	27.8	1	111	13	3652
23300	-34.0	27.4	1	109	11	3667
23400	-34.1	27.1	1	103	9	3683
23500	-34.2	26.7	1	086	7	3698
23600	-33.9	26.3	1	106	7	3714
23700	-33.9	25.9	1	136	9	3729
23800	-33.9	25.6	1	144	10	3745
23900	-33.9	25.2	1	132	11	3761
24000	-33.8	24.8	1	127	13	3776
24100	-34.1	24.5	1	119	15	3792
24200	-34.4	24.1	1	107	15	3807
24300	-34.1	23.8	1	091	13	3823
24400	-33.5	23.5	1	095	11	3838
24500	-33.2	23.1	1	103	11	3854
24600	-33.2	22.8	1	097	7	3870
24700	-33.2	22.5	1	112	6	3885
24800	-32.8	22.2	1	100	6	3901
24900	-32.6	21.9	1	086	9	3916
25000	-32.7	21.6	1	088	12	3932
25100	-32.8	21.3	1	084	9	3948
25200	-32.9	21.0	1	097	6	3963
25300	-32.7	20.7	1	113	10	3979
25400	-32.8	20.4	1	112	11	3994
25500	-32.6	20.1	1	117	12	4010
25600	-32.6	19.8	1	100	14	4026
25700	-32.7	19.5	1	088	15	4041
25800	-32.5	19.3	1	098	13	4057
25900	-32.2	19.0	1	110	12	4072
26000	-32.3	18.7	1	123	12	4088
26100	-32.2	18.5	1	106	11	4104
26200	-32.1	18.2	1	097	12	4119
26300	-31.9	17.9	1	083	10	4135
26400	-31.9	17.7	1	056	7	4151
26500	-31.6	17.4	1	070	7	4166
26600	-31.5	17.2	1	087	9	4182
26700	-31.2	17.0	1	087	8	4197
26800	-31.2	16.7	1	072	9	4213
26900	-30.9	16.5	1	089	9	4229
27000	-30.8	16.3	1	098	7	4244
27100	-30.7	16.0	1	103	9	4260
27200	-31.0	15.8	1	081	11	4276
27300	-30.7	15.6	1	064	8	4291

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
27400	-30.2	15.4	1	082	5	4307
27500	-30.2	15.2	1	069	5	4322
27600	-30.5	15.0	1	100	6	4338
27700	-30.5	14.7	1	127	6	4354
27800	-30.4	14.5	1	118	7	4369
27900	-30.7	14.3	1	102	9	4385
28000	-30.8	14.1	1	102	11	4401
28100	-30.9	13.9	1	118	13	4416
28200	-30.5	13.8	1	120	16	4432
28300	-29.9	13.6	1	119	18	4448
28400	-29.3	13.4	1	114	15	4463
28500	-29.2	13.2	1	111	11	4479
28600	-29.0	13.0	1	118	8	4494
28700	-28.9	12.8	1	130	11	4510
28800	-28.9	12.6	1	117	12	4526
28900	-28.6	12.5	1	114	15	4541
29000	-28.5	12.3	1	113	13	4557
29100	-28.0	12.1	1	109	16	4573
29200	-27.4	12.0	1	114	14	4588
29300	-27.1	11.8	1	108	19	4604
29400	-27.2	11.6	1	105	23	4620
29500	-27.3	11.5	1	098	19	4635
29600	-26.9	11.3	1	086	17	4651
29700	-26.6	11.2	1	082	15	4666
29800	-26.4	11.0	1	089	13	4682
29900	-26.2	10.9	1	104	13	4698
30000	-25.9	10.7	1	102	15	4713
30100	-25.7	10.6	1	094	18	4729
30200	-25.4	10.4	1	084	19	4745
30300	-25.3	10.3	1	078	18	4760
30400	-25.0	10.1	1	091	17	4776
30500	-24.4	10.0	1	095	20	4792
30600	-24.0	9.9	1	091	18	4807
30700	-23.5	9.7	1	093	16	4823
30800	-23.3	9.6	1	091	19	4839
30900	-22.8	9.5	1	083	23	4854
31000	-22.8	9.4	1	080	26	4870
31100	-22.7	9.2	1	083	25	4886
31200	-22.4	9.1	1	097	19	4901
31300	-22.0	9.0	1	101	14	4917
31400	-21.6	8.9	1	085	14	4933
31500	-21.1	8.7	1	068	17	4948
31600	-21.1	8.6	1	068	16	4964
31700	-21.3	8.5	1	080	13	4980
31800	-21.0	8.4	1	105	12	4995

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
31900	-20.5	8.3	1	110	12	5011
32000	-20.2	8.2	1	110	12	5027
32100	-20.1	8.1	1	108	13	5042
32200	-20.3	8.0	1	101	14	5058
32300	-20.4	7.9	1	107	16	5074
32400	-20.4	7.7	1	118	23	5089