

Altitude Report:

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
1	-10.9	832.8	44	094	7	249
2	-10.9	832.7	44	095	7	249
3	-10.9	832.6	43	095	7	249
4	-10.9	832.5	43	095	7	249
5	-10.9	832.4	42	095	7	249
6	-10.9	832.2	42	096	7	249
7	-10.9	832.1	41	096	7	250
8	-10.9	832.0	41	096	7	250
9	-10.9	831.9	40	097	7	250
10	-10.9	831.8	40	097	7	250
11	-10.9	831.7	39	097	7	250
12	-10.9	831.6	39	098	7	250
13	-10.9	831.5	38	098	7	250
14	-10.9	831.4	38	098	7	250
15	-10.9	831.3	37	098	7	250
16	-10.9	831.2	37	099	7	250
17	-10.9	831.1	36	099	7	251
18	-10.9	830.9	36	099	7	251
19	-10.9	830.8	35	099	7	251
20	-10.9	830.7	35	100	7	251
21	-10.9	830.6	34	100	7	251
22	-10.9	830.5	34	100	7	251
23	-10.9	830.4	33	101	7	251
24	-10.9	830.3	33	101	7	251
25	-10.9	830.2	32	101	7	251
26	-10.9	830.1	31	101	7	251
27	-10.9	830.0	31	102	7	252
28	-10.9	829.9	30	102	7	252
29	-10.9	829.8	30	102	7	252
30	-11.0	829.6	30	102	7	252
31	-11.0	829.5	30	103	7	252
32	-11.0	829.4	30	103	7	252
33	-11.0	829.3	30	103	7	252
34	-11.0	829.2	30	103	7	252
35	-11.0	829.1	30	103	7	253
36	-11.0	829.0	31	103	7	253
37	-11.0	828.9	31	103	7	253
38	-11.0	828.8	31	103	7	253
39	-11.1	828.7	31	102	7	253
40	-11.1	828.6	31	102	7	253
41	-11.1	828.5	31	102	7	253
42	-11.1	828.4	31	102	7	254
43	-11.1	828.3	31	102	7	254

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
44	-11.1	828.2	31	102	7	254
45	-11.1	828.1	31	102	7	254
46	-11.1	828.0	31	101	7	254
47	-11.1	827.9	31	101	7	254
48	-11.2	827.7	31	101	7	254
49	-11.2	827.6	31	101	7	255
50	-11.2	827.5	31	101	7	255
55	-11.2	826.9	31	100	7	255
60	-11.3	826.4	31	099	8	256
65	-11.4	825.9	31	099	8	257
70	-11.4	825.3	32	098	8	257
75	-11.4	824.8	31	097	8	258
80	-11.5	824.2	31	097	8	259
85	-11.5	823.7	31	096	8	259
90	-11.5	823.2	31	096	8	260
95	-11.5	822.6	31	096	7	261
100	-11.6	822.1	31	096	7	261
105	-11.6	821.6	31	096	7	262
110	-11.6	821.0	31	096	6	263
115	-11.7	820.5	31	096	6	263
120	-11.7	819.9	30	096	6	264
125	-11.7	819.4	30	096	5	264
130	-11.7	818.8	30	096	5	265
135	-11.8	818.3	30	096	5	266
140	-11.8	817.8	30	096	4	266
145	-11.8	817.3	30	097	4	267
150	-11.8	816.7	30	099	4	268
155	-11.9	816.2	30	101	4	268
160	-11.9	815.7	30	103	5	269
165	-12.0	815.1	30	105	5	270
170	-12.0	814.6	30	107	5	270
175	-12.1	814.1	30	108	5	271
180	-12.1	813.5	30	109	5	272
185	-12.2	813.0	30	111	5	272
190	-12.2	812.5	30	112	6	273
195	-12.3	811.9	30	113	6	274
200	-12.3	811.4	30	114	6	274
205	-12.4	810.9	30	115	6	275
210	-12.5	810.3	30	116	6	276
215	-12.5	809.8	30	118	6	277
220	-12.6	809.2	30	119	5	277
225	-12.6	808.7	30	121	5	278
230	-12.7	808.2	30	122	5	279
235	-12.8	807.7	30	124	5	279
240	-12.8	807.1	30	126	5	280

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
245	-12.9	806.6	30	128	4	281
250	-12.9	806.1	30	130	4	281
255	-12.9	805.5	31	133	4	282
260	-13.0	805.0	31	136	4	283
265	-13.0	804.5	31	139	4	283
270	-13.1	804.0	31	139	3	284
275	-13.1	803.4	31	137	3	285
280	-13.1	802.9	31	135	3	285
285	-13.2	802.4	31	133	3	286
290	-13.2	801.8	31	130	3	287
295	-13.2	801.3	31	128	3	287
300	-13.3	800.8	31	125	3	288
305	-13.4	800.3	31	123	3	289
310	-13.4	799.8	31	121	3	289
315	-13.5	799.2	31	118	3	290
320	-13.5	798.7	31	116	3	291
325	-13.6	798.2	31	113	3	291
330	-13.7	797.6	32	111	3	292
335	-13.7	797.1	32	112	3	293
340	-13.8	796.6	32	113	3	293
345	-13.8	796.1	32	114	3	294
350	-13.8	795.5	32	116	3	295
355	-13.9	795.0	32	117	3	295
360	-13.9	794.5	32	119	3	296
365	-13.9	794.0	32	120	2	297
370	-14.0	793.4	32	122	2	297
375	-14.0	792.9	32	125	2	298
380	-14.0	792.4	32	127	2	299
385	-14.1	791.9	32	130	2	299
390	-14.1	791.3	32	133	2	300
395	-14.2	790.8	32	136	2	301
400	-14.2	790.3	32	138	2	301
405	-14.3	789.8	32	140	2	302
410	-14.3	789.2	32	142	3	303
415	-14.4	788.7	32	144	3	303
420	-14.4	788.2	32	145	3	304
425	-14.5	787.7	32	147	3	305
430	-14.5	787.2	33	148	3	306
435	-14.6	786.6	33	149	3	306
440	-14.6	786.1	33	150	3	307
445	-14.7	785.6	33	150	3	308
450	-14.7	785.1	33	149	3	308
455	-14.8	784.6	33	148	3	309
460	-14.8	784.0	33	147	3	310
465	-14.9	783.5	33	146	3	310

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
470	-14.9	783.0	33	145	3	311
475	-14.9	782.5	33	144	3	312
480	-15.0	782.0	33	143	3	312
485	-15.0	781.5	33	142	3	313
490	-15.0	780.9	33	141	3	314
495	-15.1	780.4	34	139	3	314
500	-15.1	779.9	34	141	3	315
510	-15.2	778.9	34	151	3	316
520	-15.3	777.8	34	162	3	318
530	-15.4	776.8	34	173	3	319
540	-15.5	775.8	35	184	3	320
550	-15.6	774.7	35	193	3	322
560	-15.8	773.7	35	192	4	323
570	-15.9	772.7	36	189	4	325
580	-16.0	771.7	36	186	5	326
590	-16.2	770.6	37	184	6	327
600	-16.2	769.6	37	183	6	329
610	-16.2	768.6	38	181	7	330
620	-16.1	767.6	39	179	7	331
630	-16.1	766.5	39	177	7	333
640	-16.1	765.5	40	174	7	334
650	-16.1	764.5	41	172	7	335
660	-16.1	763.5	41	169	7	336
670	-16.1	762.5	40	166	7	338
680	-16.1	761.4	40	163	7	339
690	-16.2	760.4	40	160	7	340
700	-16.3	759.4	40	157	7	342
710	-16.4	758.4	39	154	7	343
720	-16.5	757.4	39	152	7	344
730	-16.6	756.4	39	150	7	346
740	-16.7	755.4	40	148	7	347
750	-16.7	754.4	40	146	8	348
760	-16.8	753.4	40	144	8	350
770	-16.9	752.4	40	143	8	351
780	-16.9	751.4	40	141	9	352
790	-17.0	750.4	40	140	9	354
800	-17.1	749.4	40	141	10	355
810	-17.1	748.4	40	143	10	356
820	-17.2	747.4	40	144	10	358
830	-17.2	746.4	40	145	11	359
840	-17.2	745.4	40	146	11	360
850	-17.3	744.4	39	147	11	361
860	-17.4	743.4	39	147	11	363
870	-17.4	742.4	39	148	11	364
880	-17.5	741.4	39	148	12	365

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
890	-17.5	740.4	39	148	12	367
900	-17.6	739.4	39	149	12	368
910	-17.7	738.4	38	150	12	369
920	-17.7	737.4	38	151	12	371
930	-17.8	736.4	38	152	12	372
940	-17.8	735.4	37	153	12	373
950	-17.9	734.5	37	153	12	375
960	-17.9	733.5	37	153	12	376
970	-17.9	732.5	37	154	12	377
980	-18.0	731.5	37	153	12	378
990	-18.0	730.5	36	151	12	380
1000	-18.1	729.6	36	148	12	381
1050	-18.5	724.7	35	139	12	388
1100	-18.7	719.8	35	132	11	394
1150	-19.0	715.0	35	123	10	401
1200	-19.2	710.2	34	115	10	407
1250	-19.2	705.4	32	115	10	414
1300	-19.1	700.7	30	117	10	420
1350	-19.2	696.0	28	113	9	426
1400	-19.5	691.3	27	108	8	433
1450	-19.8	686.7	27	110	8	440
1500	-20.2	682.0	27	115	8	446
1550	-20.7	677.4	27	118	8	453
1600	-20.9	672.9	27	121	8	460
1650	-21.0	668.3	26	118	9	466
1700	-21.1	663.8	24	112	10	473
1750	-21.5	659.3	23	106	10	479
1800	-21.9	654.8	22	108	10	486
1850	-22.4	650.4	22	113	10	493
1900	-22.8	646.0	22	112	9	500
1950	-23.0	641.6	23	117	9	506
2000	-23.3	637.2	23	123	9	513
2050	-23.6	632.8	23	121	9	520
2100	-24.0	628.5	24	122	8	527
2150	-24.1	624.2	25	123	8	534
2200	-24.4	619.9	25	126	7	540
2250	-24.4	615.7	22	144	8	547
2300	-24.5	611.5	25	144	8	553
2350	-24.5	607.3	30	153	9	560
2400	-24.6	603.1	32	162	8	567
2450	-24.7	599.0	32	161	8	574
2500	-24.9	594.9	32	165	7	580
2550	-25.2	590.8	31	169	6	587
2600	-25.5	586.7	31	159	6	594
2650	-25.5	582.7	31	157	6	600

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
2700	-25.8	578.7	30	163	6	607
2750	-26.0	574.7	29	170	7	614
2800	-26.5	570.7	29	180	7	621
2850	-26.9	566.8	29	181	7	628
2900	-27.3	562.8	30	181	5	635
2950	-27.4	558.9	30	186	6	642
3000	-27.7	555.1	31	186	7	648
3050	-28.1	551.2	30	182	6	655
3100	-28.5	547.4	30	183	6	662
3150	-28.8	543.5	30	181	5	669
3200	-29.0	539.8	30	172	6	676
3250	-29.4	536.0	30	175	6	683
3300	-29.6	532.2	30	182	7	690
3350	-30.0	528.5	30	188	7	697
3400	-30.3	524.8	30	191	7	703
3450	-30.7	521.1	31	196	7	710
3500	-30.9	517.5	31	194	7	717
3550	-31.3	513.8	31	200	8	724
3600	-31.5	510.2	30	199	9	731
3650	-31.6	506.6	27	196	9	738
3700	-31.8	503.0	25	202	9	744
3750	-32.1	499.5	23	205	10	751
3800	-32.2	495.9	21	209	11	758
3850	-32.5	492.4	20	205	11	765
3900	-33.0	488.9	20	203	11	772
3950	-33.3	485.5	20	202	10	778
4000	-33.6	482.0	20	204	11	785
4050	-33.8	478.6	18	204	11	792
4100	-34.1	475.2	17	206	11	799
4150	-34.4	471.8	17	208	11	806
4200	-34.6	468.4	16	209	11	813
4250	-35.1	465.1	17	209	12	820
4300	-35.4	461.7	16	209	11	827
4350	-35.7	458.4	17	211	11	834
4400	-36.2	455.1	17	211	11	841
4450	-36.3	451.9	17	215	12	848
4500	-36.7	448.6	16	214	12	855
4550	-36.8	445.4	16	217	12	862
4600	-37.0	442.2	15	218	12	869
4650	-37.3	439.0	15	220	12	875
4700	-37.4	435.8	14	225	12	882
4750	-37.7	432.7	14	227	13	889
4800	-38.1	429.5	14	226	13	896
4850	-38.2	426.4	14	229	12	903
4900	-38.4	423.3	13	231	12	910

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
4950	-38.5	420.3	13	233	12	917
5000	-38.9	417.2	12	232	12	924
5100	-39.4	411.2	12	229	13	938
5200	-39.8	405.2	12	222	10	952
5300	-40.1	399.3	12	222	10	966
5400	-40.9	393.5	12	224	12	980
5500	-41.5	387.7	13	231	13	994
5600	-42.3	382.0	15	234	12	1009
5700	-43.1	376.4	16	237	13	1023
5800	-43.8	370.8	16	238	14	1037
5900	-44.4	365.3	15	247	17	1051
6000	-45.1	360.0	15	250	21	1066
6100	-45.0	354.6	14	251	23	1079
6200	-45.5	349.3	15	250	25	1094
6300	-46.4	344.1	16	251	24	1108
6400	-46.9	338.9	16	251	25	1122
6500	-47.3	333.8	16	251	24	1136
6600	-47.7	328.8	16	252	25	1151
6700	-48.2	323.9	17	255	23	1165
6800	-48.9	319.0	17	260	22	1179
6900	-49.7	314.2	18	254	22	1194
7000	-50.6	309.4	18	253	20	1208
7100	-50.7	304.7	18	254	20	1222
7200	-50.7	300.0	17	264	20	1236
7300	-50.1	295.5	16	261	20	1250
7400	-50.4	291.0	15	262	21	1264
7500	-50.4	286.5	14	270	21	1278
7600	-50.5	282.2	14	268	23	1293
7700	-50.7	277.9	14	266	25	1307
7800	-50.7	273.6	14	266	26	1321
7900	-50.3	269.5	13	262	26	1335
8000	-50.1	265.4	12	253	22	1349
8100	-49.7	261.4	11	249	21	1363
8200	-49.7	257.4	11	251	24	1378
8300	-49.1	253.5	10	254	23	1392
8400	-48.8	249.7	9	258	22	1406
8500	-48.4	245.9	8	261	19	1420
8600	-47.9	242.2	8	262	20	1434
8700	-47.9	238.5	7	263	22	1449
8800	-47.6	235.0	6	260	22	1463
8900	-47.8	231.4	6	261	19	1477
9000	-48.2	227.9	5	271	18	1492
9100	-48.0	224.5	5	268	18	1506
9200	-48.1	221.1	4	271	21	1521
9300	-47.6	217.8	4	274	22	1535

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
9400	-47.7	214.5	3	255	21	1550
9500	-47.6	211.3	3	254	21	1564
9600	-47.6	208.1	3	250	19	1579
9700	-47.4	205.0	2	261	21	1594
9800	-47.0	201.9	2	255	21	1608
9900	-46.4	198.9	2	249	19	1623
10000	-46.1	195.9	1	243	20	1637
10100	-46.3	193.0	1	252	19	1652
10200	-46.2	190.1	1	257	21	1667
10300	-45.6	187.3	1	253	20	1681
10400	-45.6	184.5	1	257	18	1696
10500	-45.6	181.8	1	261	19	1711
10600	-45.4	179.1	1	259	17	1725
10700	-45.6	176.4	1	248	17	1740
10800	-45.5	173.8	1	253	15	1755
10900	-45.8	171.2	1	256	17	1770
11000	-46.3	168.6	1	262	18	1785
11100	-46.2	166.1	1	255	18	1800
11200	-45.8	163.6	1	254	18	1814
11300	-46.1	161.2	1	248	20	1829
11400	-45.9	158.8	1	249	19	1844
11500	-46.1	156.4	1	250	18	1859
11600	-45.9	154.1	1	248	16	1874
11700	-45.8	151.8	1	254	17	1889
11800	-45.7	149.6	1	258	17	1904
11900	-45.7	147.3	1	256	15	1919
12000	-45.8	145.1	1	259	15	1934
12100	-46.0	143.0	1	255	14	1949
12200	-46.0	140.8	1	253	16	1964
12300	-45.7	138.7	1	258	17	1979
12400	-45.4	136.7	1	263	21	1993
12500	-45.1	134.6	1	261	19	2008
12600	-45.0	132.7	1	262	18	2023
12700	-44.8	130.7	1	245	19	2038
12800	-44.8	128.7	1	244	16	2053
12900	-44.6	126.8	1	244	14	2068
13000	-45.0	125.0	1	239	16	2084
13100	-45.0	123.1	1	238	13	2099
13200	-44.6	121.3	1	245	11	2114
13300	-44.5	119.5	1	251	13	2129
13400	-44.2	117.7	1	243	15	2144
13500	-43.9	116.0	1	235	15	2159
13600	-43.9	114.3	1	235	10	2174
13700	-44.3	112.6	1	235	8	2189
13800	-44.4	110.9	1	273	5	2204

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
13900	-44.5	109.3	1	295	7	2219
14000	-44.9	107.7	1	284	10	2235
14100	-45.1	106.1	1	275	14	2250
14200	-44.4	104.5	1	259	13	2265
14300	-44.5	102.9	1	249	11	2280
14400	-44.4	101.4	1	243	14	2295
14500	-44.4	99.9	1	226	13	2310
14600	-44.8	98.4	1	220	11	2326
14700	-44.6	97.0	1	243	10	2341
14800	-44.0	95.6	1	252	13	2356
14900	-43.4	94.1	1	248	13	2371
15000	-42.8	92.8	1	258	15	2386
15100	-42.7	91.4	1	242	14	2402
15200	-41.9	90.1	1	243	14	2417
15300	-42.0	88.7	1	234	11	2432
15400	-41.7	87.4	1	236	7	2447
15500	-41.9	86.2	1	228	5	2462
15600	-42.1	84.9	1	254	8	2478
15700	-42.0	83.7	1	276	8	2493
15800	-42.1	82.4	1	273	11	2508
15900	-42.3	81.2	1	260	14	2524
16000	-41.9	80.0	1	253	16	2539
16100	-41.2	78.9	1	246	21	2554
16200	-41.3	77.7	1	231	23	2569
16300	-41.1	76.6	1	220	21	2585
16400	-41.2	75.5	1	213	16	2600
16500	-40.9	74.4	1	214	8	2615
16600	-41.0	73.3	1	261	5	2631
16700	-40.6	72.2	1	252	9	2646
16800	-40.4	71.2	1	239	9	2661
16900	-39.6	70.1	1	227	10	2677
17000	-39.2	69.1	1	201	11	2692
17100	-39.2	68.1	1	183	3	2707
17200	-39.1	67.1	1	299	5	2723
17300	-39.2	66.2	1	308	10	2738
17400	-39.2	65.2	1	316	13	2754
17500	-39.3	64.3	1	301	10	2769
17600	-39.9	63.3	1	275	9	2784
17700	-39.8	62.4	1	250	6	2800
17800	-39.4	61.5	1	212	5	2815
17900	-39.3	60.6	1	228	6	2831
18000	-39.7	59.8	1	270	11	2846
18100	-39.4	58.9	1	260	13	2861
18200	-38.9	58.0	1	232	12	2877
18300	-38.6	57.2	1	221	9	2892

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
18400	-38.3	56.4	1	242	5	2908
18500	-38.7	55.6	1	260	6	2923
18600	-38.6	54.8	1	263	9	2938
18700	-38.3	54.0	1	253	7	2954
18800	-37.8	53.2	1	237	5	2969
18900	-37.8	52.4	1	216	7	2985
19000	-38.3	51.7	1	200	7	3000
19100	-38.4	50.9	1	201	6	3016
19200	-38.6	50.2	1	195	2	3031
19300	-38.9	49.5	1	267	2	3047
19400	-38.9	48.8	1	275	4	3062
19500	-39.3	48.1	1	283	7	3078
19600	-39.4	47.4	1	264	7	3093
19700	-38.8	46.7	1	224	8	3108
19800	-37.9	46.0	1	209	11	3124
19900	-38.1	45.4	1	207	11	3139
20000	-37.3	44.7	1	217	11	3155
20100	-37.2	44.1	1	213	9	3170
20200	-37.1	43.4	1	209	9	3186
20300	-37.3	42.8	1	224	10	3201
20400	-36.7	42.2	1	216	9	3217
20500	-36.2	41.6	1	214	8	3232
20600	-35.5	41.0	1	189	6	3248
20700	-35.6	40.4	1	159	4	3263
20800	-36.1	39.8	1	094	6	3279
20900	-36.1	39.3	1	079	6	3294
21000	-36.3	38.7	1	078	9	3310
21100	-36.8	38.2	1	042	8	3325
21200	-37.1	37.6	1	033	10	3341
21300	-37.0	37.1	1	005	8	3356
21400	-36.6	36.6	1	355	11	3372
21500	-36.5	36.0	1	352	14	3387
21600	-37.5	35.5	1	344	7	3403
21700	-37.4	35.0	1	325	9	3419
21800	-37.5	34.5	1	290	6	3434
21900	-37.7	34.0	1	262	5	3450
22000	-37.7	33.5	1	237	9	3465
22100	-37.6	33.0	1	232	9	3481
22200	-37.9	32.6	1	222	10	3496
22300	-38.2	32.1	1	211	12	3512
22400	-38.2	31.6	1	213	10	3527
22500	-38.3	31.2	1	213	9	3543
22600	-38.1	30.7	1	226	12	3558
22700	-37.9	30.3	1	217	12	3574
22800	-36.9	29.9	1	201	12	3589

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
22900	-35.8	29.4	1	200	10	3605
23000	-35.0	29.0	1	196	8	3621
23100	-35.2	28.6	1	186	5	3636
23200	-34.9	28.2	1	189	8	3652
23300	-34.0	27.8	1	162	11	3667
23400	-33.8	27.4	1	155	13	3683
23500	-34.2	27.0	1	137	10	3698
23600	-33.6	26.6	1	124	12	3714
23700	-33.8	26.3	1	093	8	3729
23800	-33.9	25.9	1	078	8	3745
23900	-33.6	25.5	1	074	8	3761
24000	-33.4	25.2	1	090	4	3776
24100	-33.2	24.8	1	072	6	3792
24200	-33.7	24.5	1	009	5	3807
24300	-33.8	24.1	1	025	5	3823
24400	-34.2	23.8	1	060	8	3839
24500	-34.4	23.5	1	052	8	3854
24600	-34.3	23.1	1	027	10	3870
24700	-34.5	22.8	1	020	9	3885
24800	-34.6	22.5	1	029	12	3901
24900	-35.1	22.2	1	012	12	3917
25000	-35.4	21.8	1	347	8	3932
25100	-35.9	21.5	1	355	9	3948
25200	-36.4	21.2	1	266	5	3963
25300	-36.2	20.9	1	238	1	3979
25400	-36.7	20.6	1	042	2	3995
25500	-37.0	20.3	1	051	3	4010
25600	-36.9	20.0	1	262	5	4026
25700	-36.1	19.8	1	288	4	4041
25800	-35.9	19.5	1	249	5	4057
25900	-35.0	19.2	1	256	5	4073
26000	-34.6	18.9	1	222	10	4088
26100	-34.0	18.7	1	191	10	4104
26200	-33.7	18.4	1	183	10	4119
26300	-33.5	18.1	1	151	8	4135
26400	-33.1	17.9	1	154	7	4151
26500	-33.2	17.6	1	162	9	4166
26600	-32.9	17.4	1	203	7	4182
26700	-32.5	17.1	1	193	5	4198
26800	-31.9	16.9	1	124	9	4213
26900	-31.4	16.7	1	095	10	4229
27000	-31.8	16.4	1	073	10	4244
27100	-31.9	16.2	1	095	9	4260
27200	-32.1	16.0	1	114	9	4276
27300	-32.0	15.8	1	123	9	4291

Alt [m]	Temp [°C]	Pres [hPa]	Hum [%]	Wd [Deg]	Ws [kn]	MRI
27400	-31.9	15.5	1	087	8	4307
27500	-31.9	15.3	1	056	7	4323
27600	-31.3	15.1	1	002	3	4338
27700	-31.0	14.9	1	127	2	4354
27800	-30.8	14.7	1	097	3	4369
27900	-30.6	14.5	1	122	5	4385
28000	-30.4	14.3	1	110	6	4401
28100	-30.2	14.1	1	090	7	4416
28200	-30.1	13.9	1	084	11	4432
28300	-30.5	13.7	1	114	7	4448
28400	-30.3	13.5	1	121	5	4463
28500	-30.3	13.3	1	104	6	4479
28600	-30.2	13.1	1	113	7	4494
28700	-30.3	12.9	1	142	6	4510
28800	-30.1	12.8	1	135	10	4526
28900	-30.0	12.6	1	135	10	4541
29000	-29.5	12.4	1	111	5	4557
29100	-29.3	12.2	1	051	11	4573
29200	-29.2	12.1	1	065	5	4588
29300	-28.9	11.9	1	035	2	4604
29400	-27.9	11.7	1	359	4	4620
29500	-27.1	11.6	1	278	6	4635
29600	-25.6	11.4	1	274	9	4651
29700	-25.2	11.3	1	215	9	4667
29800	-25.4	11.1	1	203	10	4682
29900	-25.6	11.0	1	155	8	4698
30000	-25.3	10.8	1	135	5	4713
30100	-25.9	10.7	1	079	6	4729
30200	-26.0	10.5	1	053	10	4745
30300	-25.9	10.4	1	039	11	4760
30400	-25.8	10.2	1	048	7	4776
30500	-25.4	10.1	1	041	1	4792
30600	-24.9	10.0	1	354	3	4807
30700	-24.1	9.8	1	060	2	4823
30800	-24.0	9.7	1	111	8	4839
30900	-23.9	9.6	1	131	12	4854
31000	-23.9	9.4	1	127	17	4870
31100	-23.2	9.3	1	119	16	4886
31200	-23.3	9.2	1	100	14	4901
31300	-23.5	9.1	1	078	14	4917
31400	-23.1	8.9	1	052	13	4933