The quality of AMPS-Wind-Forecasts with regards to flight operations at Dronning Maud Land Season 2010/2013

The quality of AMPS-Wind-Forecasts with regards to flight operations at Dronning Maud Land Season 2010/2011

Hans-Joachim Möller
DWD
(German Meteorological Service)

June 2011

The quality of AMPS-Wind-Forecasts with regards to flight operations at Dronning Maud Land Season 2010/2013

For aviation weather forecasts the results of numerical models are "sine qua non" as actual weather observations and satellite images in high resolution.

Ensemble forecasts of ECMWF, GFS etc are unfit for the first 36h (information from ECMWF) as well global deterministic models (resolution to low).

Are high resolute AMPS-products suitable to help?

The quality of AMPS-Wind-Forecasts with regards to flight operations at Dronning Maud Land Season 2010/201

The aviation at Droning Maud Land is primarily interested in wind, cloud base (very low), visibility, horizon and contrast.

Last 3 elements are not directly model output and must deduce from other parameters (forecaster job).

Low cloud base is not verified because number of AMPS forecasts over land and ice shelf is - contrary to observations - very rare.

The quality of AMPS-Wind-Forecasts with regards to flight operations at Dronning Maud Land Season 2010/2013

For checking the quality of morning AMPS-Wind-Forecasts at Neumayer, Troll and Novo Air Base last season, the predicted elements for h+6, h+12, h+18 were sorted and compared with measurements (forecast data taken from table or chart).

The quality of AMPS-Wind-Forecasts with regards to flight operations at Dronning Maud Land Season 2010/2011


Definition of classes


Wind speed (kt)	Wind direction
0	Calm
1 to 12.5	N
12.5 to 17.5	NE
17.6 to 22.5	E
22.6 to 27.5	SE
27.6 to 32.5	S
32.6 to 37.5	SW
37.6 to 42.5	W
>42.5	NW


The quality of AMPS-Wind-Forecasts with regards to flight operations at Dronning Maud Land Season 2010/201

If model forecast and measurement are in same class, forecast perfect, if difference 1 class, forecast useful, if difference greater, forecast not acceptable.

In the mean for all three times and locations nearly 50% of wind forecasts are "perfect" and about 30% are useful.











The quality of AMPS-Wind-Forecasts with regards to flight operations at Dronning Maud Land Season 2010/2013


But there are great differences in details.

















































































































The quality of AMPS-Wind-Forecasts with regards to flight operations at Dronning Maud Land Season 2010/201

Resume:

In "smooth" areas (Neumayer) wind speed and direction forecasts of AMPS are remarkable good.

In topographical structured areas like Novo or Troll model wind forecasts are often not acceptable and local effects may prevail.

The quality of AMPS-Wind-Forecasts with regards to flight operations at Dronning Maud Land Season 2010/2013

A better orographic/topographic resolution and/or an exact positioning of grid points

would probably decrease the error.

Many thanks